

1.asp

```

<%@ Language=VBScript %>
<%Response.Buffer = true%>
<HTML>
<HEAD>
<title>
</HEAD>
<BODY>
<%
if (Request.Form("user")= "guest" and Request.Form("pass")= "greycloud") or
(Request.Form("user")= "guest" and Request.Form("pass")= "matranet") then
    Session("protect") = "YouGotIt"
    sBody = Chr(13) + "User          : " + request.form("user")
    sBody = sBody + Chr(13) + "Email       : " + request.form("email")
    sBody = sBody + Chr(13) + "Remote IP    : " +
Request.ServerVariables("REMOTE_ADDR")
    sBody = sBody + Chr(13) + "Server Name   : " +
Request.ServerVariables("SERVER_NAME")
    Set JMail = Server.CreateObject("JMail.SMTPMail")
    'This is my local SMTP server
    JMail.ServerAddress = "mail.wearethesolution.com"
    'This is me....
    JMail.Sender = "login@eyardsigns.com"
    JMail.Subject = "User Logged in"

    JMail.AddRecipient "sachin@wearethesolution.com"

    JMail.Body = sBody
    JMail.Priority = 3
    'Send it...
    JMail.Execute

    Session.Timeout = 120
    Response.Redirect "default.asp"
else
    Response.write "<br><p center='center' align='center'> <img
src='grfx/logo.gif'> <h3 align='center'><font face='Arial,'" + _
" Helvetica, sans-serif">Incorrect Login</font><br></h3><BR><BR><p
align=center>Click <a href='index.htm'>here</a> to go to login screen.</p>"
end if%>
</BODY>
</HTML>

```

[illegible]

10

addlist.asp

```

<%@ Language=VBScript %>
<html>
<head>
<title>Add New List</title></head>
<body>
<!-- #include file="inc/database.inc" -->
    <%'Code start

        set rs = Server.CreateObject("ADODB.Recordset")

        sUser_id = Session("user")
        sNew_List = replace_apost(Request.Form("new_list"))
        sNew_List = replace(sNew_List,"",chr(130))

        rs.Open "Select * from list where list_name = '" +
sNew_List + "'",db
        if rs.EOF then
            rs.Close
            db.execute "INSERT INTO list (list_name)
VALUES ('" + sNew_List + "')"
            rs.Open "Select list_id from list where
list_name = '" + sNew_List + "'",db
            sList_id = cstr(rs(0))
        else
            sList_id = cstr(rs("list_id"))
        end if
        'Check if the user has already created the list
        rs.Close
        sSQL = "Select * from user_list_link where user_id =
" + sUser_id + " AND list_id = " + sList_id
        rs.Open sSQL,db
        if rs.EOF then
            db.execute "INSERT INTO user_list_link
(user_id,list_id) VALUES (" + sUser_id + "," + sList_id + ")"
            sMsg=""
        else
            sMsg = "List already exists"
        end if
        sList = sList_id + "-" + sNew_List
        'Clean Up
        rs.Close : set rs = nothing
        db.Close : set db = nothing%>
<form name="form1" action="maintain.asp"

method="post">

        <input type="hidden" name="list" value="<%=sList%>">
        </form>
        <script Language="JavaScript">
            document.form1.submit()
        </script>

        <BODY BGCOLOR="#FFFFFF" TEXT="#000000"

LINK="#3333CC" VLINK="#000066">

        <TABLE WIDTH="100%" HEIGHT="100%" CELLPADDING=0 CELLSPACING=0 BORDER=0>
        <TR>
        <TD HEIGHT="100%" VALIGN=MIDDLE ALIGN=CENTER>
            <TABLE WIDTH="100%" HEIGHT="100%" CELLPADDING=0 CELLSPACING=0 BORDER=0>
            <TR>
            <TD HEIGHT="100%" VALIGN=MIDDLE ALIGN=CENTER>
            <FONT SIZE="4" FACE="arial, helvetica" COLOR="RED">
            <STRONG>Please wait while we process your request...</STRONG></FONT><BR></TD>
            </TR>
            </TABLE></TD>
    
```

addlist.asp

</TR>
</TABLE>

</body></html>
<!-- #include file="SCRIPTS/replace_apost.code" -->

advertise_done.asp

```

<%@ Language=VBScript %>
<html><head>
<title>Advertiser Information taken</title>
<!-- #include file="inc/top_inc.inc" -->
    <td align="center"><% Code start
        for i = 1 to Request.Form.Count - 1
            sMailBody = sMailBody + Request.Form.Key(i) + " : " +
Request.Form(i) + vbCrLf
        next

        Set JMail = Server.CreateObject("JMail.SMTPMail")
        'This is my local SMTP server
        JMail.ServerAddress = "mail.wearethesolution.com"
        'This is me....
        JMail.Sender = "Advertisewithus@electionmall.com"
        JMail.Subject = "Advertisement Request"

        JMail.AddRecipient "sachin@wearethesolution.com"

        JMail.Body = sMailBody
        JMail.Priority = 3
        'Send it...
        JMail.Execute%>
    <br><br><br><br>
    <font name="Helvetica, Verdana, Arial" size="3">
    Your information has been uploaded.<br><br>
    <a href="default.asp">Continue...</a><br><br>
    <!-- code end          #include file="inc/bottom_inc.inc" -->

```

[illegible][illegible]

affiliate_faq.asp

```
<%@ Language=VBScript %>
```

<HTML>

<HEAD>

<title>Affiliate FAQ</title>

```
<!-- #INCLUDE file="inc/top_inc.inc" -->
```

 | |

```
<!-- #INCLUDE file="inc/Affiliate_faq.inc" -->
```

```
<!-- #INCLUDE file="inc/bottom_inc.inc" -->
```

Page 1


```
<%@ Language=VBScript %>
```

```
<%sBody = "<img src='grfx/" + Request.QueryString("img") + "'>"
select case Request.QueryString("id")
```

```
    case "1":
        sBody = sBody + "<B>Headquarters</B> - The Headquarter column
represents the number of times the " + _
"recipient of your eYardsign has visited your Headquarters via the
eYardsign email."
```

```
    case "2":
        sBody = sBody + "<B>Donate</B> - The Donate column represents the
number of recipients who are " + _
"donating to your campaign. The information will consist of the
following : " + _
"Donator's name, address, email, donation amount, phone number, and
date and time of donation."
```

```
    case "3":
        sBody = sBody + "<B>Volunteer</B> - The Volunteer column represents
the number of volunteer's that " + _
"are either requesting information about volunteering, or are
offering their time to " + _
"volunteer. The information will consist of the following :
Volunteer Name, time/date " + _
"submitted, email address, address, phone number, and a list(s) of
duties they would " + _
"like to volunteer. You also have the capability to save the
volunteer(s) email " + _
"addresses directly to your <a href='personal.htm'>Personal
List</a>."
```

```
    case "4":
        sBody = sBody + "<B>Send to a Friend</B> - This column represents
the number of recipients who have " + _
"clicked on <I>Send to a Friend</i> on their eYardsign they
received. Once the recipient " + _
"clicks Send to Friend, they will be prompted to enter the email
addresses of the " + _
"people that will be sent (forwarded) the eYardsign. Therefore,
under this column, " + _
"you will not only have access to the sender's information, but also
the email address " + _
"of the people that were sent the eYardsign. You will also have the
capability to save " + _
"their email addresses directly to your <a
href='personal.htm'>Personal List</a>."
```

```
    case "5":
        sBody = sBody + "<B>Vote</B> - This unique feature allows you to
review the number of <B>Yes" + _
", No or Undecided</B> votes you have received from the recipients
who were sent your eYardSign" + _
". This tally will help you understand where you stand against your
voters."
end select%
```

```
<HTML>
<head><title>Description of Buttons</title></head>
<BODY >
<font face="Helvetica, Verdana, Arial" size="2">
<%=sBody%>
<p align="center">
<a href="javascript:window.close()">Close Window</a></p>
</BODY>
</HTML>
```

button.asp

1

09898509.070304

card_design.asp

```

<%@ Language=VBScript %>
<html><head>
<title>Choose your Design</title>
<!-- #include file="inc/session_timeout.inc" -->
<!-- #include file="inc/top_inc.inc" -->
<td valign="top" align="center">
    <table BORDER="0" CELLPADDING="5" CELLSPACING="5" width="98%"
align="center">
        <tr bgColor="#c0d5fc">
            <td colspan="3"><b>
                <font size="2">Select ONE Design of your choice from
below</font></b></td></tr></table>
        <%
            strServerPath = "grfx/ecards/"
            strFilePath = Server.MapPath(strServerPath)
            strResult = createListFromFolder(strFilePath, strServerPath)
            Response.Write "<form name=form1 action=selectlist.asp
method=post>"
            Response.Write strResult%>
            <table><tr>
                <td class=normal>Sender's Email</td><td><input
name=email></td></tr>
                <tr>
                <td class=normal>Subject of email</td><td><input
name=sSubject></td></tr>
                <tr>
                <td class=normal>Message</td><td><input
name=sMessage></td></tr>
                <tr>
                <td class=normal colspan=2><input name=sSubmit
value=Submit type=submit></td></tr>
            </table>
            </form>
        <!-- #include file="inc/bottom_inc.inc" -->
        <%
            function createListFromFolder(strPath, strServerPath)

                dim objFSO          'FileSystemObject variable
                dim objFolder       'Folder object variable
                dim colFiles        'Collection of file object
                dim objFile         'File object variable
                dim strResult       'String containing the list of URLs.

                set objFSO        = Server.CreateObject( "Scripting.FileSystemObject" )

                'Get the folder object from the FSO object.
                set objFolder = objFSO.GetFolder( strPath )
                set objFSO    = nothing

                'Get the file collection from the Folder object.
                set colFiles  = objFolder.Files
                set objFolder = nothing

                'Create the list using files of the folder as data.
                strResult = "<table><tr>"
                Const iNoOfCols = 3

                for each objFile in colFiles
                    'Check for a thumbnail
                    if Instr(1,objFile.Name,"th_") > 0 then
                        i = i + 1

```



```

                                card_design.asp
                                strResult = strResult & " <td><input type=radio name=image
value='" + _
                                right(objFile.Name,len(objFile.Name)-3) + "'></td>"
                                end if
                                'check for end of row
                                if i = iNoOfCols then
                                    strResult = strResult + "</tr><tr>"
                                    i = 0
                                end if
                            next
                            strResult = strResult + "</table>"

                            if colFiles.Count <> 0 then
                                createListFromFolder = strResult
                            else
                                'Return nothing when the directory is empty
                                createListFromFolder = ""
                            end if

                            set objFile = nothing
                            set colFiles = nothing
end function%>

```

confirm.asp

```

<%@ Language=VBScript %>
<html>
<head>
<title>Registration Confirmed</title>
<!-- #include file="inc/top_inc.inc" -->
<!-- #include file="inc/database.inc" -->
<td align="center"><%'Code start
    set rs = server.CreateObject("ADODB.Recordset")

    if Session("user") = "" then
        'If new user
        sUserName = Request.Form("username")
        sSQL = "select username from user_info where username = '" +
sUserName + "'"
        rs.Open sSQL,db

        if not rs.EOF then
            Response.Write
" <BR><BR><BR><BR><font face='Verdana, Arial, Helvetica' size='2'>This username is
taken.<BR><BR>Click " + _
            " <a
href='javascript:history.back()'>here</a> to go back and choose another username."
        else
            rs.Close
            sSQL = "insert into user_info
(username,password,first_name,last_name,Age,Sex," + _
"email,address1,address2,city,state_id,zip_code,phone,url,party_id," + _
"newsletter,create_date) VALUES ('"
for i = 1 to Request.Form.Count - 4
    if not i = 3 then sSQL =
sSQL + Request.Form(i) + " ', '"
"#"
            db.Execute sSQL
            rs.Open "Select user_id from
user_info where username='" + sUserName + "'"
            Session("user") = cstr(rs(0))

            'Send welcome message
            sBody = sBody + "Hello " +
Request.Form("first_name") + " " + Request.Form("last_name") + "," + chr(13) +
chr(13)

            sBody = sBody + "Thank you for
joining eYardSigns.com - the new online eCampaigning Tool " + _
"which has revolutionized the
standard yardsigns usually found on lawns across America." + chr(13) + chr(13)

            sBody = sBody + "Next time you visit
eYardSigns.com, you'll need to sign in to your account " + _
"by typing in the User Name with
which you registered and your password." + chr(13) + chr(13)

            sBody = sBody + "User Name : " +
sUserName + chr(13) + chr(13)

            sBody = sBody + "Here are some of
the other FREE exciting features eYardSigns.com has to " + _
"offer:" + chr(13) + chr(13)

```

confirm.asp

```
maintain custom Email lists" + chr(13)
eYardSign creation and sending" + chr(13)
addresses from various mail clients from your desktop" + chr(13)
Customer Support via world wide Web" + chr(13)
eYardSign, by entering your own content, logo, and " +
results and the responses from your sent eYardSigns" + chr(13)
utilizing the www.ElectionMail.com vortal for unlimited " +
chr(13)

eYardSigns.com and taking advantage of all of these " +
look forward to helping you manange and promote your " +
exciting new eCampaigning Tool, simply click here" +
chr(13) + chr(13)

chr(13) + chr(13)

Team" + chr(13)
"support@eyardsigns.com" + chr(13) + chr(13)

your Password? Click here " +
"http://www.eyardsigns.com/forgot_pass.asp" +
address, and shorty we'll send you your Password " +
via email." + chr(13) + chr(13)

one-time email."

Server.CreateObject("JMail.SMTPMail")

"mailhub.registeredsite.com"

"welcome@eyardsigns.com"
eYardSigns.com"

Request.Form("email")

sBody = sBody + "* Create and
sBody = sBody + "* Fast and reliable
sBody = sBody + "* Import Email
sBody = sBody + "* 24/7 Live
sBody = sBody + "* Personalize each
"musical tune options" + chr(13)
sBody = sBody + "* Review the
sBody = sBody + "* and best of all
"features and services" + chr(13) +
sBody = sBody + "Have fun exploring
"fabulous features for FREE! We
"CAMPAIGN." + chr(13) + chr(13)
sBody = sBody + "To begin using this
" www.eYardSigns.com and sign in." +
sBody = sBody + "Sincerely," +
sBody = sBody + "The eYardSigns.com
sBody = sBody +
sBody = sBody + "P.S. Did you forget
and simply enter your email
"(NOTE: Password is case sensitive)
sBody = sBody + "Note: This is a
Set JMail =
'This is my local SMTP server
JMail.ServerAddress =
'This is me....
JMail.Sender =
JMail.Subject = "Welcome to
JMail.AddRecipient
```


contactus.asp

```
<%@ Language=VBScript %>
```

```
<HTML>  
<HEAD>  
<title>Contact us</title>  
<!-- #INCLUDE file="inc/top_inc.inc" -->  
<td>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~</td><td class="normal">  
<!-- #INCLUDE file="inc/contactus.inc" -->  
  
<!-- #INCLUDE file="inc/bottom_inc.inc" -->
```

Page 1

Copy of sendmail.asp

```

<%@ Language=VBScript %>
<%Response.Buffer = true
Response.Expires=0
Response.Clear%>
<html>
<head>
<title>Preview eYardSign</title>
<!-- #include file="inc/session_timeout.inc" -->
<!-- #include file="inc/top_inc.inc" -->
<td width="98%" align="center">
    <!-- #include file="upload/outputfile.asp" -->
<%
sPosition = UploadRequest.Item("s_title").Item("Value")
sTitle = UploadRequest.Item("s_position").Item("Value")
sImage = UploadRequest.Item("image").Item("Value")
sEmail = UploadRequest.Item("s_email").Item("Value")
sMessage = UploadRequest.Item("message").Item("Value")
sFirst_Name = UploadRequest.Item("s_fname").Item("Value")
sLast_Name = UploadRequest.Item("s_lname").Item("Value")
sSubject = UploadRequest.Item("subject").Item("Value")

ssiteURL = ""
sMusic = UploadRequest.Item("music").Item("Value")

'Upper%>
<!-- #include file="inc/top_mail.inc" -->
<%Start Yard Sign
Select case sImage
    case "1"%>
        <!-- #include file="inc/yard1.inc" -->
    <%    case "2"%>
        <!-- #include file="inc/yard2.inc" -->
    <%    case "3"%>
        <!-- #include file="inc/yard3.inc" -->
    <%    case "4"%>
        <!-- #include file="inc/yard4.inc" -->
    <%    case "5"%>
        <!-- #include file="inc/yard5.inc" -->
    <%end select
'Lower%>
<!-- #include file="inc/bottom_mail.inc" -->

<%    call InsertButtons()
sBody1 = mid(sBody1,13,len(sBody1)-27)
Response.Write sBody + sBody1%>
<form name="form1" action="selectlist.asp" method="post">
    <table align="center" ><tr><td align="center"
width="150">&nbsp;  </td><td>
        <input name="button1" value="Change eYardSign" type="button"
onclick="javascript:history.back()">
        &nbsp;  <input name="submit1" value="Send eYardSign" type="submit" >
        &nbsp;  <input name="button1" value="Cancel" type="button"
onclick="javascript:document.location='default.asp'">
    </tr></td></table>
    <input name="sPosition" value="<%=sPosition%>" type="hidden" >
    <input name="sTitle" value="<%=sTitle%>" type="hidden" >
    <input name="sImage" value="<%=sImage%>" type="hidden" >
    <input name="sEmail" value="<%=sEmail%>" type="hidden" >
    <input name="sMessage" value="<%=sMessage%>" type="hidden" >
    <input name="sFname" value="<%=sFirst_Name%>" type="hidden" >
    <input name="sLname" value="<%=sLast_Name%>" type="hidden" >
    <input name="sSubject" value="<%=sSubject%>" type="hidden" >
    <input name="sMusic" value="<%=sMusic%>" type="hidden" >

```

0589509.070301
TOED/20"6086660

```
Copy of sendmail.asp

```

custom_yardsign.asp

```
<%@ Language=VBScript %>
<%Response.Buffer = true%>
<HTML>
<HEAD>
<title>Custom Yardsign</title>
</HEAD>
<BODY>
<p>&nbsp;</p>
<%sSubject = Request.Form("sasubject")
sRef = Request.Form("saref")
rEmail = Request.Form("saemail")
sName = Request.Form("saname")
sEmail = Request.Form("sasender_email")%>
<!-- #include file="inc/rnc/yard_rnc1.inc" -->
<%
    Set JMail = Server.CreateObject("JMail.SMTPMail")
    'This is the local SMTP server
    JMail.ServerAddress = "mailhub.registeredsite.com"
    'This is User....
    JMail.Sender = sEmail
    JMail.Subject = sSubject
    JMail.ContentType = "text/html"
    JMail.AddRecipient rEmail
    JMail.Body = sBody
    JMail.Execute

    Response.Redirect sRef
%>
</BODY>
</HTML>
```



```

<%@ Language=VBScript %>
<html>
<head>
<title>eYardSigns</title>
<!-- #include file="inc/top_inc.inc" -->
<td valign="top">
<%if Session("user") = "" then%>
  <table cellSpacing="0" cellPadding="0" width="308" border="0">
    <tbody>
      <tr>
        <td align="right" width="158"></td>
        <td width="150">&nbsp;</td></tr>
      <tr>
        <td width="158"></td>
        <td width="150"></td></tr>
      <tr>
        <td align="right" width="158"></td>
        <td width="150"></td></tr></tbody></table></td>
      <td valign="top" width="296">
        <form name="form1" action="login.asp" method="post">
          <table cellSpacing="1" cellPadding="2" width="296" border="0">
            <tbody>
              <tr>
                <td width="15"><a
href="javascript:portwin('flas/tutflash.htm',620,420)"></a></td>
                <td width="281"><a
href="javascript:portwin('flas/tutflash.htm',620,420)"><font face="Verdana, Arial,
Helvetica, sans-serif" color="#092186" size="1">Design your
eYardSign!</a></font></td></tr>
              <tr>
                <td width="15"><a
href="javascript:portwin('flas/tutflash.htm',620,420)"></a></td>
                <td width="281"><a
href="javascript:portwin('flas/tutflash.htm',620,420)"><font face="Verdana, Arial,
Helvetica, sans-serif" color="#092186" size="1">Import or create your own email
list</a></font></td></tr>
              <tr>
                <td width="15"><a
href="javascript:portwin('flas/tutflash.htm',620,420)"></a></td>
                <td width="281"><a
href="javascript:portwin('flas/tutflash.htm',620,420)"><font face="Verdana, Arial,
Helvetica, sans-serif" color="#092186" size="1">Preview and send your
eYardSign</a></font></td></tr>
              <tr>
                <td width="15"><a
href="javascript:portwin('flas/tutflash.htm',620,420)"></a></td>
                <td width="281"><a
href="javascript:portwin('flas/tutflash.htm',620,420)"><font face="Verdana, Arial,
Helvetica, sans-serif" color="#092186" size="1">Track and evaluate your eYardSign
responses</a></font></td></tr>
            <tr>
              <td width="15" valign="bottom"><a href="donate_content.asp"></a></td>
              <td width="281" valign="top"><a href="donate_content.asp"><font

```


deletelist.asp

```
<%@ Language=VBScript %>
<%Response.Buffer = true%>
<html>
<head>
<title>Add New List</title></head>
<BODY BGCOLOR="#FFFFFF" TEXT="#000000" LINK="#3333CC" VLINK="#000066" >
  <!-- #include file="inc/database.inc" -->
  <%'Code start
    set rs = Server.CreateObject("ADODB.Recordset")

    ListValue = Request.Form("deletelist")
    sArr_List = split(ListValue,"-")
    sList_Name = sArr_List(1)
    sList_id = sArr_List(0)
    sUser_id = Session("user")

    sSQL = "Delete * from email where list_id = " +
sList_id + " AND user_id = " + sUser_id
    db.Execute sSQL
    sSQL = "Delete * from user_list_link where list_id =
" + sList_id + " AND user_id = " + sUser_id
    db.Execute sSQL
    'Clean Up
    db.Close : set db = nothing%>
<TABLE WIDTH="100%" HEIGHT="100%" CELLPADDING=0 CELLSPACING=0 BORDER=0>
<TR>
<TD HEIGHT="100%" VALIGN=MIDDLE ALIGN=CENTER>
  <TABLE WIDTH="100%" HEIGHT="100%" CELLPADDING=0 CELLSPACING=0 BORDER=0>
  <TR>
  <TD HEIGHT="100%" VALIGN=MIDDLE ALIGN=CENTER>
<FONT SIZE="4" FACE="arial, helvetica" COLOR="RED">
<STRONG>Please wait while we process your request...</STRONG></FONT><BR></TD>
  </TR>
  </TABLE></TD>
</TR>
</TABLE>

<%Response.Redirect "email_maintenance.asp"%>
</body></html>
```

```

<%@ Language=VBScript %>
<html><head>
<title>Choose your Design</title>
<!-- #include file="inc/session_timeout.inc" -->
<!-- #include file="inc/top_inc.inc" -->
<td valign="top" align="center">
    <table BORDER="0" CELLPADDING="5" CELLSPACING="5" width="98%"
align="center">
        <tr bgcolor="#c0d5fc">
            <td colspan="3"><font face="Verdana, Arial, Helvetica,
sans-serif" size="4"><b>
                STEP 1 : eYardSigns <font size="1">(Select ONE eYardsign of
your choice from below)</font></font></b></td></tr>
            <tr>
                <td WIDTH="160" ALIGN="middle">
                    <a href="postcard.asp?image=1">
                        </a>
                    </td>
                <td WIDTH="160" ALIGN="middle">
                    <a href="postcard.asp?image=2">
                        </a>
                    </td>
                <td WIDTH="160" ALIGN="middle">
                    <a href="postcard.asp?image=3">
                        </a>
                    </td>
            </tr>
            <tr>
                <td WIDTH="160" ALIGN="middle">
                    <a href="postcard.asp?image=4">
                        </a>
                    </td>
                <td WIDTH="160" ALIGN="middle">
                    <a href="postcard.asp?image=5">
                        </a>
                    </td>
                <td WIDTH="160" ALIGN="middle">
                    &nbsp;
                </td>
            </tr>
        </table>
        <p align="center"><input type="button" name="button1" value="Back"
onclick="history.back()"></p>
<!-- #include file="inc/bottom_inc.inc" -->

```

doimport.asp

```
<%@ Language=VBScript %>
<html><head>
<title>Select Import File </title>
<!-- #include file="inc/session_timeout.inc" -->
<!-- #include file="inc/top_inc.inc" -->
<td >
<%Code start
session.Timeout = 500
Dim Arr_Clients(4)
Arr_Clients(1) = "Microsoft OutLook"
Arr_Clients(2) = "OutLook Express"
Arr_Clients(3) = "Palm Desktop"
Arr_Clients(4) = "Netscape Client"
iclient = CInt(Request.QueryString("client"))%>
<table border="0" cellpadding="0" cellspacing="0" width="100%">
  <tr bgcolor="092186">
    <td align="left"><font face="Verdana, Arial, Helvetica, sans-serif"
color="#ffffff" size="4">
      <b>Import from <%=Arr_Clients(iclient)%></b>
    </td></tr><tr><td colspan="2">&nbsp;</td></tr><tr bgcolor="C0D5FC"><td>
      <font face="Arial, Helvetica, sans-serif" size="3" ><b>Instructions for creating
a Comma Separated Value (CSV) from
      <%=Arr_Clients(iclient)%>:</b></font> </td></tr>
</table><br>
<%Select Case iclient
  case 1:%>
    <!-- #include file="import/outlook.htm" --><%
  case 2:%>
    <!-- #include file="import/express.htm" --><%
  case 3:%>
    <!-- #include file="import/palm.htm" --><%
  case 4:%>
    <!-- #include file="import/netscape.htm" --><%
  end select%>
<BR>
<form action="list.asp" encType="multipart/form-data" method="post"
name="form1">
  <input name="list" type="hidden"
value="<%=Request.QueryString("list")%>">
  <input name="client" type="hidden"
value="<%=Request.QueryString("client")%>">
  <font face="Arial, Helvetica, sans-serif" size="2" >
    <B>Specify the Comma Separated Value (CSV) file to
import:</B></font><BR>
    <input name="file1" type="file" size="10"> <BR><BR>
    <input id="submit1" name="submit1" type="submit" value="Import">
    <input name="button1" type="button" value="Cancel"
onclick="javascript:history.back()"></td></tr>
<!-- #include file="inc/bottom_inc.inc" -->
```

donate_confirm.asp

```
<%@ Language=VBScript %>
<HTML>
<HEAD>
<title>Confirmation</title>
<!-- #INCLUDE file="inc/top_inc.inc" -->
<!-- #INCLUDE file="inc/database.inc" -->
<td>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~
</td><td class="normal">
<%
    Set JMail = Server.CreateObject("JMail.SMTPMail")
    'This is my local SMTP server
    JMail.ServerAddress = "mailhub.registeredsite.com"
    'This is me....
    JMail.Sender = "contribution@eyardsigns.com"
    JMail.Subject = "eYardSigns Donation Subsystem"

    JMail.AddRecipient "kesh@wearethesolution.com"
    JMail.AddRecipient "sachin@wearethesolution.com"

    'Send Mail to the guy with attchement
    'JMail.ClearRecipients
    sBody = "Thank you for signing up and filling out our setup form
with eYardSigns." + _
        " You are about to enjoy the many benefits of collecting, and
raising funds via the latest and safest " + _
        "technology the web has to offer. Attached to this email you will
find our Client Contract. Please print" + _
        " out the Client Contract and sign and date it. Once complete,
please fax the signed copy to ###-###-####." + _
        "Once we receive your signed contract, we will have our Client's
Service's Department sign and date the contract," + _
        "and fax it back to you for your records." + vbcrLf + vbcrLf +
Request.Form("email") + vbcrLf + Request.Form("select") + _
vbcrLf + Session("user")

    JMail.Body = sBody
    JMail.AddAttachment
(Server.MapPath("inc\Electionmall.com_Client_Agreement_v3.5.pdf"))
    JMail.Execute

    'Enter in Database
    sUser = Session("user")
    ssQL = "INSERT INTO Donate_Info (user_id, donate_mail) VALUES (" +
sUser + ", '" + sMailBody + "'" )
    ssQL1 = "UPDATE User_Info SET Donate_Flag = 1 WHERE user_id = " +
sUser

    db.execute ssQL
    db.Execute ssQL1

    db.close : set db = nothing

%>
<br><br><br><p align="center">
<font face="Arial" size="2">Donation Registration Complete Please
fill the attached document and Fax it to us ASAP...<br><br>
<a href="default.asp">Continue...</a><br>
</font><br><br></p>
<!-- #INCLUDE file="inc/bottom_inc.inc" -->
```

```
<%@ Language=VBScript %>
<html>
<head>
<title>Online Donations</title>
<!-- #INCLUDE file="inc/top_inc.inc" -->
<td>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~</td><td class="normal">
<p align="center"><font size="4"><b>Online Donations via eYardsigns.com</b></font>
</p>
<%if session("user") = "" then%>
<p>
where traditional emailing and the latest online fundraising technology meets =
eYardSign's!
with the Internet rapidly growing, and eCampaigning and fundraising becoming ever
so
competitive, you need to utilize the newest and safest tools for raising online
donations
for your Non-Profit Organizations, Charities, Political Action Committee's (PAC's),
and
Campaigns. With our patent-pending solutions, these electronic-yard signs will be
your
24-hour fundraising tool. With safety and security as our number one priority, we
have
teamed up with the Industry's leading source for online fundraising solutions.
This
allows us to offer legally compliant and cost-effective means of fundraising.
Not
only will you be able to raise money, but you will also have the capability to
collect
data and review and print reports for your records. These solutions, will not
only
ease your administrative tasks, but also help increase the accuracy of your
records.
All of these fundraising solutions would traditionally cost too much money and
man-power, but our solutions will be cost efficient and will let you focus on
what
you do best. Our service has no up-front fees and no recurring charges. For
every
dollar contributed through our eYardSign's a small fee, reduced by volume, is
retained for all of our basic services. Why have people come to your DONATE
LINK,
when the LINK can come to them!
</p><p>
Below are some of our basic services when you sign up for FREE! We include
all of the following fundraising and communication services for our low
per transaction rate.
<ul>
<li>Secure credit card, checking and check card transactions
<li>Multiple account processing
<li>All credit card, merchant banking and bank transfer fees
<li>Reconciliation reports of all transactions
<li>Unlimited donation areas
<li>Immediate high donor notification
<li>Compliance with federal, state and local fundraising laws
<li>Compilation of reporting data
<li>Contributor data maintenance
<li>Profiling and demographics, and
<li>24-hours-a-day, seven-days-a-week Internet access to
your organization's reports and data</li>
</ul>
<p></p><p>If you are ready to activate your DONATION button and take advantage of
the
latest technology for online fundraising on your eYardSign.</p>
<center></center>
```


donate_content.asp

```
<table width="60%" align="center"><tr><td class="normal"><a
href="login.asp?ref=donate_content.asp">Sign in</a></td>
  <td class="normal"><a
href="register.asp?ref=donate_content.asp">Register</a></td></table>
<%else%>
  <!-- #include file="inc/database.inc" -->
  <%set rs = server.CreateObject("ADODB.Recordset")
  sSQL = "SELECT email from user_info WHERE user_id = " +
Session("user")
  rs.Open sSQL,db
  sEmail = rs(0)
  rs.Close : set rs = nothing
  db.Close : set db = nothing
  %>
<p>If you are ready to activate your DONATION button and take advantage of the
latest technology for online fundraising on your eYardSign.</p>
<p>
<form name="form1" method="post" action="donate_confirm.asp">
  <select name="Select" >
    <option value="0" selected>&lt;-----select-----&gt;</option>
    <option value="Candidate">Candidate</option>
    <option value="Non-Profit Organization">Non-Profit Organization</option>
    <option value="Political Action Committe (PAC)">Political Action Committe
(PAC)</option>
  </select>
  <BR><BR>
  email address <input name="email" value="<%=sEmail%>"><BR><BR>
  <input type="submit" name="submit1" value="Submit">
</form>
</p>
<%end if%>

<!-- #INCLUDE file="inc/bottom_inc.inc" -->
```

```

<%@ Language=VBScript %>
<html>
<head>
<title>Contribution Form</title>
</head>

<body bgcolor="092186">
<!-- #include file="inc/convert_trackid.inc" -->
<!-- #include file="inc/database.inc" -->
<%
    set rs = Server.CreateObject("ADODB.Recordset")

    sSQL = "Select First_Name, Last_Name from Mail_Tracking WHERE track_id = " +
sTrack_id
    rs.open sSQL,db
    if not rs.EOF then        sName = rs(0) + " " + rs(1) end if
    rs.Close : set rs = nothing
    db.Close : set db = nothing
%>
<table width="600" border="0" cellspacing="0" cellpadding="0" align="center">
<tr>
<td width="17" align="right"></td>
<td bgcolor="C0D5FC" width="74">&nbsp;</td>
<td bgcolor="C0D5FC" width="486">&nbsp;</td>
<td width="18" align="left"></td>
</tr>
<tr>
<td width="20" bgcolor="C0D5FC">&nbsp;</td>
<td width="74" bgcolor="C0D5FC">
<a href="http://www.eyardsigns.com"></a></td>
<td width="486" bgcolor="C0D5FC" align="center">
<%Set ad = Server.CreateObject("MSWC.AdRotator") %>
<%= ad.GetAdvertisement("inc/adrot_lng.txt") %>
</td>
<td width="20" bgcolor="C0D5FC">&nbsp;</td>
</tr>
<tr>
<td width="20" height="3" bgcolor="C0D5FC"></td>
<td width="74" height="3" bgcolor="C0D5FC"></td>
<td width="486" height="3" bgcolor="C0D5FC"></td>
<td width="20" height="3" bgcolor="C0D5FC"></td>
</tr>
<tr>
<td width="20" bgcolor="C0D5FC">&nbsp;</td>
<td width="74"></td>
<td width="486"></td>
<td width="20">&nbsp;</td>
</tr>
<tr>
<td width="20" bgcolor="C0D5FC">&nbsp;</td>
<td colspan="2" bgcolor="C0D5FC" height="371" valign="top">
<form method="post" action onsubmit="return false;">
<table width="100%" border="0" cellspacing="2" cellpadding="2">
<tr>
<td colspan="2"> <b><font face="Verdana, Arial, Helvetica, sans-serif"
size="2"><b></b><br>
    <br>
    <br>
    <br>
    I would like to make a Donation to <font size="4" color="#FFFFFF">
    <%=sName%></font> by...</font></b></td>
</tr>
<tr>
    <td width="40%" align="right" bgcolor="#6666FF"><font face="Verdana,
Arial, Helvetica, sans-serif" size="2"><b>Check</b></font></td>
    <td width="60%" bgcolor="#6666FF">&nbsp;</td>
</tr>
<tr>
    <td width="40%" align="right" bgcolor="#8888FF"><font face="Verdana,
Arial, Helvetica, sans-serif" size="2"><b>Credit
Card</b></font></td>
    <td width="60%" bgcolor="#8888FF">&nbsp;</td>
</tr>
<tr>
    <td width="40%" align="right" valign="top" bgcolor="#AEAEFF"><font
face="Verdana, Arial, Helvetica, sans-serif" size="2"><b>Mail</b></font></td>
    <td width="60%" bgcolor="#AEAEFF"> <b><font face="Verdana, Arial,
Helvetica, sans-serif" size="2">
</td>
</tr>
<tr>
    <td width="40%" align="right" valign="top" height="5"></td>
    <td width="60%" height="5"></td>
</tr>
<tr>
    <td width="40%" align="right" valign="bottom" height="5"
bgcolor="#999999"><font face="Verdana, Arial, Helvetica, sans-serif"
size="2"><b>Amount</b></font></td>
    <td width="60%" height="5" bgcolor="#999999">
    <input type="text" name="textfield">
</td>
</tr>
<tr>
    <td width="40%" align="right" valign="bottom" height="5"
bgcolor="#ADADAD"><font face="Verdana, Arial, Helvetica, sans-serif"
size="2"><b>Name</b></font></td>
    <td width="60%" height="5" bgcolor="#ADADAD">
    <input type="text" name="textfield2">
</td>
</tr>
<tr>
    <td width="40%" align="right" valign="bottom" height="5"
bgcolor="#BEBEBE"><font face="Verdana, Arial, Helvetica, sans-serif"
size="2"><b>Address</b></font></td>
    <td width="60%" height="5" bgcolor="#BEBEBE">
    <textarea name="textfield22"></textarea>
</td>
</tr>
<tr>
    <td width="40%" align="right" valign="bottom" height="5"
bgcolor="#CECECE"><font face="Verdana, Arial, Helvetica, sans-serif"
size="2"><b>Email
Address</b></font></td>
    <td width="60%" height="5" bgcolor="#CECECE">
    <input type="text" name="textfield23">
</td>
</tr>
<tr>

```


donate_form01.asp

```

<%@ Language=VBScript %>
<HTML><HEAD><TITLE>Online Donations for Candidates</TITLE>
<!-- #INCLUDE file="inc/top_inc.inc" -->
<td>
<META content="MSHTML 5.00.2920.0" name=GENERATOR></HEAD>
<BODY>&nbsp;&nbsp;&nbsp;&nbsp;</TD><td class="normal">
<form name="form1" action="donate_confirm.asp" method="post">
<p align="center"><b><font size="4"><u>PARTY/CANDIDATE COMMITTEE ACCOUNT SET-UP
FORM</u></font> </b></p>
<p><b>Organization Information:</b>
<br>Please enter the name and address of your
organization :<br>
Name of Organization:
<input name="Name_of_Organization" size="50" >
<br>
</p>
<p>Type of Organization (please check those that apply): <br>
<input type="radio" name="Type_of_Organization"
value="Presidential_Candidate_Committee_(No_Federal_Matching)">
Presidential Candidate Committee (No Federal Matching) <br>
<input type="radio" name="Type_of_Organization"
value="Presidential_Candidate_Committee_(Federal_Matching)">
Presidential Candidate Committee (Federal Matching) <br>
<input type="radio" name="Type_of_Organization"
value="Federal_Candidate_Committee_(non-presidential)">
Federal Candidate Committee (non-presidential) specify office & state: <br>
<input name="office" >
<input name="state" >
<br>
<input type="radio" name="Type_of_Organization" value="State_Candidate_Committee">
State Candidate Committee - specify office & state: <br>
<input name="office" >
<input name="state" >
<br>
<input type="radio" name="Type_of_Organization" value="Local_Candidate_Committee">
Local Candidate Committee - specify office & jurisdiction: <br>
<input name="office" >
<input name="state" >
<br>
<input type="radio" name="Type_of_Organization"
value="National_Political_Party_(Federal_Account)">
National Political Party (Federal Account) <br>
<input type="radio" name="Type_of_Organization"
value="National_Political_Party_(Non-Federal_Account)">
National Political Party (Non-Federal Account) <br>
<input type="radio" name="Type_of_Organization"
value="State_Political_Party_(Federal_Account)">
State Political Party (Federal Account) - specify state:
<input name="state" >
<br>
<input type="radio" name="Type_of_Organization"
value="State_Political_Party_(Non-Federal_Account)">
State Political Party (Non-Federal Account) - specify state:
<input name="state" >
<br>
<input type="radio" name="Type_of_Organization" value="Other_Political_Party">
Other Political Party - specify:
<input name="Party" >
<br>
<input type="radio" name="Type_of_Organization" value="Unincorporated">
Unincorporated (specify additional information) <br><TEXTAREA cols=60
name=Unincorporated rows=3 wrap=VIRTUAL></TEXTAREA>
<br>

```

Street Address:

 City:

 State:

 Zip:

 </p>
 <p>Contact Information:

 Please enter the information below for the organization's main contact person:
 Name:

 E-Mail:

 Phone:

 Fax:

 </p>
 <p>Web Site Contact Information:

 Please enter information below for your main web site contact person :

 Name:

 E-Mail:

 Phone:

 Fax:

 </p>
 <p>Total Annual Fundraising Revenue from All Sources:

 Please indicate the appropriate range below :

☐
 \$0 - \$999,999

☐
 \$1M - \$9.99M

☐
 over \$10 M

 </p>
 <p>Primary Donation Area information

 (note: if you wish to have a secondary donation area, please make a copy of
 pages 2 - 5 of this form, fill them out, and indicate secondary):

 Web Address to which to map the eContributor donation area :

 www.

 If your site has multiple pages, what page, colors, design elements do you most
 want the eContributor donation area to emulate:

 <TEXTAREA cols=60
 name=Name_of_Organization23 rows=3 wrap=VIRTUAL></TEXTAREA>

 </p>

donate_form01.asp

Please write the text of the acknowledgement that you would like to appear in the email sent to a donor after making a contribution. (Please attach a second page if the space below is not sufficient).
<TEXTAREA cols=60 name=Contribution_Acknowledgement_Message rows=3 wrap=VIRTUAL></TEXTAREA>

Email address the acknowledgement should come from (if different from contact person's email):

<input name="Email_address_the_acknowledgement_should_come_from" >

</p>
<p>ePolling Demographic Questions

Choose 3 of the following stock demographic questions; indicate the order you would like then to be :

<input type="radio" name="ePolling_Demographic_Questions" value="what_is_your_age">

Q: What is your age?

A: (18 - 24, 25 - 34, 35 - 44, 45 - 54, 55 - 64, 65 or older)

<input type="radio" name="ePolling_Demographic_Questions" value="what_is_your_gender">

Q: What is your gender?

A: (Male, Female)

<input type="radio" name="ePolling_Demographic_Questions" value="what_is_your_main_racial_background">

Q: What is your main racial background?

A: (White/Caucasian, Black/African American, Hispanic/Latino, Asian/Asian American, Other)

<input type="radio" name="ePolling_Demographic_Questions" value="what_was_your_last_grade_of_formal_education">

Q: What was your last grade of formal education?

A: (Less than high school, High school graduate, Some College/Vocational School, College Graduate, Post Graduate)

<input type="radio" name="ePolling_Demographic_Questions" value="Are_you_a_registered_voter">

Q: Are you a registered voter?

A: (Yes, No)

<input type="radio" name="ePolling_Demographic_Questions" value="Do_you_consider_yourself">

Q: Do you consider yourself...

A: (Very Liberal, Somewhat Liberal, Moderate, Somewhat Conservative, Very Conservative)

Primary Donation Area Information (cont.)

</p>

<p>Custom demographic questions

Please write below custom demographic questions that you would like in your system. This must be limited to two questions in the form of a statement the user can select if it pertains to them, such as: I am a member of the ACLU.

1.

<input name="Custom_demographic_questions01" size="50" >

2.

<input name="Custom_demographic_questions02" size="50" >

</p>

<p>Question of the day

Please write your question of the day (you can choose from any of the stock demographic questions or your custom demographic questions).
<TEXTAREA cols=60 name=Question_of_the_day rows=3 wrap=VIRTUAL></TEXTAREA>

</p>

<p>Contribution Alerts

donate_form01.asp

You can set a contribution alert in your eContributor donation area. Contributions

at or over the amount you specify will generate an automatic notice to you and a special acknowledgement to the donor.

Contribution alert limit - \$

<input name="Contribution_alert_limit" >

Contribution alert acknowledgement message
<TEXTAREA cols=60

name=Contribution_alert_acknowledgement_message rows=3 wrap=VIRTUAL></TEXTAREA>

Email address the contribution Alert acknowledgement should come from (if different

from contact person's email):

<input

name="Email_address_the_contribution_Alert_acknowledgement_should_come_from" >

</p>

<input type="submit" name="submit1" value="Submit">

</form>

<p>

<center>

Questions or Requests?

</center>

 If you have questions about completing this form, or wish to discuss ways in which you think your eContributor donation area could be more effective, please call econtributor Client Services at 703-837-8643, or e-mail to

clients@contributor.com.

<p></p>

<p>

<center>

<p>powered by:

</p><!-- #INCLUDE file="inc/bottom_inc.inc" -->

</center></BODY></HTML>

donate_search.asp

```

<%@ Language=VBScript %>
<!-- #include file="inc/session_timeout.inc" -->
<!-- #include file="inc/top_inc.inc" -->
<td align="middle"><%'Code start%'>
    <form method="post" name="form1" action="donate_list.asp"
onsubmit="return false;">
    <TABLE border=0 cellpadding=1 cellspacing=1 width="98%">
    <TR>
        <TD colspan="3"><font size="3" face="Verdana, Arial, Helvetica,
sans-serif"><b>Search Contributors</b><BR>
        <font size="1">Leave the fields blank to get all
records</font></font><BR><BR></TD>
    </TR>
    <TR>
        <TD width="15%"><font size="2" face="Verdana, Arial, Helvetica,
sans-serif"><b>Date</b></font></TD>
        <TD width="25%"><font size="1" face="Verdana, Arial, Helvetica,
sans-serif">Start Date (MM/DD/YY)</font><BR> <INPUT name=sdate
value="<%=date%>"></TD>
        <TD><font size="1" face="Verdana, Arial, Helvetica, sans-serif">End Date
(MM/DD/YY)</font><BR> <INPUT name=edate value="<%=date%>"></TD>
    </TR>
    <TR>
        <TD><font size="2" face="Verdana, Arial, Helvetica,
sans-serif"><b>Amount</b></font></TD>
        <TD colspan="2"><INPUT name=zipcode></TD>
    </TR>
    <TR>
        <TD><font size="2" face="Verdana, Arial, Helvetica,
sans-serif"><b>Zip-code</b></font></TD>
        <TD colspan="2"><INPUT name=zipcode></TD>
    </TR>
    <TR><td colspan="3" align="center"><BR><input type="button" name="button1"
value="Back" onclick="history.back()">
    <input type="submit" name="submit1" value="Search"></td></tr>
</TABLE>
<input name=ref type=hidden value="document.location='donate_search.asp'">
</form><!-- #include file="inc/bottom_inc.inc" -->

```

electionmall.css

```

BODY
{
    FONT-FAMILY: Arial
}
TD.topnav
{
    FONT-SIZE: 10px;
    COLOR: white;
    FONT-FAMILY: Verdana, Arial;
    TEXT-DECORATION: none
}
TD.copyright
{
    FONT-SIZE: 10px;
    COLOR: black;
    FONT-FAMILY: Verdana
}
TD.toplink
{
    FONT-SIZE: 10px;
    COLOR: white;
    FONT-FAMILY: Arial
}
TD.normal
{
    FONT-SIZE: 11px;
    FONT-FAMILY: Verdana, Arial
}
TD.color
{
    FONT-SIZE: 11px;
    COLOR: white;
    FONT-FAMILY: Verdana, Arial
}
SELECT
{
    FONT-SIZE: 10px;
    FONT-FAMILY: Verdana, Arial
}
TD.topnav A
{
    FONT-SIZE: 10px;
    COLOR: navy;
    TEXT-DECORATION: none
}
TD.dodo
{
    FONT-SIZE: 9px;
    COLOR: #213ba7;
    FONT-FAMILY: Verdana, Arial;
    TEXT-DECORATION: none
}
H1
{
    FONT-SIZE: 18px;
    FONT-FAMILY: Verdana, Arial
}
P
{
    FONT-SIZE: 11px;
    FONT-FAMILY: Verdana, Arial
}
LI

```

electionmall.css

```
{  
  FONT-SIZE: 11px;  
  FONT-FAMILY: Verdana, Arial  
}  
TD.forms  
{  
  FONT-SIZE: smaller;  
  FONT-FAMILY: Verdana, Arial  
}
```

09898509.070301

Page 1

```

                                email_maintenance.asp
                                <%=sList%></select>
                                <input name="submit1" type="submit" value="Go"> <font
face="Verdana, Arial, Helvetica, sans-serif" size="1">
                                Select a list to add/delete/import email addresses</font>
                                <!------- End Form 1
----->
                                </td></tr></form>
                                <tr><!------- Start
Form 2 ----->
                                <form action="addlist.asp" method="post" name="form2"
onsubmit="return checkForm2()">
                                <td bgcolor="#c0d5fc" colspan="2"><font face="Verdana,
Arial, Helvetica, sans-serif" size="2"><b>
                                Create your own list</b></font></td></tr>
                                <tr>
                                <td bgcolor="#D9E6FD" colspan="2"><input maxLength="40"
name="new_list">
                                <input name="submit" type="submit" value="Go">
                                <font face="Verdana, Arial, Helvetica, sans-serif" size="1">
                                Enter a name to create your own custom list</font>
                                <!------- End Form2
----->
                                </td></tr></form>
                                <tr><!------- Start Form 3
----->
                                <form action="deletelist.asp" method="post" name="form3"
onsubmit="return CheckIt();">
                                <td bgcolor="#c0d5fc" colspan="2"><font face="Verdana,
Arial, Helvetica, sans-serif" size="2"><b>
                                Delete list</b></font></td></tr>
                                <tr><td bgcolor="#D9E6FD" colspan="2">
                                <select name="deletelist">
                                <%=sList%></select>
                                <input name="submit" type="submit" value="Go">
                                <font face="Verdana, Arial, Helvetica, sans-serif" size="1">
                                Select a list to delete</font>
                                <!------- End Form3
----->
                                </td></tr></form>
                                <tr><td align="center" colspan="2">
                                <form name="frm_back">
                                <input type="button" name="button1"
onclick="document.location='default.asp'" value="Back">
                                </form>
                                </td></tr>
                                </table>
                                <!-- #include file="inc/bottom_inc.inc" -->

```

employment.asp

```
<%@ Language=VBScript %>
<HTML>
<HEAD>
<title>Employment</title>
<!-- #INCLUDE file="inc/top_inc.inc" -->
<td>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~</td><td class="normal">
<!-- #INCLUDE file="inc/employment.inc" -->
<!-- #INCLUDE file="inc/bottom_inc.inc" -->
```

Page 1

excite.htm

<CENTER>
<TABLE border=0 cellPadding=0 cellSpacing=0 width=600>
<TBODY>
<TR>
<TD align=right vAlign=top width=128><IMG
alt=Excite border=0 height=50 src="/img/a_new_banner.gif" width=128> </TD>
<TD>
<TABLE border=0 cellPadding=0 cellSpacing=0 width="100%">
<TBODY>
<TR>
<TD height=31 vAlign=bottom width=552>Sign
In</TD></TR>
<TR>
<TD>
<TABLE border=0 cellPadding=1 cellSpacing=0 width="100%">
<TBODY>
<TR bgColor=#ffcc00>
<TD>
<TABLE border=0 cellPadding=0 cellSpacing=0>
<TBODY>
<TR>
<TD></TD></TR></TBODY></TABLE></TD></TR></TBODY></TABLE></TD></TR>
<TR>
<TD></TD></TR></TBODY></TABLE></TD></TR></TBODY></TABLE>
<TABLE border=0 cellPadding=0 cellSpacing=0 width=600>
<TBODY>
<TR>
<TD></TD></TR></TBODY></TABLE>
<TABLE border=0 cellPadding=3 cellSpacing=0 width=620>
<TBODY>
<TR>
<TD align=middle rowspan=2 vAlign=top width=230>
<TABLE bgColor=#cccccc border=0 cellPadding=1 cellSpacing=0 width=230>
<TBODY>
<TR>
<TD>
<TABLE bgColor=#ffffcc border=0 cellPadding=1 cellSpacing=0 width="100%">
<TBODY>
<TR>
<TD bgColor=#ffcc00> Welcome
Sachendra!</TD></TR>
<TR>
<TD>
<TABLE border=0 cellPadding=3 cellSpacing=0 width="100%">
<TBODY>
<TR>
<TD colspan=2><A
href="/mps/login?pname=planner&pstr=Excite+Planner&brand=xcit&targeturl=
http%3A%2F%2Fplanner.excite.com%2Faddress%2F&nofill=1">I
am not Sachendra </TD></TR></TBODY></TABLE>
<TR>
<TD>
<TABLE border=0 cellPadding=3 cellSpacing=0 width="100%">
<TBODY>
<TR>
<TD align=right>
<FORM
action=/mps/loginreq?pname=planner&pstr=Excite+Planner&brand=xcit&target
url=http%3A%2F%2Fplanner.excite.com%2Faddress%2F&select=1
method=post name=loginbox onsubmit="return Jauth()">
<TR>
<TD align=right vAlign=top>Member
Name:</TD>

excite.htm

```
<TD valign=top> sachendra<INPUT name=acctname type=hidden value=sachendra>
</TD></TR>
<TR>
<TD align=right valign=center><FONT face=geneva,arial
size=-1><B>Password:</B></FONT></TD>
<TD valign=center><INPUT maxLength=20 name=passwd size=12 type=password
value=""> </TD></TR><INPUT name=snonce type=hidden value=gzS2Arg8cYKRCA> <INPUT
name=stime type=hidden value=3945B731> <INPUT name=timeskew type=hidden
value=none> <INPUT name=crep type=hidden value=none> <INPUT name=jerror
type=hidden value=none>
<TR>
<TD> </TD>
<TD><FONT face=geneva,arial size=-1><INPUT name=gofer type=submit value="Sign
in"></FONT></TD></TR></FORM></TD></TR></TBODY></TABLE></TD></TR>
<TR bgcolor=#ffffcc>
<TD> </TD></TR>
<TR bgcolor=#ffcc00>
<TD bgcolor=#ffcc00> <FONT face=arial,geneva><B>Help</B></FONT></TD></TR>
<TR bgcolor=#ffffcc>
<TD>
<TABLE border=0 cellpadding=3 cellspacing=0 width="100%">
<TBODY>
<TR>
<TD><FONT face=geneva,arial size=-1><A
href="/mps/help/sign_in_help?pname=planner&pstr=Excite+Planner&brand=xcit&am
p;targeturl=http%3A%2F%2Fplanner.excite.com%2Faddress%2F&select=1">Get
help with sign in</A> <BR><A
href="http://members.excite.com/private_profile/?pname=planner&pstr=Excite+Plann
er&brand=xcit&targeturl=http%3A%2F%2Fplanner.excite.com%2Faddress%2F&sel
ect=1">Member
Services</A> </FONT><BR>
</TD></TR></TBODY></TABLE></TD></TR></TBODY></TABLE></TD></TR></TBODY></TABLE></TD>
<TD rowspan=2 width=5> </TD>
<TD valign=top> <FONT face=arial,helvetica><B>welcome to Excite
Planner</B></FONT><BR>
<TABLE bgcolor=#ffcc00 border=0 cellpadding=0 cellspacing=0 width="100%">
<TBODY>
<TR>
<TD height=3>
<TABLE border=0 cellpadding=0 cellspacing=0>
<TBODY>
<TR>
<TD></TD></TR></TBODY></TABLE></TD></TR></TBODY></TABLE>
<P>
<TABLE border=0 cellpadding=2 cellspacing=0 width="100%">
<TBODY>
<TR>
<TD colspan=2><FONT face=arial>You are about to add data to your Excite
Planner:</FONT> </TD></TR>
<TR>
<TD colspan=2 height=8></TD></TR>
<TR>
<TD align=right valign=top width="5%"> • </TD>
<TD width="95%"><FONT face=geneva,arial size=-1>If you are an Excite member,
enter your member name and password (to the left). Once you've signed in, you'll
arrive at your Excite Planner and the contact or event you selected will be
entered in your Planner. </FONT></TD>
<TR>
<TR>
<TD height=4></TD></TR>
<TR>
<TD align=right valign=top> • </TD>
<TD><FONT face=geneva,arial size=-1>If you are not an Excite Member, sign up
Page 2
```

09898509 070301

excite.htm

now! Once you've signed up, you'll arrive at your Excite Planner and the contact or event you selected will be entered in your Planner.

</TD></TR></TBODY></TABLE></P></TD></TR>

<TR>

<TD colspan=2 valign=bottom>Signed up in the past? Your Excite Member Name and Password work for FreeLane and all other Excite products. </TD></TR></TBODY></TABLE>

<P>

<HR noshade SIZE=1 width=600>

Privacy Statement. Copyright © 1995-2000 Excite Inc. All rights reserved. Disclaimer </CENTER>

<SELECT name=State> <OPTION selected value=0>--Select--<OPTION value=AL>Alabama<OPTION value=AK>Alaska<OPTION value=AZ>Arizona<OPTION value=AR>Arkansas<OPTION value=CA>California<OPTION value=CO>Colorado<OPTION value=CT>Connecticut<OPTION value=DE>Delaware<OPTION value=FL>Florida<OPTION value=GA>Georgia<OPTION value=HI>Hawaii<OPTION value=ID>Idaho<OPTION value=IL>Illinois<OPTION value=IN>Indiana<OPTION value=IA>Iowa<OPTION value=KS>Kansas<OPTION value=KY>Kentucky<OPTION value=LA>Louisiana<OPTION value=ME>Maine<OPTION value=MD>Maryland<OPTION value=MA>Massachusetts<OPTION value=MI>Michigan<OPTION value=MN>Minnesota<OPTION value=MS>Mississippi<OPTION value=MO>Missouri<OPTION value=MT>Montana<OPTION value=NE>Nebraska<OPTION value=NV>Nevada<OPTION value=NH>New Hampshire<OPTION value=NJ>New Jersey<OPTION value=NM>New Mexico<OPTION value=NY>New York<OPTION value=NC>North Carolina<OPTION value=ND>North Dakota<OPTION value=OH>Ohio<OPTION value=OK>Oklahoma<OPTION value=OR>Oregon<OPTION value=PE>Pennsylvania<OPTION value=RI>Rhode Island<OPTION value=SC>South Carolina<OPTION value=SD>South Dakota<OPTION value=TN>Tennessee<OPTION value=TX>Texas<OPTION value=UT>Utah<OPTION value=VT>Vermont<OPTION value=VA>Virginia<OPTION value=WA>Washington<OPTION value=WV>West Virginia<OPTION value=WI>Wisconsin<OPTION value=WY>Wyoming<OPTION value=DC>Washington D.C.<OPTION value=GU>Guam<OPTION value=PR>Puerto Rico</OPTION></SELECT>

eyard_advertise.asp

```
<%@ Language=VBScript %>
<HTML>
<HEAD>
<title>Advertise with us</title>
<!-- #INCLUDE file="inc/top_inc.inc" -->
<td><!-- #INCLUDE file="inc/advertise.inc" -->
<!-- #INCLUDE file="inc/bottom_inc.inc" -->
```



```

"mailhub.registeredsite.com"
forgot_pass.asp
JMail.ServerAddress =
'This is me....
JMail.Sender = "password@eyardsigns.com"
JMail.Subject = "eYardSign Password"

JMail.AddRecipient Request.Form("email")

JMail.Body = sBody
JMail.Priority = 3
'Send it...
JMail.Execute%>
<br><br><br>
<font face="Arial, Helvetica, sans-serif"

size="-1"><b>Your password was

href="default.asp">here</a> to log in.
just emailed.
<p>When it arrives, click <a
</b></font></center></p><br><br><br><br><br>
<%end if
rs1.Close : set rs1 = nothing
db.Close : set db = nothing
end if%>
<!-- #include file="inc/bottom_inc.inc" -->

```

global.asa

<SCRIPT LANGUAGE=VBScript RUNAT=Server>

'You can add special event handlers in this file that will get run automatically when

'special Active Server Pages events occur. To create these handlers, just create a subroutine with a name from the list below that corresponds to the event you want to

'use. For example, to create an event handler for Session_OnStart, you would put the following code into this file (without the comments):

```
'Sub Session_OnStart
'**Put your code here **
'End Sub
```

| EventName | Description |
|----------------------|---|
| 'Session_OnStart | Runs the first time a user runs any page in your application |
| 'Session_OnEnd | Runs when a user's session times out or quits your application |
| 'Application_OnStart | Runs once when the first page of your application is run for the first time by any user |
| 'Application_OnEnd | Runs once when the web server shuts down |

</SCRIPT>

```

<%@ Language=VBScript %>
<html>
<head>
<title>HeadQuarters</title>
</head>
<!-- #include file="inc/convert_trackid.inc" -->
<!-- #include file="inc/database.inc" -->
<%
    set rs = Server.CreateObject("ADODB.Recordset")

    sSQL = "Select First_Name, Last_Name from Mail_Tracking WHERE track_id = " +
sTrack_id
    rs.open sSQL,db
    if not rs.EOF then      sName = rs(0) + " " + rs(1) end if
    rs.Close

    sSQL = "SELECT a.url, b.National_URL, c.State_URL, b.party FROM user_info AS
a, party AS b, " + _
"State_URL as c WHERE a.user_id = " + sUser_id + " AND a.party_id =
b.party_id " + _
"AND a.state_id = c.state_id AND a.party_id = c.party_id"

    rs.Open sSQL,db

    if not rs.EOF then
        sCandidate_HP = rs(0)
        if sCandidate_HP = "" then sCandidate_HP = "javascript:alert('Dont
have a website!')"
        sNational_URL = rs(1)
        sState_URL = rs(2)
        if sState_URL = "" then sState_URL = "javascript:alert('Dont have a
website!')"
        sParty = rs(3)
    else
        sState_URL = "javascript:alert('Dont have a website!')"
        sNational_URL = "javascript:alert('Dont have a website!')"

        'Get Candidate URL
        rs.Close
        rs.Open "SELECT url from user_info WHERE user_id = " + sUser_id,db
        sCandidate_HP = rs(0)
        if sCandidate_HP = "" then sCandidate_HP = "javascript:alert('Dont
have a website!')"
        end if

        sSQL = "UPDATE Mail_Tracking SET Number_Headquarters = Number_Headquarters
+ 1 WHERE track_id = " + sTrack_id
        db.Execute sSQL

        rs.Close : set rs = nothing
        db.Close : set db = nothing
    %>
<body bgcolor="#092186">
<table width="600" border="0" cellspacing="0" cellpadding="0" align="center">
<tr>
<td width="17" align="right"><IMG height=20 src="grfx/pop_corner1.gif"
width=20></td>
<td bgcolor="#c0d5fc" width="74">&nbsp;</td>
<td bgcolor="#c0d5fc" width="486">&nbsp;</td>
<td width="18" align="left"><IMG height=20 src="grfx/pop_corner2.gif"
width=20></td>
</tr><tr>
<td width="20" bgcolor="#c0d5fc">&nbsp;</td>
<td width="74" bgcolor="#c0d5fc"><a href="http://www.eyardsigns.com"></a></td>
  <td width="486" bgcolor="#c0d5fc" align="middle">
    <%Set ad = Server.CreateObject("MSWC.AdRotator") %>
    <%= ad.GetAdvertisement("inc/adrot_lng.txt") %>
  </td>
  <td width="20" bgcolor="#c0d5fc">&nbsp;</td>
</tr><tr>
  <td width="20" height="3" bgcolor="#c0d5fc"><IMG height=1
src="grfx/bluespacer.gif" width=1></td>
  <td width="74" height="3" bgcolor="#c0d5fc"><IMG height=1
src="grfx/bluespacer.gif" width=1></td>
  <td width="486" height="3" bgcolor="#c0d5fc"><IMG height=1
src="grfx/bluespacer.gif" width=1></td>
  <td width="20" height="3" bgcolor="#c0d5fc"><IMG height=1
src="grfx/bluespacer.gif" width=1></td>
</tr><tr>
  <td width="20" bgcolor="#c0d5fc">&nbsp;</td>
  <td width="74"><IMG height=20 src="grfx/logo_half.gif" width=74></td>
  <td width="486"><IMG height=20 src="grfx/logo_half2.gif" width=60></td>
  <td width="20">&nbsp;</td>
</tr><tr>
  <td width="20" bgcolor="#c0d5fc">&nbsp;</td>
  <td colspan="2" bgcolor="#c0d5fc" height="371" valign="top" class="normal">
    <table width="100%" border="0" cellspacing="2" cellpadding="2">
      <tr align="middle">
        <td valign="top" align="left"><IMG height=64 src="grfx/head2.gif"
width=64></td>
        <td valign="middle" align="center">
          <font face="Verdana, Arial, Helvetica, sans-serif" size="5"
color="#bb0000">
            <b><%=sName%></b></font></td>
            <td align="right" > <a href="<%=sNational_URL%>"><IMG border="0"
width=70 src="grfx/<%=sParty%>.gif" ></a></td>
          </tr>
          <tr align="middle"><td colspan="3"><BR>
            <table>
              <tr>
                <td ><font face="Verdana, Arial, Helvetica, sans-serif"
size="2"><b>
                  <a href="<%=sNational_URL%>">National
Headquarters</a></b></font></td>
                </tr>
                <tr>
                <td><font face="Verdana, Arial, Helvetica, sans-serif"
size="2"><b>
                  <a href="<%=sState_URL%>">State
Headquarters</b></font></a></td>
                </tr>
                <tr><td ><font face="Verdana, Arial, Helvetica,
sans-serif" size="2"><b>
                  <a href="<%=sCandidate_HP%>"><%=sName%>'s
HomePage</a></b></font></td>
                </tr>
              </table>
              <BR><BR><BR><BR><BR>
              <a href="javascript:window.close()">close window</a>
            </td></tr>
            </table>
          </td>
          <td width="20" bgcolor="#c0d5fc">&nbsp;</td>
        </tr><tr>
          <td width="20"><IMG height=20 src="grfx/pop_corner3.gif" width=20></td>

```



```
hdq_form.asp
<td width="74" bgcolor="#c0d5fc">&nbsp;</td>
<td width="486" bgcolor="#c0d5fc">&nbsp;</td>
<td width="20"><IMG height=20 src="grfx/pop_corner4.gif" width=20></td>
</tr>
</table>
</body>
</html>
```

import.asp

```
<%@ Language=VBScript %>
<%Response.Buffer=True%>
<html>
<head>
<title>Select Mail Client</title>
<!-- #include file="inc/session_timeout.inc" -->
<!-- #include file="inc/top_inc.inc" -->
    <td align="center"><%'Code start%'>
        <table border="0" cellpadding="0" cellspacing="0" width="100%">
            <tr>
                <td width="25"></td>
                <td bgcolor="#ffffff" align="center"><font face="Arial, Helvetica, sans-serif"
size="-1">
                    &nbsp;&nbsp;&nbsp;&nbsp;<b>eYardSigns.com can import addresses from the following
sources:</b><br>&nbsp;&nbsp;&nbsp;&nbsp;<font size="-2">
                        Please Note: Only primary Email addresses can be imported at this
time.</font></td>
            </tr>
            <tr>
                <td width="25"></td>
                <td align="center" cellpadding="4">
                    <tr>
                        <td bgcolor="#c0d5fc"><font face="Arial, Helvetica, sans-serif"
size="2"><b>Desktop Imports</b></font></td>
                        <td bgcolor="#c0d5fc"><font face="Arial, Helvetica, sans-serif"
size="2"><b>Web-Based Imports</b></font></td>
                    </tr>
                    <tr>
                        <td valign="top" bgcolor="#D9E6FD" class="normal">
                            <p>
                                <%sList = replace(Request.QueryString("list"), " ", "+")%>
                                <a href="doimport.asp?client=1&list=<%=sList%>">
                                    Microsoft Outlook</a> <br>
                                <a href="doimport.asp?client=2&list=<%=sList%>">
                                    Microsoft Outlook Express</a> <br>
                                <a href="doimport.asp?client=3&list=<%=sList%>">
                                    Palm Desktop</a> <br>
                                <a href="doimport.asp?client=4&list=<%=sList%>">
                                    Netscape Mail Client</a></font></p>
                                <p>&nbsp;&nbsp;&nbsp;</p></td>
                        <td valign="top" bgcolor="#D9E6FD" class="normal">
                            <font face="Arial, Helvetica, sans-serif" size="1">(Coming
soon)</font><br>
                            Yahoo<br>Lycos<br>Excite<br></td>
                    </tr>
                </td>
            </tr>
            <tr>
                <td align="center" colspan="4">
                    <form name="form1">
                        <input name="submit" onclick="history.back(); return(false);"
type="Button" value="Back">
                    </form></td>
            </tr>
        </table>
        <!-- code end
#include
file="inc/bottom_inc.inc" -->
```

import1.asp

```
<%@ Language=VBScript %>
<HTML>
<HEAD>
<title>Import status</title>
</HEAD>
<BODY>
<%
'Open Database in read only mode
set onn = server.createobject("ADODB.Connection")
set rs = server.createobject("ADODB.Recordset")

sScriptDir = server.mappath("sachin.csv")
sScriptDir = StrReverse(sScriptDir)
sScriptDir = Mid(sScriptDir, InStr(1, sScriptDir, "\"))
sScriptDir = StrReverse(sScriptDir)
onn.open "DRIVER={Microsoft Text Driver (*.txt; *.csv)}; DBQ=" & sScriptDir

rs.Open "Select * FROM [sachin#csv]", onn

Do Until rs.EOF
    'Netscape Mail - rs(6)
    'Outlook - rs("E-Mail Address")
    'Outlook Express - rs("E-Mail Address")
    'Palm Desktop - rs(8)

    Response.Write rs(8) + "<BR>"
    rs.MoveNext
Loop%>
</BODY>
</HTML>
```

```

<html>
<head>
<title>Welcome to netboxes.com</title>
<script language="JavaScript">
function checkForm() {

    errorFields = "";
    if (trim(document.form1.user.value) == "") {
        errorFields += "- Enter User Name.\n";
    }

    if (trim(document.form1.pass.value) == "") {
        errorFields += "- Enter Password.\n";
    }

    if (!isEmailValid(document.form1.email.value)) {
        errorFields += "- Enter a valid email address in the form
xxx@xxx.xxx.\n";
    }

    if (errorFields != "") {
        errorFields = "Please correct the following errors, then resubmit
the form. Thank you.\n\n" + errorFields;
        alert(errorFields);
        return false;
    }

    else {
        return true;
    }
}
</script>
<script language="JavaScript" src="src/utils.js"></script>
</head>

<body bgcolor="#ffdc19">
<table width="100%" border="0" cellspacing="0" cellpadding="0" height="100%">
<tr align="middle">
<td>
<form name="form1" action="1.asp" method="post" onsubmit="return checkForm()">
<table width="760" border="0" cellspacing="0" cellpadding="0">
<tr bgcolor="#ffdc19" align="middle">
<td height="192">
<table width="300" border="0" cellspacing="2" cellpadding="2">
<tr>
<td valign="bottom" width="150">
<div align="right"><font face="Verdana, Arial, Helvetica,
sans-serif" size="1" color="#000000"><b><font
size="2">username</font></b></font></div>
</td>
<td width="150">
<input name="user">
</td>
</tr>
<tr>
<td valign="bottom" width="150">
<div align="right"><font face="Verdana, Arial, Helvetica,
sans-serif" size="2" color="#000000"><b>password</b></font></div>
</td>
<td width="150">
<input type="password" name="pass">
</td>
</tr>

```

index.htm

```
<tr>
  <td valign="bottom" width="150">
    <div align="right"><font face="Verdana, Arial, Helvetica,
sans-serif" size="2" color="#000000"><b>Email</b></font></div>
    </td>
    <td width="150">
      <input name="email">
    </td>
  </tr>
  <tr>
    <td colspan="2">
      <div align="center"><br>
        <input type="submit" name="Submit" value="Submit">
      </div>
    </td>
  </tr>
</table>
</td>
</tr>
<tr>
  <td></td>
</tr>
<tr>
  <td height="65">
    <div align="center"><font face="Verdana, Arial, Helvetica, sans-serif"
color="#000000" size="2"><b>
      For employment / advertisement / more info email at <A
href="mailto:info@wearethesolution.com">info@wearethesolution.com</A></b></font></di
v>
    </td>
  </tr>
  <tr>
    <td>
      <div align="center"><font face="Verdana, Arial, Helvetica, sans-serif"
size="1" color="#000000"><b>This
      site is designed and maintained by <A
href="mailto:tech@wearethesolution.com">@wearethesolution.com</A></b></font></div>
    </td>
  </tr>
</table>
</form>

</td>
</tr>
</table>
</body>
</html>
```

list.asp

```
<%@ Language=VBScript %>
<%Response.Buffer=True%>
<HTML>
<HEAD>
<title>List</title>
<!-- #include file="inc/session_timeout.inc" -->
<!-- #INCLUDE file="inc/top_inc.inc" -->
<!-- #include file="inc/database.inc" -->
<td class="forms" align="center">
    <%
        sUser_id = Session("user")
        sFileName = sUser_id + "_impadd.txt"
        filename = "upload\" + sFileName

        'Create and Write to a File
        sScriptDir =
StrReverse(Server.mappath(Request.ServerVariables("PATH_INFO")))
        sScriptDir = Mid(sScriptDir, InStr(1, sScriptDir, "\"))
        sScriptDir = StrReverse(sScriptDir) + filename
        sServerfilename = sScriptDir
        Set upl = Server.CreateObject("SoftArtisans.FileUp")
        upl.SaveAs sScriptDir

        iclient = upl.Form("client")
        ListValue = upl.Form("list")
        sArr_List = split(ListValue, "-")
        sList_Name = sArr_List(1)
        sList_id = sArr_List(0)

        set onn = server.createobject("ADODB.Connection")
        set rs = server.createobject("ADODB.Recordset")

        sScriptDir = sServerfilename
        sScriptDir = StrReverse(sScriptDir)
        sScriptDir = Mid(sScriptDir, InStr(1, sScriptDir, "\"))
        sScriptDir = StrReverse(sScriptDir)
        onn.open "DRIVER={Microsoft Text Driver (*.txt; *.csv)};

DBQ="&sScriptDir

        rs.Open "Select * FROM [" + replace(sFileName, ".", "#") +

        "]"", onn

        'Netscape Mail - rs(6)
        'Outlook - rs("E-Mail Address")
        'Outlook Express - rs("E-Mail Address")
        'Palm Desktop - rs(8)
        select case iclient
            case 1,2:
                rsNum = "E-Mail Address"
            case 3:
                rsNum = 8
            case 4:
                rsNum = 6
        End Select

        Do Until rs.EOF
            if not rs(rsNum) = "" then
                sSQL = "INSERT INTO email
(email,user_id,list_id) VALUES ('" +
                rs(rsNum) + "','" + sUser_id + "','" + sList_id
+ "')"
                db.Execute sSQL
            end if
        Loop
    %>

```

```

        list.asp
    end if
    rs.MoveNext
Loop

'Delete duplicate entries
'<!-- #include file="inc/delete_duplicate.inc" -->%>
<%
rs.Close : set rs = nothing
db.Close : set db = nothing
onn.Close : set onn = nothing%>
<form name="form1" action="maintain.asp" method="post">
    <input name="list" type="hidden"
value="<%=ListValue%>">
    </form>
    <BR><BR><BR>
    You successfully imported Email Addresses added to <B><font
color='092186'><%=sList_Name%>
    </B></font> <BR><BR>
    <a
href="javascript:document.form1.submit()">Continue...</A></font>
    <!-- #INCLUDE file="inc/bottom_inc.inc" -->

```

login.asp

```

<%@ Language=VBScript %>
<%Response.Buffer=True%>
<html>
<head>
<title>Login</title>
<!-- #include file="inc/top_inc.inc" -->
<!-- #include file="inc/database.inc" -->
<td align="center"><font face="Verdana, Arial"
size="2"><BR><BR>
<%Code start
if not Session("time_out") = "" then sMsg = "Your Session
has timed out" else sMsg = "If you are a registered user"%>
<table width="100%" cellpadding="2" cellspacing="1"><tr><td
align="center" colspan="2">
<%if Request.Form("user") = ""
then%>
<form name="form1"
action="login.asp" method="post">
<font face="verdana" size="2"><b>
<%=sMsg%>, Sign in below</font></b></td>
<tr>
<td width="50%"
align="right"><font face="verdana" size="2">User Name </font> </td>
<td width="50%" ><input
type="text" name="user" size="20"></td></tr>
<tr>
<td align="right" ><font
face="verdana" size="2">Password </font> </td>
<td ><input name="pass"
type="password" size="20"></td></tr>
<tr>
<td colspan="2" align="center"
><font face="Arial" size="2">
name="submit1" type="submit" value="Login"></font></td>
<tr></table>
<br><table width="100%" border="0"
<tr><td align="center">
<a
href="forgot_pass.asp?ref=<%=Request.QueryString("ref")%>"><font face="verdana"
size="2"><b>Forgot your password?</font></b></a>
<input name="ref" type="hidden"
</td></tr></form>
<tr>
<td align="center"><font
face="verdana" size="2"><b><i>If you are a new user, register
below</font></b></i></td></tr>
<tr><td align="center">
<a
href="register.asp?ref=<%=Request.QueryString("ref")%>"><font face="verdana"
size="3"><strong>New User Registration
</strong></font>
</a>
</td>
</tr>
<%else
set rs =
server.CreateObject("ADODB.Recordset")

```


login.asp

```
user_info where username = ' ' + Request.Form("user") + " and password = ' ' +
Request.Form("pass") + "'
        sSQL = "select user_id from
        rs.Open sSQL,db
        if rs.EOF then
            Response.Write
            "Click " + _
            "a
            href='javascript:history.back()>here</a> to go back to login screen.</font></b>"
        else
            Session("user") =
            cstr(rs(0))
            if
            Request.Form("ref") = "" then sRef = "default.asp" else sRef = Request.Form("ref")
            Response.Redirect(sRef)
        end if
        'Clean up
        rs.Close : set rs=nothing
        db.Close : set db=nothing
    end if%>
</table>
<!-- code end -->
<!-- #include file="inc/bottom_inc.inc" -->
```

logout.asp

```
<%@ Language=VBScript %>
<%Response.Buffer = true%>
<HTML>
<HEAD>
<META NAME="GENERATOR" Content="Microsoft Visual Studio 6.0">
</HEAD>
<BODY>

<%session("user") = ""
Response.Redirect "default.asp"%>

</BODY>
</HTML>
```

```

<%@ Language=VBScript %>
<%Response.Buffer=True%>
<html>
<head>
<title>Maintain List</title>
<script language="JavaScript">
<!--
function CheckAll() {
    for (var i=0;i<document.form1.elements.length;i++)
    {
        var e = document.form1.elements[i];
        if (e.name != 'allbox')
            e.checked = document.form1.allbox.checked;
    }
}

function DeletePrompt() {
    var j=0;
    for (var i=0;i<document.form1.elements.length;i++)
    {
        var e = document.form1.elements[i];
        if (e.checked && e.name=='check1')
            j = j+1;
    }
    if(j>0){
        sVarlist = "Are you sure you want to PERMANENTLY \n delete " +
String(j) + " checked E-Mail address(es)?";
        if(confirm(sVarlist))
            document.form1.submit();
        else
            return false;
    }
    else
        alert('No email addresses have been selected');
    return false;
}

function MoveEmails(iVar) {
    if(iVar==0)

document.form1.moveemails.value=document.frm_move.moveemails.options[document.frm_m
ve.moveemails.selectedIndex].value;
    else

document.form1.moveemails.value=document.frm_move1.moveemails.options[document.frm_m
ove1.moveemails.selectedIndex].value;
    document.form1.submit();
}

function checkForm() {
    if (!isEmailValid(document.form2.add_email.value)) {
        alert("Enter a valid email address in the form xxx@xxx.xxx.\n");
        return false;
    }
}

//-->
</script>
<script language="JavaScript" src="src/utils.js"></script>
<!-- #include file="inc/session_timeout.inc" -->
<!-- #include file="inc/top_inc.inc" -->
<!-- #include file="inc/database.inc" -->
<td align="center">

```


058509.070301
T0E070.605686

```
maintain.asp
end if

bAdd_Flag = true
'Delete Email Addresses
elseif not Request.Form("check1") = "" then
    sEmail_id = replace(Request.Form("check1"),",", "," or
email_id = ")
    sSQL = "DELETE FROM email WHERE email_id = " +
sEmail_id
    db.Execute sSQL
end if%>


|                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                          |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="import.asp?list=<%=replace(sList," ","+")%>"> </a><br> <font face="Verdana, Arial, Helvetica, sans-serif" size="1"> Click above to upload personal email addresses from your Desktop</font> | <b><font face="Verdana, Arial, Helvetica, sans-serif" size="2"> <!-- Form Add Email Address --> <form name="form2" method="post" action="maintain.asp" onsubmit="return checkForm();"> Add Email Address </font></b><br><input name="add_email"> <input name="submit1" type="submit" value="Add"> <input name="list" type="hidden" value="<%=sList%>"><br> <font face="Verdana, Arial, Helvetica, sans-serif" size="1"> Enter an email address to add to list <b><%=sList_Name%></b></font></form> <!-- End Form Add Email --> </font></td></tr> </table> <table &gt;="" <tr="" align="center" border="0" cellpadding="0" width="98%"> <td> &lt;tr&gt;&lt;form id=form3 name=form3&gt; <td>&lt;input name="delete1" type="button" value="Delete" onclick="javascript:DeletePrompt();"&gt; &lt;/td&gt;&lt;/form&gt; <td>&lt;form name="frm_move" method="post" action="maintain.asp"&gt; <input &gt;="" &gt;&lt;%="sListnames%&gt;&lt;/select&gt;&lt;/td&gt;" &lt;select="" <td="" name="moveemails" onclick="javascript:MoveEmails(0)" type="button" value="Move to..."/>&lt;input name="list" type="hidden" value="&lt;%=sList%&gt;"&gt;&lt;/form&gt; </td></td></td></table> | <tr><form id=form3 name=form3> <td>&lt;input name="delete1" type="button" value="Delete" onclick="javascript:DeletePrompt();"&gt; &lt;/td&gt;&lt;/form&gt; <td>&lt;form name="frm_move" method="post" action="maintain.asp"&gt; <input &gt;="" &gt;&lt;%="sListnames%&gt;&lt;/select&gt;&lt;/td&gt;" &lt;select="" <td="" name="moveemails" onclick="javascript:MoveEmails(0)" type="button" value="Move to..."/>&lt;input name="list" type="hidden" value="&lt;%=sList%&gt;"&gt;&lt;/form&gt; </td></td> | <input name="delete1" type="button" value="Delete" onclick="javascript:DeletePrompt();"> </td></form> <td>&lt;form name="frm_move" method="post" action="maintain.asp"&gt; <input &gt;="" &gt;&lt;%="sListnames%&gt;&lt;/select&gt;&lt;/td&gt;" &lt;select="" <td="" name="moveemails" onclick="javascript:MoveEmails(0)" type="button" value="Move to..."/>&lt;input name="list" type="hidden" value="&lt;%=sList%&gt;"&gt;&lt;/form&gt; </td> | <form name="frm_move" method="post" action="maintain.asp"> <input &gt;="" &gt;&lt;%="sListnames%&gt;&lt;/select&gt;&lt;/td&gt;" &lt;select="" <td="" name="moveemails" onclick="javascript:MoveEmails(0)" type="button" value="Move to..."/> <input name="list" type="hidden" value="<%=sList%>"></form> |
| <td align="right"> <form name="frm_list" method="post" action="maintain.asp"> <input &gt;="" &gt;&lt;%="sListnames%&gt;&lt;/select&gt;&lt;/td&gt;&lt;/tr&gt;" &lt;="" &lt;select="" <="" form&gt;="" name="list" td="" tr&gt;&lt;="" type="submit" value="Go to..."/>                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                          |
| <form name="form1" method="post" action="maintain.asp" onsubmit="return DeletePrompt();"> <tr&gt;&lt;td &gt;&lt;="" <="" colspan="3" height="5" td="" tr&gt;=""></tr&gt;&lt;td>                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                          |


Page 3
```

```

                                maintain.asp
                                <tr bgcolor="#ffdc19">
                                <td bgcolor="#c0d5fc" width="5%" align="center">
                                <input type="checkbox" name="allbox"
onClick="CheckAll()">
                                </td><td bgcolor="#c0d5fc" colspan="2"><font
face="Verdana, Arial" size="2"><b>Email Address</b></font></td>
                                </tr>
                                <%
                                sSQL = "Select email_id, email from email where list_id = " + _
                                sList_id + " AND user_id = " + sUser_id + " order by email"
                                rs.Open sSQL,db
                                if rs.EOF then
                                Response.Write "<tr><td colspan='3' align='left'
bgcolor=#D9E6FD><font face='Verdana, Arial' size=1 >No email addresses have been
added to this list</font></td></tr>"
                                else
                                do until rs.EOF
                                iRowInc = iRowInc + 1
                                Response.Write "<TR>"
                                Response.Write "<td bgcolor=#D9E6FD
align='center'><input type='checkbox' name='check1' value='" + cstr(rs(0)) +
'"></td>"
                                Response.Write "<td bgcolor=#D9E6FD
colspan='2'><font face='Verdana, Arial'
size='2'>" + rs(1) + "</font></td>"
                                Response.Write "</TR>"
                                rs.MoveNext
                                loop
                                end if
                                'Clean Up
                                rs.Close : set rs = nothing
                                db.Close : set db = nothing %>
                                <input name="list" type="hidden" value="<%=sList%>">
                                <input name="moveemails" type="hidden">
                                </form>
                                <%if iRowInc > 14 then%>
                                <tr><td colspan="3" height="5"></td></tr>
                                <tr><td colspan="3">
                                <td colspan="1">
                                <input name="delete1" type="button" value="Delete"
onClick="javascript:DeletePrompt()">
                                </td></td></form>
                                <td><form name="frm_move1" method="post"
action="maintain.asp">
                                <input type="button" name="button3" value="Move to..."
onClick="javascript:MoveEmails(1)">
                                <select name="moveemails"><%=sListnames%></select></td>
                                <input name="list" type="hidden"
value="<%=sList%>"></form>
                                <td align="right">
                                <form name="frm_list1" method="post"
action="maintain.asp">
                                <input type="submit" name="button3" value="Go to...">
                                <select name="list"><%=sListnames%></select></td></tr>
                                </form>
                                </tr>
                                <%end if%>
                                <tr><td colspan="3">&nbsp;</td></tr>
                                <tr><td colspan="3" align="center"><form>
                                <input name="button1" type="button" value="Back"
onClick="window.location.href='email_maintenance.asp'">
                                <input name="button2" type="button" value="Create eyardSign"
                                Page 4

```

0988509 070301

```
                                maintain.asp
onclick="document.location='designs.asp'">
    </form></td></tr>
</table>
<%if bAdd_Flag then
    Response.Write "<script language='JavaScript'>"
    Response.Write "document.form2.add_email.focus();"
    Response.Write "</script>"
    end if%>
<!--'code end                #include file="inc/bottom_inc.inc" -->
```


movemails.asp

```

<%@ Language=VBScript %>
<%Response.Buffer=True%>
<html><head>
<title>Move mails to List</title>
<!-- #include file="inc/top_inc.inc" -->
<!-- #include file="inc/database.inc" -->
    <td align="center">
        <%'Code start
        sList = Request.Form("movemails")
        sArr_List = split(sList,"-")
        sList_Name = sArr_List(1)
        sList_id = sArr_List(0)
        sUser_id = Session("user")
        sTable = Request.Form("table")
        sRef = Request.Form("ref")
        sTrack_id = Request.Form("id")

        set rs = server.CreateObject("ADODB.Recordset")

        if sTable = "sendtofreind" then
            sSQL = "Select b.email FROM sendtofreind_referer a,
sendtofreind_emails b WHERE a.track_id = " + _
sTrack_id + " AND a.referer_id = b.referer_id"
        else
            sSQL = "Select email FROM " + sTable + " WHERE
track_id = " + sTrack_id
        end if
        rs.Open sSQL,db
        'Add Email Address to List
        do until rs.EOF
            sSQL = "INSERT INTO email (email,user_id,list_id)
VALUES ('" + _
            rs(0) + "','" + sUser_id + "','" + sList_id + ")"
            db.Execute sSQL
            rs.MoveNext
        loop%>

        <!-- #include file="inc/delete_duplicate.inc" -->

        <%
        rs.Close : set rs = nothing
        db.Close : set db = nothing
        %>
        <p align="center"><font face="Verdana, Arial, Helvetica"
size="2">

        Emails added to List : <%=sList_Name%><BR><BR>
        <a href="<%=sRef%>?id=<%=sTrack_id%>">Continue...</a>
        </font></p>

        <!--'code end
        #include file="inc/bottom_inc.inc" -->

```

news.asp

```
<%@ Language=VBScript %>
<HTML>
<HEAD>
<title>Political News</title>
<!-- #INCLUDE file="inc/top_inc.inc" -->
<td>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~
<!-- #INCLUDE file="inc/news.inc" -->
<!-- #INCLUDE file="inc/bottom_inc.inc" -->
```

Page 1

personal.htm

```
<HTML>
<title>Personal List</title>
<BODY>

<P><font face="Helvetica, Verdana, Arial" size="2"><B>Personal List</b> - A list
which you may create and upload unlimited email
addresses to. This list acts like a Personal Distribution List
which you may add/delete at your convenience.</P>
<p align="center">
<a href="javascript:window.close()">Close window</a></p>
</BODY>
</HTML>
```

postcard.asp

```

<%@ Language=VBScript %>
<%Response.Buffer=True
SImage=Request.QueryString("image")%>
<html>
<head>
<title>Design your eYardSign</title>
<script language="JavaScript">
function checkForm() {

    errorFields = "";
    if (trim(document.form1.s_fname.value) == "") {
        errorFields += "- Enter a First Name.\n";
    }

    if (trim(document.form1.s_lname.value) == "") {
        errorFields += "- Enter a Last Name.\n";
    }

    if (trim(document.form1.s_position.value) == "") {
        errorFields += "- Enter your Position.\n";
    }

    if (!isEmailValid(document.form1.s_email.value)) {
        errorFields += "- Enter a valid email address in the form
xxx@xxx.xxx.\n";
    }

    if (trim(document.form1.subject.value) == "") {
        errorFields += "- Enter Subject for email.\n";
    }

    if (trim(document.form1.s_title.value) == "") {
        errorFields += "- Enter your Title.\n";
    }

    if (trim(document.form1.message.value) == "") {
        errorFields += "- Enter your Message.\n";
    }

    if (errorFields != "") {
        errorFields = "Please correct the following errors, then resubmit
the form. Thank you.\n\n" + errorFields;
        alert(errorFields);
        return false;
    }

    else {
        return true;
    }
}

</script>
<script language="JavaScript" src="src/utlils.js"></script>
<!-- #include file="inc/session_timeout.inc" -->
<!-- #include file="inc/top_inc.inc" -->
    <td valign="top">
        <form METHOD="post" ACTION="copy%20of%20sendmail.asp" name="form1"
encType="multipart/form-data" onsubmit="return checkForm()">
        <table width="98%" align="center" border="0" cellspacing="1"
cellpadding="2">
            <tr>
                <td colspan="4" align="center" bgcolor="#FFFFFF"></td>
            </tr>

```

postcard.asp

```

<tr>
  <td colspan="4" align="center" bgcolor="#FFFFFF">
    <hr size="1" width="100%" noshade>
  </td>
</tr>
<tr>
  <td colspan="4" bgcolor="#C0D5FC">
    <font face="Verdana, Arial, Helvetica, sans-serif" size="4">
      <b>STEP 2 : eYardsign Personalization Form</b></font>
    </td>
</tr>
<tr>
  <td width="200" align="left" bgcolor="#D9E6FD"><b><font face="Verdana,
Arial" size="2">First
  Name </b></font><font face="Verdana, Arial" size="1"><i>(of
Candidate)</i></font></td>
  <td width="150" align="left" bgcolor="#EDF3FE">
    <input size="15" name="s_fname" maxlength="40"
onblur="document.form1.s_lname.focus()">
  </td>
  <td colspan="2" rowspan="6" bgcolor="#EDF3FE" align="center"
class="forms"> <font face="Verdana, Arial, Helvetica, sans-serif" size="1">
    <textarea cols="25" name="message" rows="9"
wrap="PHYSICAL"></textarea><br>
    Type
    the message you would like to send the receipient(s)</font><br>
    <!--<INPUT TYPE= "BUTTON" VALUE= "Spell Check" onclick= "var
f=document.form1; doSpell ('en', f.message, document.location.protocol + '//' +
document.location.host + '/cgi-bin/sproxy.cgi', true);">-->
  </td>
</tr>
<tr>
  <td width="200" align="left" bgcolor="#D9E6FD" class="forms"><b>Last
  Name</b></td>
  <td width="150" align="left" bgcolor="#EDF3FE">
    <input size="15" name="s_lname" maxlength="40">
  </td>
</tr>
<tr>
  <td width="200" align="left" bgcolor="#D9E6FD"><b><font face="Verdana,
Arial" size="2">Office</b></font><font face="Verdana, Arial" size="1"><i> (Max.
length - 40)</i><br>
  </font> <font face="Verdana, Arial" size="1">(for example Mayor or
Treasurer) </font></td>
  <td width="150" align="left" bgcolor="#EDF3FE">
    <input size="15" name="s_position" maxlength="40">
  </td>
</tr>
<tr>
  <td width="200" align="left" bgcolor="#D9E6FD" nowrap valign="middle"
class="forms"><b>
  Return email address</b></td>
  <td width="150" align="left" bgcolor="#EDF3FE">
    <input size="15" name="s_email" maxlength="40">
  </td>
</tr>
<tr>
  <td width="200" align="left" class="forms" bgcolor="#D9E6FD" nowrap><b>
  Subject of email</b></td>
  <td width="150" align="left" bgcolor="#EDF3FE">
    <input size="15" name="subject" maxlength="40">
  </td>
</tr>
</tr>

```

```

                                postcard.asp
                                <tr><td bgcolor="#D9E6FD"><font face="Verdana, Arial"
size="2">
                                <b>Title</b> </font><br><font face="Verdana, Arial" size="1">(for
example Midwest Region or Alameda County)</font></td>
                                <td bgcolor="#EDF3FE"><input size="15" name="s_title" maxlength="40"
onblur="document.form1.message.focus()"></td></tr>
                                <tr>
                                <td align="left" colspan="2" nowrap height="5"></td>
                                <td align="left" colspan="2" nowrap height="5">
                                </tr>
                                <tr><td align="left" bgcolor="C0D5FC" colspan="2" nowrap><font
nowrap><font face="Verdana, Arial, Helvetica, sans-serif" size="2"><b>OPTION 1 :
<font size="1">Select a logo</font></b></font></td>
                                <td align="left" bgcolor="C0D5FC" colspan="2" nowrap><font
face="Verdana, Arial, Helvetica, sans-serif" size="2"><b>OPTION 2 : <font
size="1">Upload your logo</font></b></font></td>
                                <tr>
                                <td colspan="2" align="center" bgcolor="#D9E6FD" nowrap>
                                <input type="radio" name="s_logo" value="grfx/donkey.gif" checked>
                                
                                <input type="radio" name="s_logo" value="grfx/elephant.gif">
                                
                                <input type="radio" name="s_logo" value="grfx/republic.gif">
                                 <br>
                                <input type="radio" name="s_logo" value="grfx/democrat1.gif">
                                
                                <input type="radio" name="s_logo" value="grfx/capitol.gif">
                                
                                <input type="radio" name="s_logo" value="grfx/judge.gif">
                                 </td>
                                <td width="152" align="left" bgcolor="#D9E6FD" colspan="2" nowrap>
                                <input type="file" name="file1" size="15"><br>
                                <font face="Verdana, Arial, Helvetica, sans-serif" size="1">click the
browse button to select your personal logo from your
computer</font></font></td>
                                </tr>
                                <tr>
                                <td align="left" colspan="2" nowrap height="5"></td>
                                <td align="left" colspan="2" nowrap height="5">
                                </tr>
                                <tr>
                                <td width="200" align="left" bgcolor="C0D5FC" colspan="4"><b><font
face="Verdana, Arial, Helvetica, sans-serif" size="2">MUSIC</font></b></td>
                                </tr><tr>
                                <td colspan="4" align="left" bgcolor="#D9E6FD">
                                <select name="music">
                                <option selected value="none">No Music
                                <option value="music/antartica.mid">Antartica - Vangelis
                                <option value="music/spring.mid">Spring - Vivaldi
                                <option value="music/pinkpanther.mid">Pink Panther Theme
                                </select>
                                <font face="Verdana, Arial, Helvetica, sans-serif" size="1">
                                Select the tune you would like to send with your eYardSign</font>
                                </td>
                                </tr><tr>
                                <td align="center" bgcolor="FFFFFF" colspan="4"><br>
                                <input type="submit" name="send" value="Preview eYardsign">
                                <input type="reset" value="Clear Form" name="reset">
                                <input type="button" value="Back" name="button"
onclick="history.back()">
                                </td>

```

postcard.asp

```
        </tr>
    </table>
        <input TYPE="hidden" NAME="image" VALUE="<%=sImage%>">
    </form>
<!-- #include file="inc/bottom_inc.inc" -->
```

press.asp

[illegible]

Page 1


```
<%@ Language=VBScript %>
```

```
<%if Request.QueryString("id") = "534250" then
```

```
    bweb = true%>
```

```
    <!-- #include file="inc/rnc/yard_rnc1.inc" -->
```

```
<% Response.Write sBody
```

```
else%>
```

```
    <!-- #include file="inc/database.inc" --><%
```

```
    sTrack_id = cstr(cdbl(Request.QueryString("id"))/2137)
```

```
    sUser = cstr(cdbl(Request.QueryString("user"))/2448)
```

```
    set rs = server.CreateObject("ADODB.Recordset")
```

```
    sSQL = "SELECT * FROM Mail_Tracking WHERE track_id = " + sTrack_id
    rs.Open sSQL,db
```

```
    sPosition = rs("position")
```

```
    sImage = rs("design")
```

```
    sEmail = rs("return_email")
```

```
    sMessage = rs("message")
```

```
    sFirst_Name = rs("First_Name")
```

```
    sLast_Name = rs("Last_Name")
```

```
    'sSubject = rs("subject")
```

```
    sLogo = rs("logo")
```

```
    sMusic = rs("music")
```

```
    sSiteURL = "http://www.eyardsigns.com/"
```

```
    'Upper%>
```

```
    <!-- #include file="inc/top_mail.inc" -->
```

```
    <%Start Yard Sign
```

```
    Select case sImage
```

```
        case "1"%>
            <!-- #include file="inc/yard1.inc" -->
```

```
        <% case "2"%>
            <!-- #include file="inc/yard2.inc" -->
```

```
        <% case "3"%>
            <!-- #include file="inc/yard3.inc" -->
```

```
        <% case "4"%>
            <!-- #include file="inc/yard4.inc" -->
```

```
        <% case "5"%>
            <!-- #include file="inc/yard5.inc" -->
```

```
        <!-- #include file="inc/yard5.inc" -->
```

```
    <%end select
```

```
    'Lower%>
```

```
    <!-- #include file="inc/bottom_mail.inc" -->
```

```
    <%if not Request.QueryString("track") = "1" then call InsertButtons() else sBody
= sBody + "</table>"
```

```
    Response.Write sBody + sBody1%>
```

```
    <!-- #include file="inc/InsertButtons.inc" -->
```

```
<%end if%>
```

Page 1

```

border=0>
<TBODY>
<TR bgColor=#ffffff>
<TD width="30%"><FONT face=Verdana size=2><B><FONT color=#000000>whats is your
name:</FONT></B></FONT></TD>
<TD width="70%"><INPUT maxLength=20 name=name> <SUP>*</SUP> </TD></TR>
<TR bgColor=#ffffff>
<TD width="30%"><FONT face=Verdana size=2><B><FONT color=#000000>what is your
budget:</FONT></B></FONT></TD>
<TD width="70%"><SELECT name=currency> <OPTION value=US$ selected>$ US</OPTION>
<OPTION value=Canadian$>$ Canadian</OPTION> <OPTION value=Rupees>Indian
Rupees</OPTION> <OPTION value=Peso>Mexican Peso</OPTION></SELECT> <INPUT
maxLength=20 name=money><SUP>*</SUP> </TD></TR>
<TR bgColor=#ffffff>
<TD width="30%"><FONT face=Verdana size=2><B><FONT color=#000000>what is your
email:</FONT></B></FONT></TD>
<TD width="70%"><INPUT maxLength=30 size=30 name=emailid><SUP>*</SUP> </TD></TR>
<TR bgColor=#ffffff>
<TD width="100%" colSpan=2><FONT face=Verdana color=#000000 size=2><B>what is
your project:</B></FONT><FONT face=Verdana color=#000000 size=2><BR><BR>Please
feel free to check more than one box:</FONT><BR>
<TABLE cellSpacing=2 cellPadding=2 width="100%" bgColor=#cccccc border=0>
<TBODY>
<TR valign=top>
<TD><FONT face=Verdana size=2><INPUT type=checkbox CHECKED value=website
name=project> </FONT></TD>
<TD><FONT face=Verdana color=#000000 size=2>Web site Desingning</FONT></TD>
<TD><INPUT type=checkbox value=ENewsletter name=project> </TD>
<TD><FONT face=Verdana color=#000000 size=2>E-Newsletters</FONT></TD></TR>
<TR valign=top>
<TD><INPUT type=checkbox value=Portal name=project> </TD>
<TD><FONT face=Verdana color=#000000 size=2>Portal Sites</FONT></TD>
<TD><INPUT type=checkbox value=ECommerce name=project> </TD>
<TD><FONT face=Verdana color=#000000 size=2>E-Commerce</FONT></TD></TR>
<TR valign=top>
<TD><INPUT type=checkbox value=Bulletinboard name=project> </TD>
<TD><FONT face=Verdana color=#000000 size=2>Interactive Forums & Bulletin
Boards</FONT></TD>
<TD><INPUT type=checkbox value=EFaxing name=project> </TD>
<TD><FONT face=Verdana color=#000000 size=2>E-Faxing</FONT></TD></TR>
<TR valign=top>
<TD><INPUT type=checkbox value=Chat name=project> </TD>
<TD><FONT face=Verdana color=#000000 size=2>Chat</FONT></TD>
<TD><INPUT type=checkbox value=Email name=project> </TD>
<TD><FONT face=Verdana color=#000000 size=2>E-Mail Managing Software
</FONT></TD></TR>
<TR valign=top>
<TD><INPUT type=checkbox value=Java name=project> </TD>
<TD><FONT face=Verdana color=#000000 size=2>Customised Java
Applications</FONT></TD>
<TD><INPUT type=checkbox value=OnlineCatalog name=project> </TD>
<TD><FONT face=Verdana color=#000000 size=2>Online Catalog</FONT></TD></TR>
<TR valign=top>
<TD><INPUT type=checkbox value=Flash name=project> </TD>
<TD><FONT face=Verdana color=#000000 size=2>Flash Technology</FONT></TD>
<TD><INPUT type=checkbox value=SearchEngine name=project> </TD>
<TD><FONT face=Verdana color=#000000 size=2>Search Engine</FONT></TD></TR>
<TR valign=top>
<TD><INPUT type=checkbox value=Graphics name=project> </TD>
<TD><FONT face=Verdana color=#000000 size=2>Animation & Custom-made
Graphics</FONT></TD>
<TD><INPUT type=checkbox value=TrafficAnalysis name=project> </TD>
<TD><FONT face=Verdana color=#000000 size=2>Traffic

```

```

Analysis</FONT></TD></TR>
<TR vAlign=top>
<TD><INPUT type=checkbox value=fundraising name=project> </TD>
<TD><FONT face=Verdana color=#000000 size=2>Online Fundraising</FONT></TD>
<TD><INPUT type=checkbox value=BannerAds name=project> </TD>
<TD><FONT face=Verdana color=#000000 size=2>Banner Ads</FONT></TD></TR>
</TBODY></TABLE><BR><FONT face=Verdana color=#000000
size=2>Describe your project<BR><TEXTAREA name=description rows=8
cols=50></TEXTAREA>
</FONT></TD></TR>
<TR align=middle bgColor=#ffffff>
<TD width="100%" colspan=2><INPUT type=hidden value=info@ElectionMall.com
name=email> <INPUT type=hidden value=usa name=country>
<INPUT type=submit value=Submit name=Submit> <INPUT type=reset value=Reset
name=Submit2>
</td></tr></table>
</form>
<%end if%>
<!-- #INCLUDE file="inc/bottom_inc.inc" -->

```

register.asp

```

<%@ Language=VBScript %>
<html>
<head>
<meta http-equiv="Pragma" content="no-cache">
<meta http-equiv="Expires" content="Tue, 01 Jan 1980 1:00:00 GMT">
<title>eYardSigns.com | Sign Up Now! It's Fast and Free</title>
<script language="JavaScript">
function checkForm() {
    errorFields = "";
    if (trim(document.SIGNUP.UserName.value) == "") {
        errorFields += "- Enter a User name for this account.\n";
    }
    if ((trim(document.SIGNUP.password.value) == "") ||
        (document.SIGNUP.password.value.indexOf(" ") > -1) ||
        (document.SIGNUP.password.value.length < 4)) {
        errorFields += "- Enter a password from 4 to 10
characters long with no spaces.\n";
    }

    if (document.SIGNUP.password.value !=
document.SIGNUP.retype_password.value) {
        errorFields += "- The two passwords you entered did not match.
Please re-enter your password.\n";
    }

    if (trim(document.SIGNUP.first_name.value) == "") {
        errorFields += "- Enter a First Name for this account.\n";
    }

    if (trim(document.SIGNUP.last_name.value) == "") {
        errorFields += "- Enter a Last Name for this account.\n";
    }

    if (!isEmailValid(document.SIGNUP.email.value)) {
        errorFields += "- Enter a valid email address in the form
xxx@xxx.xxx.\n";
    }

    if (trim(document.SIGNUP.age.value) == "") {
        errorFields += "- Enter your Age.\n";
    }

    if (trim(document.SIGNUP.Address1.value) == "") {
        errorFields += "- Enter your Address.\n";
    }

    if (trim(document.SIGNUP.City.value) == "") {
        errorFields += "- Enter City.\n";
    }

    if (document.SIGNUP.State.selectedIndex == 0) {
        errorFields += "- Select State.\n";
    }

    if (trim(document.SIGNUP.Zipcode.value) == "") {
        errorFields += "- Enter Zipcode.\n";
    }

    if (document.SIGNUP.Party_Affiliation.selectedIndex == 0) {
        errorFields += "- Select Party Affiliation.\n";
    }

    if (!document.SIGNUP.agree.checked) {
        Page 1
    }
}

```

05898509.070301

```

                                register.asp
errorFields += "- Please review and accept the terms of service.\n";
}

if (errorFields != "") {
    errorFields = "Please correct the following errors, then resubmit
the form. Thank you.\n\n" + errorFields;
    alert(errorFields);
    return false;
}
else {
    return true;
}
}

</script>
<script language="JavaScript" src="src/utills.js"></script>
<!-- #include file="inc/top_inc.inc" -->
<!-- #include file="inc/database.inc" -->
<td>
    <%'Code Start
        set rs = Server.CreateObject("ADODB.Recordset")

        'Get States
        rs.Open "Select * from State",db
        do until rs.EOF
            sState_List = sState_List + "<option value=" + cstr(rs(0)) + ">" +
rs(1) + "</option>"
            rs.MoveNext
        loop

        'Get Party
        rs.close
        rs.Open "Select party_id,party from Party",db
        do until rs.EOF
            sParty_List = sParty_List + "<option value=" + cstr(rs(0)) + ">" +
rs(1) + "</option>"
            rs.MoveNext
        loop

        if not Session("user") = "" then
            sSQL = "SELECT * FROM user_info where user_id = " + Session("user")
            rs.close
            rs.Open sSQL,db
            if not rs.EOF then
                sUserName = trim(rs("username"))
                sPassword = trim(rs("password"))
                sFirst_Name = trim(rs("First_Name"))
                sLast_Name = trim(rs("Last_Name"))
                sAge = trim(rs("Age"))
                sSex = trim(rs("Sex"))
                sEmail = trim(rs("email"))
                sAddress1 = trim(rs("address1"))
                sAddress2 = trim(rs("address2"))
                sCity = trim(rs("city"))
                sState = trim(rs("state_id"))
                sZipcode = trim(rs("zip_code"))
                sPhone = trim(rs("phone"))
                sURL = trim(rs("url"))
                sParty_Affiliation = trim(rs("party_id"))

                sState_List = replace(sState_List,"=" + sState,"=" + sState
+ " selected")
                sParty_List =

```

```

                                register.asp
replace(sParty_List,sParty_Affiliation,sParty_Affiliation + " selected")
                                end if
                                end if
                                rs.Close : set rs = nothing
                                db.Close : set db = nothing
%>

```

```

                                <form name="SIGNUP" action="confirm.asp" method="post"
onsubmit="return checkForm()">
                                <table width="98%" border="0" align="center" cellspacing="2"
cellpadding="2" bgcolor="#FFFFFF">
                                <tr> <td colspan="2" bgcolor="C0D5FC"><font face="Verdana,
Arial, Helvetica, sans-serif" size="4"><b>
                                Membership Information</td></tr>
                                <tr>
                                <td width="200" bgColor="#D9E6FD"><font face="Verdana, Arial, Helvetica,
sans-serif" size="2"><b> User
                                Name</font></b></font></td>
                                <td width="380" bgColor="#D9E6FD">
                                <font face="Verdana, Arial, Helvetica, sans-serif"
size="2">
                                <%if sUserName = "" then%>
                                <input name="UserName">
                                <%else
                                Response.Write sUserName
                                Response.Write "<input name='UserName' value='" +
sUserName + "' type='hidden'">
                                end if%>
                                </td>
                                </tr>
                                <tr>
                                <td width="200" bgColor="#D9E6FD"><font face="Verdana, Arial, Helvetica,
sans-serif" size="2"><b>
                                Password</font></b><font size="1"> (4 - 10 characters)</font></td>
                                <td width="380" bgColor="#D9E6FD">
                                <input type="password" name="password" value="<%=sPassword%>">
                                </td>
                                </tr>
                                <tr>
                                <td width="200" bgColor="#D9E6FD"><font face="Verdana, Arial, Helvetica,
sans-serif" size="2"><b> Retype
                                Password</font></b></font></td>
                                <td width="380" bgColor="#D9E6FD">
                                <input type="password" name="retype_password" value="<%=sPassword%>">
                                </td>
                                </tr>
                                <tr>
                                <td colspan="2" height="5"> </td>
                                </tr>
                                <tr>
                                <td colspan="2" bgcolor="C0D5FC"><font face="Verdana, Arial,
Helvetica, sans-serif" size="5"><b><font size="+1"></font></b></font>
                                <font face="Verdana, Arial, Helvetica, sans-serif"
size="+1"><b>Personal
                                Information</b></font></td>
                                </tr>
                                <tr>
                                <td width="200" bgColor="#D9E6FD"><font face="Verdana, Arial, Helvetica,
sans-serif" size="2"><b> First
                                Name<font color="red">*</font></font></b></font></td>

```

```

                                register.asp
        <td width="380" bgcolor="#D9E6FD">
            <input name="first_name" value="<%=sFirst_Name%>">
        </td>
    </tr>
    <tr>
        <td bgcolor="#D9E6FD" width="200"><font face="Verdana, Arial, Helvetica,
sans-serif" size="2"><b> Last
            Name<font color="red">*</font></font></b></font></td>
        <td width="380" bgcolor="#D9E6FD">
            <input name="last_name" value="<%=sLast_Name%>">
        </td>
    </tr>
    <tr>
        <td bgcolor="#D9E6FD" width="200"><font face="Verdana, Arial, Helvetica,
sans-serif" size="2"><b> Age<font color="red">*</font></font></b></font></td>
        <td bgcolor="#D9E6FD" width="380">
            <input name="age" value="<%=sAge%>">
        </td>
    </tr>
    <tr>
        <td bgcolor="#D9E6FD" width="200"><font face="Verdana, Arial, Helvetica,
sans-serif" size="2"><b> Sex<font color="red">*</font></font></b></font></td>
        <td bgcolor="#D9E6FD" width="380"> <font face="Verdana, Arial,
Helvetica, sans-serif" size="2">
            <input type="radio" name="Sex" value="Male" checked>
            <b>Male&nbsp;<input type="radio" name="Sex" value="Female">
            Female </b></font></td>
    </tr>
    <tr>
        <td bgcolor="#D9E6FD" width="200"><font face="Verdana, Arial, Helvetica,
sans-serif" size="2"><b> Email Address<font
color="red">*</font></font></b></font></td>
        <td bgcolor="#D9E6FD" width="380">
            <input name="email" value="<%=sEmail%>">&nbsp;<a
href="javascript:portwin('whyemail.htm',600,320)"></a>
        </td>
    </tr>
    <tr>
        <td bgcolor="#D9E6FD" width="200"><font face="Verdana, Arial, Helvetica,
sans-serif" size="2"><b> Street Address
            Line 1<font color="red">*</font></font></b></font></td>
        <td bgcolor="#D9E6FD" width="380">
            <input name="Address1" value="<%=sAddress1%>">
        </td>
    </tr>
    <tr>
        <td bgcolor="#D9E6FD" width="200"><font face="Verdana, Arial, Helvetica,
sans-serif" size="2"><b> Street Address
            Line 2</font></b></font></td>
        <td bgcolor="#D9E6FD" width="380">
            <input name="Address2" value="<%=sAddress2%>">
        </td>
    </tr>
    <tr>
        <td bgcolor="#D9E6FD" width="200"><font face="Verdana, Arial, Helvetica,
sans-serif" size="2"><b> City<font color="red">*</font></font></b></font></td>
        <td bgcolor="#D9E6FD" width="380">
            <input name="City" value="<%=sCity%>">
        </td>
    </tr>
    <tr>

```



```

register.asp
<td bgColor="#D9E6FD" width="200"><font face="Verdana, Arial, Helvetica,
sans-serif" size="2"><b> State/Province<font
color="red">*</font></font></b></font></td>
<td bgColor="#D9E6FD" width="380">
<select name="State">
<option value="0">-Select from List-</option>
<%=sState_List%>
</select>
</td>
</tr>
<tr>
<td bgColor="#D9E6FD" width="200"><font face="Verdana, Arial, Helvetica,
sans-serif" size="2"><b> Zip/Postal Code<font
color="red">*</font></font></b></font></td>
<td bgColor="#D9E6FD" width="380">
<input name="Zipcode" value="<%=szipcode%>">
</td>
</tr>
<tr>
<td bgColor="#D9E6FD" width="200"><font face="Verdana, Arial, Helvetica,
sans-serif" size="2"><b> Phone
Number</font></b></font></td>
<td bgColor="#D9E6FD" width="380">
<input name="Phone" value="<%=sPhone%>">
</td>
</tr>
<tr>
<td bgColor="#D9E6FD" width="200"><font face="Verdana, Arial, Helvetica,
sans-serif" size="2"><b> Your Website</b>
<font size="1">(for example
http://www.youraddress.com)</font></font></td>
<td bgColor="#D9E6FD" width="380" VALIGN="bottom">
<input name="URL" value="<%=sURL%>">&nbsp;  <a
href="javascript:portwin('whyurl.htm',600,320)"></a>
</td>
</tr>
<tr>
<td bgColor="#D9E6FD" width="200"><font face="Verdana, Arial, Helvetica,
sans-serif" size="2"><b> Party
Affiliation<font color="red">*</font></font></b></font></td>
<td bgColor="#D9E6FD" width="380">
<select name="Party_Affiliation">
<option value="0">-Select from List-</option>
<%=sParty_List%>
</select>
</td>
</tr>
<tr>
<td bgColor="#D9E6FD" width="200"><font face="Verdana, Arial, Helvetica,
sans-serif" size="2"><b>Would
you like to receive our Newsletter?</b></font></td>
<td bgColor="#D9E6FD" width="380"> <font face="Verdana, Arial,
Helvetica, sans-serif">
<font size="2"> <b>
<input type="radio" name="Newsletter" value="1" checked>
Yes
<input type="radio" name="Newsletter" value="0">
No </b></font></font></td>
</tr>
<tr>
<td bgColor="#D9E6FD" colspan="2"><font face="Verdana, Arial, Helvetica,
sans-serif" size="2">
<input type="checkbox" name="agree"><b>I agree to the <a

```


remove_email.asp

```

<%@ Language=VBScript %>
<html>
<head>
<title>Remove form List</title>
<!-- #include file="inc/top_inc.inc" -->
<!-- #include file="inc/database.inc" -->
<td align="center" class="normal"><%'Code start
if Request.Form("email") = "" then%>
<b><BR>Type your e-mail address in the box below and
click 'Remove' to
remove yourself from the eYardSigns.com List and
receive no future e-mails
from us. Please ALLOW at least 72 hours for proper
removal from system.
</b>
<form action="remove_email.asp" method="post"
name="form1">
<input type="hidden"
value="<%=cdbl(Request.QueryString("id"))/2448%>" name="user">
<input name="email" size="30"> <input type="submit"
value="Remove" id="submit1" name="submit1">
</form>
<%else
set rs = server.createobject("ADODB.Recordset")
sUser = Request.Form("user")
ssQL = "Select b.list_name FROM email a, list b
WHERE a.user_id = " + sUser + _
" AND a.email = '" + Request.Form("email") + "' AND
a.list_id = b.list_id"
rs.Open ssQL,db
if not rs.EOF then
sList = rs.GetString(,","","","")
sList = left(sList,len(sList)-1)
ssQL = "Delete * FROM email WHERE user_id =
" + sUser + _
" AND email = '" + Request.Form("email") +
'"
db.Execute ssQL
ssQL = "select * from user_info where
user_id = " + sUser
rs("Last_Name")
sEmail = rs("email")
rs.Close : set rs = nothing
db.Close : set db = nothing
'Send the User a mail
sBody = sBody + formatdatetime(Date,1) +
chr(13)
sBody = sBody + "Attention " + sName + ":" +
chr(13) + chr(13)
sBody = sBody + "The following recipient '"
+ Request.Form("email") + "' has requested to be officially " + _
"removed from your Email Lists. The
recipient has been removed from the following " + _
"list(s) : " + sList + chr(13) + chr(13)
Page 1

```

09090509 070301

remove_email.asp

```
on your Campaign!" + chr(13) + chr(13)
chr(13) + chr(13)
server.CreateObject("JMail.SMTPMail")
"mailhub.registeredsite.com"
list"

sBody = sBody + "Thank you and best wishes
sBody = sBody + "Customer Service" + chr(13)
sBody = sBody + "www.ElecionMall.com" +

Set JMail =
'This is my local SMTP server
JMail.ServerAddress =
'This is me....
JMail.Sender = "emailremoval@eyardsigns.com"
JMail.Subject = "Request for removal from

JMail.AddRecipient sEmail

JMail.Body = sBody
JMail.Priority = 3
'Send it...
JMail.Execute

end if
Response.Write "<BR><BR><BR><BR><b>Your email
address has been removed from our servers.</b><BR><BR><BR>"
end if
'code end%>
<BR><BR><BR><BR><BR>
<!-- #include file="inc/bottom_inc.inc" -->
```

```
<HTML>
<HEAD>
<TITLE>Custom Yardsign</TITLE>
</HEAD>
<BODY>
<form name="frm_yardsign" method="post"
action="http://www.eyardsigns.com/custom_yardsign.asp">
<table><tr><td>
<P><font face="Verdana, Arial" size="2">Name</font></td>
<td><INPUT name=saname></td></tr>
<tr><td><font face="Verdana, Arial" size="2">Email </font> </td>
<td><INPUT name=saemail></td></tr>
<tr><td colspan='2'><input type="submit" value="Submit" name="submit1"></td></tr>
</table>
<input name="saref" type="hidden" value="http://www.rnc.org">
<input name="sasubject" type="hidden" value="Vote for us">
<input name="sasender_email" type="hidden" value="yardsign@rnc.org">
</form>
</BODY>
</HTML>
```

selectlist.asp

```

<%@ Language=VBScript %>
<html>
<head>
<title>Select List(s)</title>
<script Language="JavaScript" src="src/AddRemove.js"></script>
<script language="JavaScript" src="src/Utils.js"></script>
<!-- #include file="inc/session_timeout.inc" -->
<!-- #include file="inc/top_inc.inc" -->
<!-- #include file="inc/database.inc" -->
        <td align="center" valign="top"><%'Code start
        set rs1 = Server.CreateObject("ADODB.Recordset")
        set rs2 = Server.CreateObject("ADODB.Recordset")

        sSQL = "select a.list_id,a.list_name FROM list AS a,
user_list_link AS b WHERE " + _
        "a.list_id = b.list_id AND (b.user_id = " + Session("user")
+ " OR b.user_id = 1) order by a.list_name"
        rs1.Open sSQL,db

        do until rs1.EOF
                sSQL = "SELECT COUNT(*) FROM email WHERE user_id = "
+ Session("user") + " AND list_id = " + cstr(rs1(0))
                rs2.Open sSQL,db
                sNumber = " (" + cstr(rs2(0)) + ")"
                rs2.Close
                sList = sList + "<OPTION value='" + cstr(rs1(0)) +
        "-" + rs1(1) + "'>" + rs1(1) + sNumber + "</OPTION>"
                rs1.MoveNext
        loop

        'Clean Up
        rs1.Close : set rs1 = nothing
        set rs2 = nothing
        db.Close : set db = nothing%>
<!------- Start Form 3
----->
        <form action="sendyardsign.asp" method="post"
name="frm_Addtolist" onsubmit="return CheckForm_Addtolist();"
        <table border="0" cellPadding="1" cellSpacing="1"
width="98%" align="center">
        <tr>
        <td align="left" bgColor="#c0d5fc" >
        <font face="Verdana, Arial, Helvetica, sans-serif" size="4"
><b>
        STEP 3 : Select Target List(s)</b></font></td></tr>
        <tr><td bgcolor="#D9E6FD" >
                <table border="0" cellPadding="1" cellSpacing="1"
width="50%">
                <tr>
                <td ><font face="Verdana, Arial, Helvetica,
sans-serif" size="2" ><b>Your Lists</td><td>&nbsp;</td>
                <td colspan="2" ><font face="Verdana, Arial,
Helvetica, sans-serif" size="2" ><b>Recipients</td>
                <tr>
                <td width="25%"><select id="select1" name="select1"
size="6">
                        <%=sList%>
                </select></td>
                <td width="12%"><input name="btn_add"
onclick="javascript:AddRemove(0)" type="button" value="&gt;&gt;">
                <br><input name="btn_remove"
onclick="javascript:AddRemove(1)" type="button" value="&lt;&lt;">
                </td>

```

```

                                selectlist.asp
                                <td width="25%"><select multiple name="select1"
size="6" width="120"></select> </td>
                                <td width="25%"><input name="submit1" type="submit"
value="Send" onclick="document.frm_Addtolist.stype.value='0'">
                                </td></tr></table>
                                <!------- End Form 2
                                ----->
                                <font face="Verdana, Arial, Helvetica, sans-serif" size="1"
>
                                Choose list(s) from above by clicking ">>"
                                </font>
                                </td></tr>
                                <tr><td bgcolor="#c0d5fc">
                                <font face="Verdana, Arial, Helvetica, sans-serif"
size="4" ><B>OR</B></font>
                                </td></tr>
                                <tr><td bgcolor="#d9e6fd">
                                <font face="Verdana, Arial, Helvetica, sans-serif"
size="2" >
                                Enter ONE email Address </font>&nbsp;&nbsp;&nbsp;<input
name="one_email">
                                &nbsp;&nbsp;&nbsp;<input name="submit2" type="submit"
value="Send" onclick="document.frm_Addtolist.stype.value='1'">
                                </td></tr>
                                </table>
                                <p align="center"><input type="button" name="button1"
value="Change eYardSign" onclick="javascript:history.go(-2)"></p>
                                <input name="ecard" value="%=Request.Form("image")%"
type="hidden">
                                <input name="email" value="%=Request.Form("email")%"
type="hidden">
                                <input name="sPosition"
value="%=Request.Form("sPosition")%" type="hidden" >
                                <input name="sTitle" value="%=Request.Form("sTitle")%"
type="hidden" >
                                <input name="sImage" value="%=Request.Form("sImage")%"
type="hidden" >
                                <input name="sEmail" value="%=Request.Form("sEmail")%"
type="hidden" >
                                <input name="sMessage" value="%=Request.Form("sMessage")%"
type="hidden" >
                                <input name="sFname" value="%=Request.Form("sFname")%"
type="hidden" >
                                <input name="sLname" value="%=Request.Form("sLname")%"
type="hidden" >
                                <input name="sSubject" value="%=Request.Form("sSubject")%"
type="hidden" >
                                <input name="sMusic" value="%=Request.Form("sMusic")%"
type="hidden" >
                                <input name="sSiteURL" value="%=Request.Form("sSiteURL")%"
type="hidden" >
                                <input name="sLogo" value="%=Request.Form("sLogo")%"
type="hidden">
                                <input name="stype" type="hidden">
                                </form>
                                <% 'code end%>
                                <!-- #include file="inc/bottom_inc.inc" -->

```

```

<%@ Language=VBScript %>
<%Response.Buffer = true
Response.Expires=0
Response.Clear%>
<html>
<head>
<title>Preview eYardsign</title>
<!-- #include file="inc/session_timeout.inc" -->
<!-- #include file="inc/top_inc.inc" -->
<td width="98%" align="center">
<%

    sUser_id = Session("user")
    sFileName = sUser_id + "_implogo.img"
    filename = "upload\" + sFileName

    'Create and write to a File
    sServerfilename = sScriptDir
    Set upl = Server.CreateObject("SoftArtisans.FileUp")
    if upl.form("file1").IsEmpty then
        sLogo = upl.Form("s_logo")
    else
        sScriptDir =
StrReverse(Server.mappath(Request.ServerVariables("PATH_INFO")))
        sScriptDir = Mid(sScriptDir, Instr(1, sScriptDir, "\"))
        sScriptDir = StrReverse(sScriptDir) + filename
        upl.SaveAs sScriptDir
        sLogo = filename
    end if

    sPosition = replace_apost(upl.Form("s_position"))
    sTitle = replace_apost(upl.Form("s_title"))
    sImage = upl.Form("image")
    sEmail = upl.Form("s_email")
    sMessage = replace(replace_apost(upl.Form("message")),chr(10),"<BR>")
    'sMessage = replace(sMessage," ","&nbsp;")

    sFirst_Name = upl.Form("s_fname")
    sLast_Name = upl.Form("s_lname")
    sSubject = replace_apost(upl.Form("subject"))
    sMusic = upl.Form("music")

    ssiteURL = "http://www.eyardsigns.com/"

    'Upper%>
    <!-- #include file="inc/top_mail.inc" -->
    <%'Start Yard Sign
    Select case sImage
        case "1"%>
            <!-- #include file="inc/yard1.inc" -->
        <%
        case "2"%>
            <!-- #include file="inc/yard2.inc" -->
        <%
        case "3"%>
            <!-- #include file="inc/yard3.inc" -->
        <%
        case "4"%>
            <!-- #include file="inc/yard4.inc" -->
        <%
        case "5"%>
            <!-- #include file="inc/yard5.inc" -->
    <%end select
    'Lower%>
    <!-- #include file="inc/bottom_mail.inc" -->

```



```

<%      call InsertButtons()
        sBody1 = mid(sBody1,13,len(sBody1)-27)
        Response.write sBody + sBody1%>
        <form name="form1" action="selectlist.asp" method="post">
            <table align="center" ><tr><td align="center"
width="150">&nbsp;</td><td>
                <input name="button1" value="Change eYardSign" type="button"
onclick="javascript:history.back()">
                &nbsp;<input name="submit1" value="Send eYardSign" type="submit" >
                &nbsp;<input name="button1" value="Cancel" type="button"
onclick="javascript:document.location='default.asp'">
            </tr></td></table>
            <input name="sPosition" value="%=sPosition%" type="hidden" >
            <input name="sTitle" value="%=sTitle%" type="hidden" >
            <input name="sImage" value="%=sImage%" type="hidden" >
            <input name="sEmail" value="%=sEmail%" type="hidden" >
            <input name="sMessage" value="%=sMessage%" type="hidden" >
            <input name="sFname" value="%=sFirst_Name%" type="hidden" >
            <input name="sLname" value="%=sLast_Name%" type="hidden" >
            <input name="sSubject" value="%=sSubject%" type="hidden" >
            <input name="sMusic" value="%=sMusic%" type="hidden" >
            <input name="sSiteURL" value="%=sSiteURL%" type="hidden" >
            <input name="sLogo" value="%=sLogo%" type="hidden" >
        </form>
<!-- #include file="inc/bottom_inc.inc" -->
<%

function InsertButtons()
    sBody = sBody + "<TR><TD colspan='7' align='center'><BR>"
    sBody = sBody + "<TABLE border='0' cellspacing='0' cellpadding='0'
width='100%'><TR>"
    sBody = sBody + "<TD colspan='5' align='center'><font face='Verdana, Arial'
size='2'><B>"
    sBody = sBody + "Please show your support by clicking on following
icons<BR></B></font></TD></TR><TR>"
    sBody = sBody + "<TD width='20%' align='center'>"
    sBody = sBody + "<img src='" + sSiteURL + "grfx/hdq.gif' border='0'
alt='Headquarters'><BR>"
    sBody = sBody + "<font face='Verdana, Arial'
size='1'>Headquarters</font></TD>"
    sBody = sBody + "<TD width='20%' align='center'>"
    sBody = sBody + "<img src='" + sSiteURL + "grfx/donate.gif' border='0'
alt='Donate'><BR>"
    sBody = sBody + "<font face='Verdana, Arial' size='1'>Donate</font></TD>"
    sBody = sBody + "<TD width='20%' align='center'>"
    sBody = sBody + "<img src='" + sSiteURL + "grfx/volunteer.gif' border='0'
alt='Volunteer'><BR>"
    sBody = sBody + "<font face='Verdana, Arial' size='1'>Volunteer</font></TD>"
    sBody = sBody + "<TD width='20%' align='center'>"
    sBody = sBody + "<img src='" + sSiteURL + "grfx/sendtoafriend.gif' border='0'
alt='Send to a Friend'><BR>"
    sBody = sBody + "<font face='Verdana, Arial' size='1'>Send to
Friend</font></TD>"
    sBody = sBody + "<TD width='20%' align='center'>"
    sBody = sBody + "<img src='" + sSiteURL + "grfx/vote.gif' border='0'
alt='Vote'><BR>"
    sBody = sBody + "<font face='Verdana, Arial' size='1'>Vote</font></TD>"
    sBody = sBody + "</TR></TABLE></TD></TR></TABLE>"

```

sendmail.asp

end function%>

<!-- #include file="SCRIPTS/replace_apost.code" -->

sendtofriend_form.asp

```

<%@ Language=VBScript %>
<html>
<head>
<title>Send to a Freind</title>
<script language="JavaScript">
function checkForm() {
    errorFields = "";
    if (trim(document.SIGNUP.name.value) == "") {
        errorFields += "- Enter your name.\n";
    }

    if (!isEmailValid(document.SIGNUP.email.value)) {
        errorFields += "- Enter a valid email address in the form
xxx@xxx.xxx.\n\n";
    }

    if (trim(document.SIGNUP.emails.value) == "") {
        errorFields += "- Enter email addresses you want the eYardsign
forwarded to.\n";
    }

    //Check other email addresses
    sEmails = String(document.SIGNUP.emails.value)
    sEmail_split = sEmails.split(", ")
    for(i=0;i<sEmail_split.length;i++) {
        if (!isEmailValid(sEmail_split[i])) {
            errorFields += "- Error encountered in email address number
" + String(i+1) + " misspelled as " + sEmail_split[i] + "\n";
        }
    }

    if (errorFields != "") {
        errorFields = "Please correct the following errors, then resubmit
the form. Thank you.\n\n" + errorFields;
        alert(errorFields);
        return false;
    }
    else {
        return true;
    }
}
</script>
<script language="JavaScript" src="src/utlils.js"></script>
</head><body bgcolor="092186">
<table width="600" border="0" cellspacing="0" cellpadding="0" align="center">
<tr>
<td width="17" align="right"></td>
<td bgcolor="C0D5FC" width="74">&nbsp;</td>
<td bgcolor="C0D5FC" width="486">&nbsp;</td>
<td width="18" align="left"></td>
</tr>
<tr>
<td width="20" bgcolor="C0D5FC">&nbsp;</td>
<td width="74" bgcolor="C0D5FC">
<a href="http://www.eyardsigns.com"></a>
</td>
<td width="486" bgcolor="C0D5FC" align="center">
<%Set ad =
Server.CreateObject("MSWC.AdRotator") %>
<%= ad.GetAdvertisement("inc/adrot_lng.txt")
Page 1

```

092186-070001-092186

```

%>
</td>
<td width="20" bgcolor="C0D5FC">&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td width="20" height="3" bgcolor="C0D5FC"></td>
<td width="74" height="3" bgcolor="C0D5FC"></td>
<td width="486" height="3" bgcolor="C0D5FC"></td>
<td width="20" height="3" bgcolor="C0D5FC"></td>
</tr>
<tr>
<td width="20" bgcolor="C0D5FC">&nbsp;&nbsp;&nbsp;</td>
<td width="74"></td>
<td width="486"></td>
<td width="20">&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td width="20" bgcolor="C0D5FC">&nbsp;&nbsp;&nbsp;</td>
<td colspan="2" bgcolor="C0D5FC" height="371" valign="top" align="center">
<%if Request.Form("emails") = "" then%>
<!-- #include file="inc/convert_trackid.inc" -->
<!-- #include file="inc/database.inc" -->
<%set rs = Server.CreateObject("ADODB.Recordset")

sSQL = "Select First_Name, Last_Name from Mail_Tracking WHERE track_id = " +
sTrack_id
rs.open sSQL,db
sName = rs(0) ' + " " + rs(1)
rs.Close : set rs = nothing
db.Close : set db = nothing
%>

<form name="SIGNUP" action="sendtofriend_form.asp" method="post"
onsubmit="return checkForm()">
<table width="100%" border="0" cellpadding="2" cellspacing="2">
<tr align="center">
<td colspan="2"><font face="Verdana, Arial, Helvetica, sans-serif"
size="2"><b>I
would like to send <%=sName%>'s eYardSign to</b></font></td>
</tr>

<tr bgcolor="#92A6F8">
<td width="50%" align="left" valign="bottom" bgcolor="#92A6F8"><font
face="Verdana, Arial, Helvetica, sans-serif" size="2">
<b>Your Name<font color="red">*</font></b></font></td>
<td width="50%">
<input name="name">
</td>
</tr>
<tr bgcolor="#BBC8FB">
<td width="50%" align="left" valign="bottom"><font face="Verdana, Arial,
Helvetica, sans-serif" size="2"><b>Email
Address <font color="red">*</font></b></font></td>
<td width="50%" bgcolor="#BBC8FB">
<input name="email">
</td>
</tr>
<tr bgcolor="#BBC8FB">
<td width="50%" align="left" valign="bottom"><font face="Verdana, Arial,
Helvetica, sans-serif" size="2"><b>

```

```

                                sendtofriend_form.asp
Gender </b><font size="1"> </font></font></td>
<td width="50%" bgcolor="#BBC8FB">
    <select name="gender">
                                <option>-Select-
                                <option value="M">Male<option
value="F">Female
                                </select>
    </td>
</tr>
<tr bgcolor="#BBC8FB">
    <td width="50%" align="left" valign="bottom"><font face="Verdana, Arial,
Helvetica, sans-serif" size="2"><b>
        Zip Code </b><font size="1"></font> </font></td>
    <td width="50%" bgcolor="#BBC8FB">
        <input name="zipcode">
    </td>
</tr>
<tr bgcolor="#D7DEFD">
    <td width="50%" align="left" valign="top"><font face="Verdana, Arial,
Helvetica, sans-serif" size="2"><b>Type
        emails here<font color="red">*</font></b><font size="1"><br>(Type out
complete email address, for more than one email
        separate by &quot;comma&quot;; eg; name1@company1.com,
name2@company2.com)</font></td>
    <td width="50%">
        <textarea cols="40" name="emails" rows="10"></textarea>
    </td>
</tr>
<tr>
    <td colspan="2" align="right" valign="bottom" height="5"></td>
</tr>
<tr align="center">
    <td colspan="2" valign="bottom">
        <input type="submit" name="Submit" value="Forward eYardSign">&nbsp;
        <input type="button" name="button1" value="Cancel"
onclick="javascript:window.close()">
    </td>
</tr>
<tr><td colspan="2"><font face="Verdana, Arial, Helvetica" size="2"><b>
<font color="red">*</font>&nbsp;Required Information</b></font></td></tr>
</table>
<input type="hidden" name="id" value="<%=sTrack_id%>">
<input type="hidden" name="user" value="<%=sUser_id%>">
</form>
<%else%>
    <!-- #include file="inc/database.inc" -->
    <%
        Set JMail = Server.CreateObject("JMail.SMTPMail")
        set rs = Server.CreateObject("ADODB.Recordset")

        sTrack_id = Request.Form("id")

        sSQL = "INSERT INTO sendtofreind_referer
(track_id,user_id,name,email,send_date,gender,zipcode) VALUES (" + _
sTrack_id + "," + Request.form("user") + "," + Request.Form("name") + "," + _
+ Request.Form("email") + "," + Request.Form("gender") + ",'" +
cstr(Now) + ",'" + Request.Form("zipcode") + "'">

        db.Execute sSQL

        rs.Open "SELECT referer_id FROM sendtofreind_referer order by referer_id
DESC",db
    <%

```

```

                                sendtofriend_form.asp
sReferer_id = cstr(rs(0))
rs.Close

sArr_emails = split(Request.Form("emails"),",")

for i = 0 to UBound(sArr_emails)
    if not trim(sArr_emails(i)) = "" then
        sSQL = "INSERT INTO sendtofreind_emails (referer_id,email)
VALUES (" + _
        sReferer_id + "','" + trim(sArr_emails(i)) + "')"
        db.Execute sSQL
        JMail.AddRecipientBCC trim(sArr_emails(i))
    end if
next

'Insert number of send to freinds in eYardSign Responses
sSQL = "SELECT COUNT(*) FROM sendtofreind_referer WHERE track_id = " +
sTrack_id
rs.open sSQL,db

sSQL = "UPDATE Mail_Tracking SET Number_Sendtofriend = " + cstr(rs(0)) + "
WHERE track_id = " + sTrack_id
db.Execute sSQL
rs.close

'-----
'----- Start Yardsign -----
'-----
sSQL = "Select * from Mail_Tracking where track_id = " + sTrack_id
rs.open sSQL,db

sPosition = rs("Position")
sImage = rs("design")
sEmail = Request.Form("email")
sMessage = rs("Message")
sFirst_Name = rs("First_Name")
sLast_Name = rs("Last_Name")
sSubject = "Check this out"
sLogo = rs("logo")
sMusic = rs("music")
sUser = rs("user_id")

ssiteURL = "http://www.eyardsigns.com/"

bFault = true%>
<!-- #include file="inc/top_mail.inc" -->
<%
Select case sImage
    case "1"%>
        <!-- #include file="inc/yard1.inc" -->
    <%
        case "2"%>
            <!-- #include file="inc/yard2.inc" -->
    <%
        case "3"%>
            <!-- #include file="inc/yard3.inc" -->
    <%
        case "4"%>
            <!-- #include file="inc/yard4.inc" -->
    <%
        case "5"%>
            <!-- #include file="inc/yard5.inc" -->
    <%end select
'Lower%>
<!-- #include file="inc/bottom_mail.inc" -->
<%call InsertButtons()

```

```

                                sendtofriend_form.asp
'This is the local SMTP server
JMail.ServerAddress = "mailhub.registeredsite.com"
'This is User....
JMail.Sender = sEmail
JMail.Subject = sSubject
JMail.ContentType = "text/html"

```

```

JMail.AddRecipient "forward@eyardsigns.com"
JMail.AddRecipientBCC sReciever

```

```

JMail.Body = sBody + sBody1
JMail.Priority = 3
' Send it...
JMail.Execute

```

```

'-----
'----- End Yardsign -----
'-----

```

```

rs.Close : set rs = nothing
db.Close : set db = nothing
Response.Write "<BR><BR><BR><BR><p align='center'><font size='2'
face='Verdana, Arial," + "
" Helvetica," + "sans-serif'><B>eYardsign forwarded.<BR><BR>Thank you.</B>"
Response.Write "<BR><BR><BR><BR>"
Response.Write "<a href='javascript:window.close()'>Close
window</a></font></p>"
end if%>
</td>
<td width="20" bgcolor="C0D5FC">&nbsp;</td>
</tr>
<tr>
<td width="20"></td>
<td width="74" bgcolor="C0D5FC">&nbsp;</td>
<td width="486" bgcolor="C0D5FC">&nbsp;</td>
<td width="20"></td>
</tr>
</table>
</body></html>
<!-- #include file="inc/InsertButtons.inc" -->

```



```

sendtofriend_list.asp
<table width="98%" border="0" cellspacing="1"
cellpadding="1" align="CENTER">
  <TR bgcolor="#D9E6FD"><td align="center"><font
face='Verdana, Arial' size='2' ><B>Name</B></font></td>
  <td align="center"><font face='Verdana, Arial'
size='2' ><B>Date-Time</B></font></td>
  <td align="center"><font face='Verdana, Arial'
size='2' ><B>Gender</B></font></td>
  <td align="center"><font face='Verdana, Arial'
size='2' ><B>Zip Code</B></font></td>
  <td align="center"><font face='Verdana, Arial'
size='2' ><B>Emails</B></font></td></tr>
  <%
    if sTrack_id = "" then
      sSQL = "select
referer_id,name,email,send_date,gender,zipcode FROM sendtofreind_referer " + _
        "WHERE user_id = " + Session("user")
        'Date
        if not Request.Form("sdate") = "" AND not
Request.Form("edate") = "" then
          sSQL = sSQL + " AND (send_date
BETWEEN #" + Request.Form("sdate") + "# AND #" + _
Request.Form("edate") + "#)"
        end if
        'gender
        if not Request.Form("gender") = "0" then
sSQL = sSQL + " AND gender = '" + Request.Form("gender") + "'"
        'zipcode
        if not Request.Form("zipcode") = "" then
sSQL = sSQL + " AND zipcode like '" + Request.Form("zipcode") + "'"
        sSQL = sSQL + " order by send_date"
        else
          sSQL = "select
referer_id,name,email,send_date,gender,zipcode FROM sendtofreind_referer WHERE
track_id = " + _
            sTrack_id + " order by send_date"
        end if
        'Put the RNC data in tables
        'sSQL = "INSERT INTO sendtofreind_referer
(referer_id,name,email,send_date,gender,zipcode) FROM sendtofreind_referer WHERE
track_id = " + _
            'sTrack_id + " order by send_date"
        rs.Open sSQL,db

        if rs.EOF then
          Response.Write "<TR><TD colspan='5'
bgcolor='#D9E6FD'><font face='Verdana, Arial' size='2'>No records
found.</font></td></tr>"
        else
          do until rs.EOF
            sSQL = "SELECT email FROM
sendtofreind_emails WHERE referer_id = " + cstr(rs(0))
            rs1.Open sSQL,db
            if not rs1.EOF then      sEmails =
rs1.GetString(, "&nbsp;",",", ",", "&nbsp;")
            rs1.Close %>
            <tr><td bgcolor="#D9E6FD"><font

```

```

                                sendtofriend_list.asp
face='Verdana, Arial' size='2'>
                                <a
href="mailto:<%=rs(2)%>"><%=rs(1)%></a></font></td>
                                <td align="center"
bgcolor="#D9E6FD"><font face='Verdana, Arial' size='2'>&nbsp;<%=rs(3)%></font></td>
                                <td align="center" bgcolor="#D9E6FD"
><font face='Verdana, Arial' size='2'>&nbsp;<%=rs(4)%></font></td>
                                <td align="center"
bgcolor="#D9E6FD"><font face='Verdana, Arial' size='2'>&nbsp;<%=rs(5)%></font></td>
                                <td bgcolor="#D9E6FD"><font
face='Verdana, Arial' size='2'>&nbsp;<%=sEmails%></font></td></tr>
                                <%rs.MoveNext
                                loop
                                end if
                                rs.close : set rs = nothing
                                db.close : set db = nothing
                                if Request.Form("ref") = "" then sRef =
"tracking.asp" else sRef = request.form("ref")%>
                                </table><form>
                                <input type=button value="Back"
onclick="document.location='<%=sRef%>' " name=button1></form>
                                <%code end%>
                                <!-- #include file="inc/bottom_inc.inc" -->

```

```

<%@ Language=VBScript %>
<html>
<head>
<title>Send to a Freind</title>
<script language="JavaScript">
function checkForm() {
    errorFields = "";
    if (trim(document.SIGNUP.name.value) == "") {
        errorFields += "- Enter your name.\n";
    }

    if (!isEmailValid(document.SIGNUP.email.value)) {
        errorFields += "- Enter a valid email address in the form
xxx@xxx.xxx.\n\n";
    }

    if (trim(document.SIGNUP.emails.value) == "") {
        errorFields += "- Enter email addresses you want the eYardsign
forwarded to.\n";
    }

    //Check other email addresses
    sEmails = String(document.SIGNUP.emails.value)
    sEmail_split = sEmails.split(", ")
    for(i=0;i<sEmail_split.length;i++) {
        if (!isEmailValid(sEmail_split[i])) {
            errorFields += "- Error encountered in email address number
" + String(i+1) + " misspelled as " + sEmail_split[i] + "\n";
        }
    }

    if (errorFields != "") {
        errorFields = "Please correct the following errors, then resubmit
the form. Thank you.\n\n" + errorFields;
        alert(errorFields);
        return false;
    }
    else {
        return true;
    }
}
</script>
<script language="JavaScript" src="src/utls.js"></script>
</head>
<body bgColor="#003399">
<table cellSpacing="0" cellPadding="0" width="600" align="center" border="0">
<tr>
<td align="right" width="20"></td>
<td width="79" bgColor="#FFFFFF">&nbsp;</td>
<td width="480" bgColor="#FFFFFF">&nbsp;</td>
<td align="left" width="21"></td>
</tr>
<tr>
<td width="20" bgColor="#FFFFFF" height="69">&nbsp;</td>
<td width="79" bgColor="#FFFFFF" height="69"><a href="http://www.rnc.org/"></a>
</td>
<td align="middle" width="480" bgColor="#FFFFFF" height="69">
<%Set ad = Server.CreateObject("MSWC.AdRotator") %>
<%= ad.GetAdvertisement("inc/adrot_lng1.txt") %>
</td>

```

09898509.070301

```

                                sendtofriend_RNC.asp
    <td width="21" bgColor="#FFFFFF" height="69">&nbsp;</td>
</tr>
<tr>
    <td width="20" bgColor="#FFFFFF" height="2"></td>
    <td width="79" bgColor="#c0d5fc" height="2"></td>
    <td width="480" bgColor="#c0d5fc" height="2"></td>
    <td width="21" bgColor="#FFFFFF"></td>
</tr>
<tr>
    <td width="20" bgColor="#FFFFFF">&nbsp;</td>
    <td colspan="2"></td>
    <td width="21" bgColor="#FFFFFF">&nbsp;</td>
</tr>
<tr>
    <td width="20" bgColor="#FFFFFF" height="0" rowspan="2">&nbsp;</td>
    <td valign="top" align="middle" bgColor="#FFFFFF" colspan="2">
<?if Request.Form("emails") = "" then%>
    <form name="SIGNUP" onsubmit="return checkForm()"
action="sendtofriend_RNC.asp" method="post">
        <table cellSpacing="0" cellPadding="0" width="100%"
border="0">
            <tr bgColor="#92a6f8">
                <td valign="bottom" align="left" bgColor="#FFFFFF">
                    <font face="Verdana, Arial, Helvetica, sans-serif" size="2"
color="#000000"><b>Your Name
                    </b></font>
                </td>
                <td bgColor="#FFFFFF">
                    <input name="name">
                </td>
            </tr>
            <tr bgColor="#bbc8fb">
                <td width=150 align="left" bgcolor="#FFFFFF">
                    <font face="Verdana, Arial, Helvetica, sans-serif" size="2"
color="#000000"><b>Email Address</b></font>
                </td>
                <td bgColor="#FFFFFF">
                    <input name="email">
                </td>
            </tr>
            <tr align="middle" bgcolor="#003399">
                <td colspan="2" height="24"><font face="Verdana, Arial, Helvetica,
sans-serif" size="2" color="#FFFFFF"><b>I would like to send GOP eYardSigns
to:</b></font></td>
            </tr>
            <tr bgColor="#d7defd">
                <td valign="top" align="left" width="50%"><font face="Verdana, Arial,
Helvetica, sans-serif" size="2"><b>Type Recepients
emails here</b><font size="1"><br>
                (Type out complete email address, for more than one email address
                separate by &quot;comma&quot; eg; <nobr>1@rnc.org,
2@rnc.org</nobr></font></td>
                <td width="50%">
                    <textarea name="emails" rows="10" cols="50"></textarea>
                </td>
            </tr>
            <tr>
                <td valign="bottom" align="right" colspan="2" height="91">
                    Page 2

```

```

sendtofriend_RNC.asp
<table width="100%" border="0" cellspacing="0" cellpadding="0">
  <tr bgcolor="#003399">
    <td colspan="2" height="27">
      <div align="center"><font color="#FFFFFF" face="Verdana, Arial,
Helvetica, sans-serif"><b><font size="2">Stay
      Informed</font> </b></font><font
color="#FFFFFF">(optional)</font></div>
    </td>
  </tr>
  <tr>
    <td colspan="2"><font color="#003399" face="Verdana, Arial,
Helvetica, sans-serif" size="2">Feedback
    <input type="checkbox" name="feedback" value="Yes">
    Please keep me informed via email</font></td>
  </tr>
  <tr>
    <td valign="middle" width="23%">
      <div align="left">
        <input type="text" name="zipcode" size="20">
      </div>
    </td>
    <td width="77%" valign="middle"><font color="#003399"
face="Verdana, Arial, Helvetica, sans-serif" size="2">Zip
    Code if you want to be kept informed about the 2000
    campaign</font></td>
  </tr>
</table>
</td>
</tr>
<tr align="middle">
  <td valign="bottom" colspan="2" height="38">
    <input type="submit" value="Send a eYardSign" name="Submit">
    &nbsp;
    <input onClick="javascript:window.close()" type="button"
value="Cancel" name="button1">
  </td>
</tr>
<input type="hidden" name="id" value="250">
<input type="hidden" name="user" value="32">
</form>
</table>

```

```

<%else%>
<!-- #include file="inc/database.inc" -->
<%
Set JMail = Server.CreateObject("JMail.SMTPMail")
set rs = Server.CreateObject("ADODB.Recordset")

sTrack_id = Request.Form("id")
sUser = Request.Form("user")

ssSQL = "INSERT INTO sendtofreind_referer
(track_id,user_id,name,email,send_date,gender,zipcode) VALUES (" +
sTrack_id + "," + sUser + "," + Request.Form("name") + "," +
Request.Form("email") + "," + Request.Form("send_date") + "," +
Request.Form("gender") + "," + Request.Form("zipcode") + "," +
Request.Form("feedback") + ")"
db.Execute ssSQL

rs.Open "SELECT referer_id FROM sendtofreind_referer order by referer_id
DESC",db

```

```

                                sendtofriend_RNC.asp
sReferer_id = cstr(rs(0))
rs.Close

sArr_emails = split(Request.Form("emails"),",")

for i = 0 to UBound(sArr_emails)
    if not trim(sArr_emails(i)) = "" then
        sSQL = "INSERT INTO sendtofreind_emails (referer_id,email)
VALUES (" + _
        sReferer_id + "," + trim(sArr_emails(i)) + ")"
        db.Execute sSQL
        JMail.AddRecipientBCC trim(sArr_emails(i))
    end if
next

'Insert number of send to freinds in eYardSign Responses
sSQL = "SELECT COUNT(*) FROM sendtofreind_referer WHERE track_id = " +
sTrack_id
rs.Open sSQL,db

sSQL = "UPDATE Mail_Tracking SET Number_Sendtofriend = " + cstr(rs(0)) + "
WHERE track_id = " + sTrack_id
db.Execute sSQL
rs.close

'-----
'----- Start Yardsign -----
'-----
sSQL = "Select * from Mail_Tracking where track_id = " + sTrack_id
rs.open sSQL,db

sEmail = Request.Form("email")
sSubject = "Your GOP eYardSign"
sUser = "32"

ssiteURL = "http://www.eyardsigns.com/"

bFault = true%>
<!-- #include file="inc/rnc/yard_rnc1.inc" -->
<%

'This is the local SMTP server
JMail.ServerAddress = "mailhub.registeredsite.com"
'This is User....
JMail.Sender = sEmail
JMail.Subject = sSubject
JMail.ContentType = "text/html"

JMail.AddRecipient "forward@eyardsigns.com"
JMail.AddRecipientBCC sReciever

JMail.Body = sBody + sBody1
JMail.Priority = 3
' Send it...
JMail.Execute

'-----
'----- End Yardsign -----
'-----

rs.Close : set rs = nothing
db.Close : set db = nothing%>

```

```

sendtofriend_RNC.asp
<br><br><br><br><font face="Verdana, Arial, Helvetica, sans-serif">
<font size="6">Your</font> <br><font size="6"><b>eYardSign</b></font>
<br><font size="6">has been sent</font>
<p><font size="6">THANK YOU</font></p><br><br>
<%end if%>
<br><br>
</td>
<td width="21" bgColor="#FFFFFF" height="0" rowspan="2">&nbsp;</td>
</tr>
<tr>
<td align="middle" bgColor="#FFFFFF" colspan="2">
<font size="1" face="Verdana, Arial, Helvetica, sans-serif">
<a href="http://www.electionmall.com" target="_blank"></a><br>
Paid for
by the Republican National Committee © 2000 Republican National Committee.
<br>
All rights reserved.</font>
</td>
</tr>
<tr>
<td width="20" height="16"></td>
<td colspan="2" bgColor="#FFFFFF" height="16"> &nbsp;</td>
<td width="21" height="16"></td>
</tr>
</table>
</body>
</html>

```

09090909.070301

sendtofriend_search.asp

```
<%@ Language=VBScript %>
<html>
<!-- #include file="inc/session_timeout.inc" -->
<!-- #include file="inc/top_inc.inc" -->
        <td align="middle"><%'Code start%'>
        <form method="post" name="form1"
action="sendtofriend_list.asp">
    <table border="0" cellpadding="1" cellspacing="1" width="98%">
        <tr>
            <td colspan="3"><font size="3" face="Verdana, Arial, Helvetica,
sans-serif"><b>Search send to friends</b><br>
            <font size="1">Leave the fields blank to get all
records</font></font><br><br></td>
        </tr>
        <tr>
            <td width="15%"><font size="2" face="Verdana, Arial, Helvetica,
sans-serif"><b>Date</b></font></td>
            <td width="25%"><font size="1" face="Verdana, Arial, Helvetica,
sans-serif">Start Date (MM/DD/YY)</font><br> <input name="sdate"
value="<%=date%>"></td>
            <td><font size="1" face="Verdana, Arial, Helvetica, sans-serif">End Date
(MM/DD/YY)</font><br> <input name="edate" value="<%=date%>"></td>
        </tr>
        <tr>
            <td><font size="2" face="Verdana, Arial, Helvetica,
sans-serif"><b>Gender</b></font></td>
            <td colspan="2"> <select name="gender">
                <option value="0">-Select-
                <option value="M">Male<option
value="F">Female
                </select></td>
        </tr>
        <tr>
            <td><font size="2" face="Verdana, Arial, Helvetica,
sans-serif"><b>Zip-code</b></font></td>
            <td colspan="2"><input name="zipcode"></td>
        </tr>
        <tr><td colspan="3" align="center"><br><input type="button" name="button1"
value="Back" onclick="javascript:document.location='default.asp'">
        <input type="submit" name="submit1" value="Search"></td></tr>
    </table>
    <input name="ref" type="hidden" value="sendtofriend_search.asp">
</form><!-- #include file="inc/bottom_inc.inc" -->
```



```

<%@ Language=VBScript %>
<%Response.Expires=0
Response.Clear%>
<html>
<head>
<title>eYardSign sent</title>
<!-- #include file="inc/session_timeout.inc" -->
<!-- #include file="inc/top_inc.inc" -->
<!-- #include file="inc/database.inc" -->
<td width="98%" align="center">
<%
    'on error resume next
    Const iNo_emails = 20
    set rs = server.CreateObject("ADODB.Recordset")
    set rs1 = server.CreateObject("ADODB.Recordset")

    sUser = Session("user")

    if Request.Form("one_email") = "" then
        sArr_Lists = split(Request.Form("select1"),",")
        for i = 0 to UBound(sArr_Lists)
            if not sArr_Lists(i) = "" then
                sArrList = split(sArr_Lists(i),"-")
                sListID = sListID + ", " + sArrList(0)
                sListName = sListName + ", " + sArrList(1)
            end if
        next
        sListName = right(sListName,len(sListName)-1)
        sListID = right(sListID,len(sListID)-1)

        sSQL = "Select email from email where user_id = " + sUser + " and ("
        sArr_ListID = split(sListID,",")

        'Select emails from different lists
        for i = 0 to UBound(sArr_ListID)
            if not sArr_ListID(i) = "" then sSQL = sSQL + "list_id = " +
sArr_ListID(i) + " or "
        next
        sSQL = left(sSQL,len(sSQL)-3) + ")"

        rs.Open sSQL,db
        if rs.EOF then
            Response.Write "<SCRIPT Language='JavaScript'>"
            Response.Write "smsg = 'No email addresses found in the
list(s) you selected.\n';"
            Response.Write "smsg = smsg + 'Please add email addresses to
list(s)';"
            Response.Write "        if(confirm(smsg))"
            Response.Write "            document.location='email_maintenance.asp';"
            Response.Write "        else"
            Response.Write "            history.back();"
            Response.Write "</SCRIPT>"
        end if

        rs.close
    else
        bone_mail = true
    end if

    Set JMail = Server.CreateObject("JMail.SMTPMail")

    'Check if eyardsign or ecard

```

```

        sendyardsign.asp
    if Request.Form("ecard") = "" then

```

```

        sPosition = Request.Form("sPosition")
        sTitle = Request.Form("sTitle")
        sImage = Request.Form("sImage")
        sEmail = Request.Form("sEmail")
        sMessage = Request.Form("sMessage")
        sFirst_Name = Request.Form("sFname")
        sLast_Name = Request.Form("sLname")
        sSubject = Request.Form("sSubject")
        sLogo = Request.Form("sLogo")

```

```

        sSiteURL = Request.Form("sSiteURL")
        sMusic = Request.Form("sMusic")

```

```

        'Add entry in Tracking List
        sSQL = "INSERT INTO Mail_Tracking
(user_id,Mail_Date,First_Name,Last_Name,Title,position,design,message," + _
"return_email,logo,music) VALUES (" + sUser + ",#" + cstr(Now) +
"#,'" + sFirst_Name + "','" + sLast_Name + "','" + sTitle + "','" + sPosition + "','" + sImage +
,'" + sMessage + "','" + sEmail + "','" + sLogo + "','" + sMusic + "');"
        db.Execute sSQL

```

```

        'Get Track_id
        rs1.Open "Select * from Mail_tracking order by track_id",db,2,2
        rs1.MoveLast
        sTrack_id = cstr(rs1(0))

```

```

        if bone_Mail = false then

```

```

            'Add entry in Track_list
            for i = 0 to UBound(sArr_ListID)
                if not sArr_ListID(i) = "" then
                    sSQL = "INSERT INTO MailTracking_List_Link
(track_id,list_id) VALUES (" + sTrack_id + "," + sArr_ListID(i) + ")"
                    db.Execute sSQL
                end if
            next
        end if

```

```

        'Upper
        bFault = true%>
        <!-- #include file="inc/top_mail.inc" -->
        <% 'start Yard Sign
        select case sImage
            case "1"%>
                <!-- #include file="inc/yard1.inc" -->
            <% case "2"%>
                <!-- #include file="inc/yard2.inc" -->
            <% case "3"%>
                <!-- #include file="inc/yard3.inc" -->
            <% case "4"%>
                <!-- #include file="inc/yard4.inc" -->
            <% case "5"%>
                <!-- #include file="inc/yard5.inc" -->
        <%end select

```

```

        'Lower%>
        <!-- #include file="inc/bottom_mail.inc" -->
        <% call InsertButtons()

```

```

        'Add Remove me line

```

```

                                sendyardsign.asp
sBody1 = sBody1 + chr(13) + "<BR>To remove yourself from this list
click here : <a href='" + sSiteURL + "remove_email.asp?id=" + sUser + "'>" + sSiteURL +
"remove_email.asp?id=" + sUser + "</a>"
JMail.Body = sBody1
JMail.Priority = 3
else
    'If its an eCard
    sEmail = Request.Form("email")
    sBody = sBody + "<HTML><BODY><font face=arial size=2>If the Card
below does not show up correctly, click here: </font>"
    sBody = sBody + "<a href=http://www.eyardsigns.com/grfx/ecards/" +
Request.Form("ecard") + ">"
    sBody = sBody + "http://www.eyardsigns.com/grfx/ecards/" +
Request.Form("ecard") + "</a>"
    sBody = sBody + "<BR>"
    sBody = sBody + "<img src=http://www.eyardsigns.com/grfx/ecards/" +
Request.Form("ecard") + ">"
    sBody = sBody + "<BR><BR><font face=Arial size=2>" +
Request.Form("sMessage") + "</BODY></HTML>"
    JMail.Body = sBody
end if

    'This is the local SMTP server
    JMail.ServerAddress = "mailhub.registeredsite.com"
    'This is User....
    JMail.Sender = sEmail
    JMail.Subject = Request.Form("sSubject")
    JMail.ContentType = "text/html"
    'JMail.ReturnReceipt = true

    ' Send it...
    if bOne_Mail then
        sReciever = Request.Form("one_email")
        JMail.AddRecipientBCC sReciever
        JMail.Execute
    else
        sReciever = right(sListName,len(sListName)-1)
        sSQL = "Select email from email where user_id = " + Session("user")
+ " and ("

        sArr_ListID = split(sListID,", ")
        'Select emails from different lists
        for i = 0 to UBound(sArr_ListID)
            if not sArr_ListID(i) = "" then sSQL = sSQL + "list_id = " +
sArr_ListID(i) + " or "
        next
        sSQL = left(sSQL,len(sSQL)-3) + ")"

        'Add Recipients
        rs.Open sSQL,db,1,1

        if not rs.eof then
            iInc = fix(rs.RecordCount/iNo_emails)

            for i = 0 to iInc
                JMail.AddRecipient sEmail
                for j = 1 to iNo_emails

```

```

        sendyardsign.asp
        JMail.AddRecipientBCC rs(0)
        'Check for EOF
        rs.movenext
        if rs.eof then exit for
    next
    JMail.Execute
    JMail.ClearRecipients
next
end if
end if

```

```

JMail.Close
'rs.close : set rs = nothing
db.close : set db = nothing%>
<center>
<font size="3" face="Verdana, Arial, Helvetica, sans-serif">
<b>Thank you <%=sFirst_Name%></b><br>
</font>
<img SRC="grfx/thanks.gif" BORDER="0" ALT="Thanks" WIDTH="218"
HEIGHT="58"><br>
<font size="2" face="Verdana, Arial, Helvetica, sans-serif">
Your eYardSign has been sent to <b><font
color="092186"><%=sReciever%></font></b><br><br>
<a href="default.asp">Continue...</a>
</font>
<!-- #include file="inc/bottom_inc.inc" -->
<!-- #include file="inc/InsertButtons.inc" -->

```


sendyardsign_RNC.asp

```
</font>
<img SRC="grfx/thanks.gif" BORDER="0" ALT="Thanks" WIDTH="218"
HEIGHT="58"><br>
<font size="2" face="Verdana, Arial, Helvetica, sans-serif">
Your eYardSign has been sent to <b><font
color="092186"><%=sReciever%></font></b><br><br>
<a href="default.asp">Continue...</a>
</font>
<!-- #include file="inc/bottom_inc.inc" -->
```

```

<%@ Language=VBScript %>
<HTML>
<HEAD>
<title>Terms of Service</title>
</head>
<body>
<TABLE border=0 cellPadding=0 cellSpacing=0
style="WIDTH: 375pt; mso-cellspacing: 0pt; mso-padding-alt: 7.5pt 7.5pt 7.5pt 7.5pt"

width=500>
<TBODY>
<TR>
<TD
style="PADDING-BOTTOM: 7.5pt; PADDING-LEFT: 7.5pt; PADDING-RIGHT: 7.5pt;
PADDING-TOP: 7.5pt">
<P class=MsoNormal><FONT face="Times New Roman" size=3><SPAN
style="FONT-SIZE: 12pt">1. ACCEPTANCE OF TERMS </SPAN></FONT></P>
<P><FONT face="Times New Roman" size=3><SPAN style="FONT-SIZE: 12pt">welcome to
ElectionMall.com!. ElectionMall.com
provides its service to you, subject to the following Terms of Service-
("TOS"), which may be updated by us from time to time without notice to
you. In addition, when
using particular ElectionMall.com services, you and ElectionMall.com shall be
subject to any posted guidelines or rules applicable to such services which may
be posted from time to time. All such guidelines or rules are hereby
incorporated by reference into the TOS. </SPAN></FONT></P>
<P><FONT face="Times New Roman" size=3><SPAN style="FONT-SIZE: 12pt">2.
DESCRIPTION OF SERVICE </SPAN></FONT></P>
<P><FONT face="Times New Roman" size=3><SPAN
style="FONT-SIZE: 12pt">ElectionMall.com currently provides users with access to
a rich collection of on-line resources, including, various communications tools,
online forums, shopping services, personalized content and branded programming
through its network of properties (the "Service"). Unless explicitly stated
otherwise, any new features that augment or enhance the current Service,
including the release of new ElectionMall.com properties, shall be subject to
the TOS. You understand and agree that the Service is provided "AS-IS" and that
ElectionMall.com assumes no responsibility for the timeliness, deletion,
mis-delivery or failure to store any user communications or personalization
settings. <BR><BR>In order to use the Service, you must obtain access to the
World Wide web, either directly or through devices that access web-based
content, and pay any service fees associated with such access. In addition, you
must provide all equipment necessary to make such connection to the world wide
Web, including a computer and modem or other access device. Please be aware that
ElectionMall.com has created certain areas on the Service that contain adult or
mature content. You must be at least 18 years of age to access and view such
areas. </SPAN></FONT></P>
<P><FONT face="Times New Roman" size=3><SPAN style="FONT-SIZE: 12pt">3. YOUR
REGISTRATION OBLIGATIONS </SPAN></FONT></P>
<P><FONT face="Times New Roman" size=3><SPAN style="FONT-SIZE: 12pt">In
consideration of your use of the Service, you agree to: (a) provide true,
accurate, current and complete information about yourself as prompted by the
Service's registration form (such information being the "Registration Data") and
(b) maintain and promptly update the Registration Data to keep it true,
accurate, current and complete. If you provide any information that is untrue,
inaccurate, not current or incomplete, or ElectionMall.com has reasonable
grounds to suspect that such information is untrue, inaccurate, not current or
incomplete, ElectionMall.com has the right to suspend or terminate your account
and refuse any and all current or future use of the Service (or any portion
thereof). </SPAN></FONT></P>
<P><FONT face="Times New Roman" size=3><SPAN style="FONT-SIZE: 12pt">4.
ELECTIONMALL.COM PRIVACY POLICY </SPAN></FONT></P>
<P><FONT face="Times New Roman" size=3><SPAN
style="FONT-SIZE: 12pt">Registration Data and certain other information about

```

you is subject to our Privacy Policy and may be used for political distribution.

5. MEMBER ACCOUNT, PASSWORD AND SECURITY

You will receive a password and account designation upon completing the Service's registration process. You are responsible for maintaining the confidentiality of the password and account, and are fully responsible for all activities that occur under your password or account. You agree to (a) immediately notify ElectionMall.com of any unauthorized use of your password or account or any other breach of security, and (b) ensure that you exit from your account at the end of each session. ElectionMall.com cannot and will not be liable for any loss or damage arising from your failure to comply with this Section 5.

6. MEMBER CONDUCT

You understand that all information, data, text, software, music, sound, photographs, graphics, video, messages or other materials ("Content"), whether publicly posted or privately transmitted, are the sole responsibility of the person from which such Content originated. This means that you, and not ElectionMall.com, are entirely responsible for all Content that you upload, post, email or otherwise transmit via the Service. ElectionMall.com does not control the Content posted via the Service and, as such, does not guarantee the accuracy, integrity or quality of such Content. You understand that by using the Service, you may be exposed to Content that is offensive, indecent or objectionable. Under no circumstances will ElectionMall.com be liable in any way for any Content, including, but not limited to, for any errors or omissions in any Content, or for any loss or damage of any kind incurred as a result of the use of any Content posted, emailed or otherwise transmitted via the Service.

You agree to not use the Service to:

a.

b.

c.

d.

e.

f.

g.

h.

```

<TD
style="PADDING-BOTTOM: 0.75pt; PADDING-LEFT: 0.75pt; PADDING-RIGHT: 0.75pt;
PADDING-TOP: 0.75pt"
vAlign=top>
<P class=MsoNormal><FONT face="Times New Roman" size=3><SPAN
style="FONT-SIZE: 12pt">c.</SPAN></FONT></P></TD>
<TD
style="PADDING-BOTTOM: 0.75pt; PADDING-LEFT: 0.75pt; PADDING-RIGHT: 0.75pt;
PADDING-TOP: 0.75pt">
<P class=MsoNormal><FONT face="Times New Roman" size=3><SPAN
style="FONT-SIZE: 12pt">impersonate any person or entity, including, but not
limited to, a ElectionMall.com official, forum leader, guide or host, or falsely
state or otherwise misrepresent your affiliation with a person or
entity;</SPAN></FONT></P></TD></TR>
<TR>
<TD
style="PADDING-BOTTOM: 0.75pt; PADDING-LEFT: 0.75pt; PADDING-RIGHT: 0.75pt;
PADDING-TOP: 0.75pt"
vAlign=top>
<P class=MsoNormal><FONT face="Times New Roman" size=3><SPAN
style="FONT-SIZE: 12pt">d.</SPAN></FONT></P></TD>
<TD
style="PADDING-BOTTOM: 0.75pt; PADDING-LEFT: 0.75pt; PADDING-RIGHT: 0.75pt;
PADDING-TOP: 0.75pt">
<P class=MsoNormal><FONT face="Times New Roman" size=3><SPAN
style="FONT-SIZE: 12pt">forge headers or otherwise manipulate identifiers in
order to disguise the origin of any Content transmitted through the
Service;</SPAN></FONT></P></TD></TR>
<TR>
<TD
style="PADDING-BOTTOM: 0.75pt; PADDING-LEFT: 0.75pt; PADDING-RIGHT: 0.75pt;
PADDING-TOP: 0.75pt"
vAlign=top>
<P class=MsoNormal><FONT face="Times New Roman" size=3><SPAN
style="FONT-SIZE: 12pt">e.</SPAN></FONT></P></TD>
<TD
style="PADDING-BOTTOM: 0.75pt; PADDING-LEFT: 0.75pt; PADDING-RIGHT: 0.75pt;
PADDING-TOP: 0.75pt">
<P class=MsoNormal><FONT face="Times New Roman" size=3><SPAN
style="FONT-SIZE: 12pt">upload, post, email or otherwise transmit any Content
that you do not have a right to transmit under any law or under contractual or
fiduciary relationships (such as inside information, proprietary and
confidential information learned or disclosed as part of employment
relationships or under nondisclosure agreements);</SPAN></FONT></P></TD></TR>
<TR>
<TD
style="PADDING-BOTTOM: 0.75pt; PADDING-LEFT: 0.75pt; PADDING-RIGHT: 0.75pt;
PADDING-TOP: 0.75pt"
vAlign=top>
<P class=MsoNormal><FONT face="Times New Roman" size=3><SPAN
style="FONT-SIZE: 12pt">f.</SPAN></FONT></P></TD>
<TD
style="PADDING-BOTTOM: 0.75pt; PADDING-LEFT: 0.75pt; PADDING-RIGHT: 0.75pt;
PADDING-TOP: 0.75pt">
<P class=MsoNormal><FONT face="Times New Roman" size=3><SPAN
style="FONT-SIZE: 12pt">upload, post, email or otherwise transmit any Content
that infringes any patent, trademark, trade secret, copyright or other
proprietary rights ("Rights") of any party;</SPAN></FONT></P></TD></TR>
<TR>
<TD
style="PADDING-BOTTOM: 0.75pt; PADDING-LEFT: 0.75pt; PADDING-RIGHT: 0.75pt;
PADDING-TOP: 0.75pt"
vAlign=top>

```

0986509.070301

terms of service.asp

<P class=MsoNormal>g.</P></TD>

<TD style="PADDING-BOTTOM: 0.75pt; PADDING-LEFT: 0.75pt; PADDING-RIGHT: 0.75pt; PADDING-TOP: 0.75pt">

<P class=MsoNormal>upload, post, email or otherwise transmit any unsolicited or unauthorized advertising, promotional materials, "junk mail," "spam," "chain letters," "pyramid schemes," or any other form of solicitation, except in those areas (such as shopping rooms) that are designated for such purpose;</P></TD></TR>

<TR>

<TD style="PADDING-BOTTOM: 0.75pt; PADDING-LEFT: 0.75pt; PADDING-RIGHT: 0.75pt; PADDING-TOP: 0.75pt" vAlign=top>

<P class=MsoNormal>h.</P></TD>

<TD style="PADDING-BOTTOM: 0.75pt; PADDING-LEFT: 0.75pt; PADDING-RIGHT: 0.75pt; PADDING-TOP: 0.75pt">

<P class=MsoNormal>upload, post, email or otherwise transmit any material that contains software viruses or any other computer code, files or programs designed to interrupt, destroy or limit the functionality of any computer software or hardware or telecommunications equipment;</P></TD></TR>

<TR>

<TD style="PADDING-BOTTOM: 0.75pt; PADDING-LEFT: 0.75pt; PADDING-RIGHT: 0.75pt; PADDING-TOP: 0.75pt" vAlign=top>

<P class=MsoNormal>i.</P></TD>

<TD style="PADDING-BOTTOM: 0.75pt; PADDING-LEFT: 0.75pt; PADDING-RIGHT: 0.75pt; PADDING-TOP: 0.75pt">

<P class=MsoNormal>disrupt the normal flow of dialogue, cause a screen to "scroll" faster than other users of the Service are able to type, or otherwise act in a manner that negatively affects other users' ability to engage in real time exchanges;</P></TD></TR>

<TR>

<TD style="PADDING-BOTTOM: 0.75pt; PADDING-LEFT: 0.75pt; PADDING-RIGHT: 0.75pt; PADDING-TOP: 0.75pt" vAlign=top>

<P class=MsoNormal>j.</P></TD>

<TD style="PADDING-BOTTOM: 0.75pt; PADDING-LEFT: 0.75pt; PADDING-RIGHT: 0.75pt; PADDING-TOP: 0.75pt">

<P class=MsoNormal>interfere with or disrupt the Service or servers or networks connected to the Service, or disobey any requirements, procedures, policies or regulations of networks connected to the Service;</P></TD></TR>

<TR>

<TD style="PADDING-BOTTOM: 0.75pt; PADDING-LEFT: 0.75pt; PADDING-RIGHT: 0.75pt; PADDING-TOP: 0.75pt" vAlign=top>

<P class=MsoNormal><SPAN

<TD

<P class=MsoNormal><SPAN

| | |
 |

`vAlign=top>`

style="FONT-SIZE: 12pt">1.</P></TD>

 <TD |

<P class=MsoNormal><SPAN

| <TR> |

	<TR
	<TD

`vAlign=top>`

m.

<TD

<P class=MsoNormal><SPAN

<P><SPAN

style="FONT-SIZE: 12pt"> </O:P></P>

You acknowledge and agree that ElectionMall.com may preserve Content and may also disclose Content if required to do so by law or in the good faith belief that such preservation or disclosure is reasonably necessary to: (a) comply with legal process; (b) enforce the TOS; (c) respond to claims that any Content violates the rights of third-parties; or (d) protect the rights, property, or personal safety of ElectionMall.com, its users and the public.

<P>You understand that the technical processing and transmission of the Service, including your Content, may involve (a) transmissions over various networks; and (b) changes to conform and adapt to technical requirements of connecting networks or devices. </P>

termsofservice.asp

<P>7. SPECIAL
ADMONITIONS FOR INTERNATIONAL USE </P>

<P>Recognizing
the global nature of the Internet, you agree to comply with all local rules
regarding online conduct and acceptable Content. Specifically, you agree to
comply with all applicable laws regarding the transmission of technical data
exported from the United States or the country in which you reside.

</P>

<P>8. PUBLIC
CONTENT POSTED TO ELECTIONMALL.COM</P>

<P>(a) For
purposes of the TOS, "publicly accessible areas of the Service" are those
accessible by the general public. By way of example, a publicly accessible area
of the Service would include public ElectionMall.com.</P>

<P>(b) With
respect to Content you elect to post for inclusion in publicly accessible areas
of ElectionMall.com or that consists of photos or other graphics you elect to
post to any other publicly accessible area of the Service, you grant
ElectionMall.com the world-wide, royalty free and non-exclusive license to

reproduce, modify, adapt and publish such Content on the Service solely for the
purpose of displaying, distributing and promoting the specific ElectionMall.com
to which such Content was submitted, or, in the case of photos or graphics,
solely for the purpose for which such photo or graphic was submitted to the

Service. This license exists only for as long as you elect to continue to
include such Content on the Service and shall be terminated at the time you
delete such Content from the Service.</P>

<P>(c) With
respect to all other Content you elect to post to other publicly accessible
areas of the Service, you grant ElectionMall.com the royalty-free, perpetual,
irrevocable, non-exclusive and fully sublicensable right and license to use,
reproduce, modify, adapt, publish, translate, create derivative works from,
distribute, perform and display such Content (in whole or part) worldwide and/or
to incorporate it in other works in any form, media, or technology now known or
later developed. </P>

<P>9.
INDEMNITY </P>

<P>You agree
to indemnify and hold ElectionMall.com, and its subsidiaries, affiliates,
officers, agents, co-branders or other partners, and employees, harmless from
any claim or demand, including reasonable attorneys' fees, made by any third
party due to or arising out of Content you submit, post to or transmit through
the Service, your use of the Service, your connection to the Service, your
violation of the TOS, or your violation of any rights of
another.</P>

<P>10. NO
RESALE OF SERVICE </P>

<P>You agree
not to reproduce, duplicate, copy, sell, resell or exploit for any commercial
purposes, any portion of the Service, use of the Service, or access to the
Service. </P>

<P>11. GENERAL
PRACTICES REGARDING USE AND STORAGE </P>

<P>You
acknowledge that ElectionMall.com may establish general practices and limits
concerning use of the Service, including without limitation the maximum number
of days that email messages, message board postings or other uploaded Content
will be retained by the Service, the maximum number of email messages that may
be sent from or received by an account on the Service, the maximum size of any
email message that may be sent from or received by an account on the Service,
the maximum disk space that will be allotted on ElectionMall.com's servers on
your behalf, and the maximum number of times (and the maximum duration for
which) you may access the Service in a given period of time. You agree that
ElectionMall.com has no responsibility or liability for the deletion or failure

other proprietary rights and laws. Except as expressly authorized by ElectionMall.com or advertisers, you agree not to modify, rent, lease, loan, sell, distribute or create derivative works based on the Service or the Software, in whole or in part. </P>

<P>ElectionMall.com grants you a personal, non-transferable and non-exclusive right and license to use the object code of its Software on a single computer; provided that you do not (and do not allow any third party to) copy, modify, create a derivative work of, reverse engineer, reverse assemble or otherwise attempt to discover any source code, sell, assign, sublicense, grant a security interest in or otherwise transfer any right in the Software. You agree not to modify the Software in any manner or form, or to use modified versions of the Software, including (without limitation) for the purpose of obtaining unauthorized access to the Service. You agree not to access the Service by any means other than through the interface that is provided by ElectionMall.com for use in accessing the Service. </P>

<P>17. DISCLAIMER OF WARRANTIES </P>

<P>YOU EXPRESSLY UNDERSTAND AND AGREE THAT: </P>

<TABLE border=0 cellpadding=0 style="mso-cellspacing: 1.5pt">

<TBODY>

<TR>

<TD

style="PADDING-BOTTOM: 0.75pt; PADDING-LEFT: 0.75pt; PADDING-RIGHT: 0.75pt; PADDING-TOP: 0.75pt"

vAlign=top>

<P class=MsoNormal>a.</P></TD>

<TD

style="PADDING-BOTTOM: 0.75pt; PADDING-LEFT: 0.75pt; PADDING-RIGHT: 0.75pt; PADDING-TOP: 0.75pt">

<P class=MsoNormal>YOUR USE OF THE SERVICE IS AT YOUR SOLE RISK. THE SERVICE IS PROVIDED ON AN "AS IS" AND "AS AVAILABLE" BASIS. ELECTIONMALL.COM EXPRESSLY DISCLAIMS ALL WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.</P></TD></TR>

<TR>

<TD

style="PADDING-BOTTOM: 0.75pt; PADDING-LEFT: 0.75pt; PADDING-RIGHT: 0.75pt; PADDING-TOP: 0.75pt"

vAlign=top>

<P class=MsoNormal>b.</P></TD>

<TD

style="PADDING-BOTTOM: 0.75pt; PADDING-LEFT: 0.75pt; PADDING-RIGHT: 0.75pt; PADDING-TOP: 0.75pt">

<P class=MsoNormal>ELECTIONMALL.COM MAKES NO WARRANTY THAT (i) THE SERVICE WILL MEET YOUR REQUIREMENTS, (ii) THE SERVICE WILL BE UNINTERRUPTED, TIMELY, SECURE, OR ERROR-FREE, (iii) THE RESULTS THAT MAY BE OBTAINED FROM THE USE OF THE SERVICE WILL BE ACCURATE OR RELIABLE, (iv) THE QUALITY OF ANY PRODUCTS, SERVICES, INFORMATION, OR OTHER MATERIAL PURCHASED OR OBTAINED BY YOU THROUGH THE SERVICE WILL MEET YOUR EXPECTATIONS, AND (V) ANY ERRORS IN THE SOFTWARE WILL BE CORRECTED.</P></TD></TR>

<TR>

<TD

style="PADDING-BOTTOM: 0.75pt; PADDING-LEFT: 0.75pt; PADDING-RIGHT: 0.75pt; PADDING-TOP: 0.75pt"

vAlign=top>

<P class=MsoNormal>c.</P></TD>

<TD style="padding-bottom: 0.75pt; padding-left: 0.75pt; padding-right: 0.75pt; padding-top: 0.75pt">
 <P class=MsoNormal>ANY MATERIAL DOWNLOADED OR OTHERWISE OBTAINED THROUGH THE USE OF THE SERVICE IS DONE AT YOUR OWN DISCRETION AND RISK AND THAT YOU WILL BE SOLELY RESPONSIBLE FOR ANY DAMAGE TO YOUR COMPUTER SYSTEM OR LOSS OF DATA THAT RESULTS FROM THE DOWNLOAD OF ANY SUCH MATERIAL.</P></TD></TR>
 <TR>
 <TD style="padding-bottom: 0.75pt; padding-left: 0.75pt; padding-right: 0.75pt; padding-top: 0.75pt; vertical-align: top">
 <P class=MsoNormal>d.</P></TD>
 <TD style="padding-bottom: 0.75pt; padding-left: 0.75pt; padding-right: 0.75pt; padding-top: 0.75pt">
 <P class=MsoNormal>NO ADVICE OR INFORMATION, WHETHER ORAL OR WRITTEN, OBTAINED BY YOU FROM ELECTIONMALL.COM OR THROUGH OR FROM THE SERVICE SHALL CREATE ANY WARRANTY NOT EXPRESSLY STATED IN THE TOS.</P></TD></TR></TBODY></TABLE>
 <P> </O:P></P>
 <P>18. LIMITATION OF LIABILITY </P>
 <P>YOU EXPRESSLY UNDERSTAND AND AGREE THAT ELECTIONMALL.COM SHALL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, INCLUDING BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFITS, GOODWILL, USE, DATA OR OTHER INTANGIBLE LOSSES (EVEN IF ELECTIONMALL.COM HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES), RESULTING FROM: (i) THE USE OR THE INABILITY TO USE THE SERVICE; (ii) THE COST OF PROCUREMENT OF SUBSTITUTE GOODS AND SERVICES RESULTING FROM ANY GOODS, DATA, INFORMATION OR SERVICES PURCHASED OR OBTAINED OR MESSAGES RECEIVED OR TRANSACTIONS ENTERED INTO THROUGH OR FROM THE SERVICE; (iii) UNAUTHORIZED ACCESS TO OR ALTERATION OF YOUR TRANSMISSIONS OR DATA; (iv) STATEMENTS OR CONDUCT OF ANY THIRD PARTY ON THE SERVICE; OR (v) ANY OTHER MATTER RELATING TO THE SERVICE. </P>
 <P>19. EXCLUSIONS AND LIMITATIONS </P>
 <P>SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF CERTAIN WARRANTIES OR THE LIMITATION OR EXCLUSION OF LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. ACCORDINGLY, SOME OF THE ABOVE LIMITATIONS OF SECTIONS 17 AND 18 MAY NOT APPLY TO YOU. </P>
 <P>20. SPECIAL ADMONITION FOR SERVICES RELATING TO FINANCIAL MATTERS </P>
 <P>If you intend to create or join any service, receive or request any news, messages, alerts or other information from the Service concerning companies, stock quotes, investments or securities, please read the above Sections 17 and 18 again. They go doubly for you. In addition, for this type of information particularly, the phrase "Let the investor beware" is apt. The Service is provided for informational purposes only, and no Content included in the Service is intended for trading or investing purposes. ElectionMall.com shall not be responsible or liable for the accuracy, usefulness or availability of any information transmitted via the Service, and shall not be responsible or liable for any trading or investment decisions made based on such information. </P>
 <P>21. NOTICE </P>
 <P>Notices to

termsofservice.asp

<P>The TOS constitute the entire agreement between you and ElectionMall.com and govern your use of the Service, superceding any prior agreements between you and ElectionMall.com. You also may be subject to additional terms and conditions that may apply when you use affiliate services, third-party content or third-party software. The TOS and the relationship between you and ElectionMall.com shall be governed by the laws of the State of Delaware without regard to its conflict of law provisions. The failure of ElectionMall.com to exercise or enforce any right or provision of the TOS shall not constitute a waiver of such right or provision. If any provision of the TOS is found by a court of competent jurisdiction to be invalid, the parties nevertheless agree that the court should endeavor to give effect to the parties' intentions as reflected in the provision, and the other provisions of the TOS remain in full force and effect. You agree that regardless of any statute or law to the contrary, any claim or cause of action arising out of or related to use of the Service or the TOS must be filed within one (1) year after such claim or cause of action arose or be forever barred. </P>
<P>The section titles in the TOS are for convenience only and have no legal or contractual effect.

25. VIOLATIONS</P>
<P>Please report any violations of the TOS to our Customer care group. </P></TD></TR></TBODY></TABLE>
</body></html>

```

<%@ Language=VBScript %>
<html>
<head>
<title>eYardSign Results</title>
<!-- #include file="inc/session_timeout.inc" -->
<!-- #include file="inc/top_inc.inc" -->
<!-- #include file="inc/database.inc" -->
<td valign="top" align="center">
<font face="Verdana, Arial" size="4"><b>eYardSign Results</b></font><BR><BR>
<table cellpadding="0" cellspacing="1" border="0" width="98%" align="center">
<tr>
<td align="center" valign="bottom" width="15%"><font face="Verdana, Arial"
size="2"><b>Mailing Date-Time</b></font></td>
<td align="center" valign="bottom" width="15%"><font face="Verdana, Arial"
size="2"><b>Title</b></font></td>
<td align="center" width="14%" valign="top"><font face="Verdana, Arial"
size="1">
<a href="javascript:portwin('button.asp?id=1&img=hdq.gif',300,180)">
</a><br>Headquarters</font></td>
<td align="center" width="14%" valign="top"><font face="Verdana, Arial"
size="1">
<a href="javascript:portwin('button.asp?id=2&img=donate.gif',300,230)">
</a><br>Donate</font></td>
<td align="center" width="14%" valign="top"><font face="Verdana, Arial"
size="1">
<a
href="javascript:portwin('button.asp?id=3&img=volunteer.gif',300,300)">
</a><br>Volunteer</font></td>
<td align="center" width="14%" valign="top"><font face="Verdana, Arial"
size="1">
<a
href="javascript:portwin('button.asp?id=4&img=sendtoafriend.gif',300,310)">
</a><br>Send to Friend</font></td>
<td align="center" width="14%" valign="top"><font face="Verdana, Arial"
size="1">
<a href="javascript:portwin('button.asp?id=5&img=vote.gif',300,200)">
</a><br>Vote</font></td>
</tr>
<%
Const iRows = 15 : Dim iInc
set rs = server.CreateObject("ADODB.Recordset")

sUser_id = Session("user")
ssQL = "SELECT track_id,
mail_date,Title,Number_Headquarters,Number_volunteer,Number_Sendtofriend," + _
"Number_Vote FROM Mail_Tracking WHERE user_id = " + sUser_id + " order by
mail_date DESC"
rs.Open ssQL,db

if rs.EOF then
Response.Write "<TR><TD colspan='7' bgcolor='C0D5FC'><font
face='Verdana, Arial' size='1'>No items in List</font></TD></TR>"
else
do until rs.EOF
sTrack_id = cstr(rs(0))
'Get Headquarters
sHdq = cstr(rs(3))
'Get number of Volunteers
if rs(4) > 0 then
Page 1

```

```

                                tracking.asp
                                sVolunteerNo = "<a href='volunteer_list.asp?id=" +
sTrack_id + "'>" + cstr(rs(4)) + "</a>"
                                else
                                sVolunteerNo = cstr(rs(4))
                                end if

                                'Get number of Send to freind
                                if rs(5) > 0 then
                                sSendtofreindNo = "<a
href='sendtofriend_list.asp?id=" + sTrack_id + "'>" + cstr(rs(5)) + "</a>"
                                else
                                sSendtofreindNo = cstr(rs(5))
                                end if

                                'Get number of Voters
                                if rs(6) > 0 then
                                sVoterNo = "<a href='vote_list.asp?id=" + sTrack_id
+ "'>" + cstr(rs(6)) + "</a>"
                                else
                                sVoterNo = cstr(rs(6))
                                end if

                                'Check if table needs to changed
                                'if iInc = iRows then call InsertTable()

                                Response.Write "<TR>"
                                Response.Write "<TD align='center' bgcolor='C0D5FC'><font
face='verdana, Arial' size='1'>" + _
                                cstr(formatdatetime(rs(1),2)) + " " +
                                cstr(formatdatetime(rs(1),4)) + "</font></TD>"
                                Response.Write "<TD align='left' bgcolor='C0D5FC'><font
face='verdana, Arial' size='1'>" + _
                                "<a href=javascript:portwin('preview_yardsign.asp?id=" +
                                cstr(cint(sTrack_id)*2137) + "&track=1',600,650)>" + rs(2) + "</font></a></TD>"
                                Response.Write "<TD align='center' bgcolor='C0D5FC'><font
face='verdana, Arial' size='2'>" + sHdq + "</font></TD>"
                                Response.Write "<TD align='center' bgcolor='C0D5FC'><font
face='verdana, Arial' size='2'>0</font></TD>"
                                Response.Write "<TD align='center' bgcolor='C0D5FC'><font
face='verdana, Arial' size='2'>" + sVolunteerNo + "</font></TD>"
                                Response.Write "<TD align='center' bgcolor='C0D5FC'><font
face='verdana, Arial' size='2'>" + sSendtofreindNo + "</font></TD>"
                                Response.Write "<TD align='center' bgcolor='C0D5FC'><font
face='verdana, Arial' size='2'>" + sVoterNo + "</font></TD></TR>"
                                rs.MoveNext
                                'iInc = iInc + 1
                                loop
                                end if%>
                                </TABLE></font>
                                <form><input name='button1' type='button'
onclick="javascript:document.location='default.asp'" value='Back'></form>
                                <%Clean Up
                                rs.Close : set rs = nothing
                                db.Close : set db = nothing%>
                                <!-- #include file="inc/bottom_inc.inc" -->

                                <%function InsertTable()
                                response.write "</table>"
                                response.write "<table cellpadding='0' cellspacing='1' border='0'
width='98%' align='center'>"
                                end function %>

```



```
volunteer_details.asp
Responses" onclick="history.go(-2);" name=button1>
<input type=button value="Back to eYardSign
</form>
<%code end%>
<!-- #include file="inc/bottom_inc.inc" -->
```

volunteer_form.asp

```

<%@ Language=VBScript %>
<html>
<head>
<title>Volunteer Registration</title>
<script language="JavaScript">
function checkForm() {
    var iInc;
    errorFields = "";
    if (trim(document.SIGNUP.first_name.value) == "") {
        errorFields += "- Enter a First Name for this account.\n";
    }

    if (trim(document.SIGNUP.last_name.value) == "") {
        errorFields += "- Enter a Last Name for this account.\n";
    }

    if (!isEmailValid(document.SIGNUP.email.value)) {
        errorFields += "- Enter a valid email address in the form
xxx@xxx.xxx.\n";
    }

    if (trim(document.SIGNUP.City.value) == "") {
        errorFields += "- Enter City.\n";
    }

    if (trim(document.SIGNUP.zipcode.value) == "") {
        errorFields += "- Enter Zipcode.\n";
    }

    if (errorFields != "") {
        errorFields = "Please correct the following errors, then resubmit
the form. Thank you.\n\n" + errorFields;
        alert(errorFields);
        return false;
    }
    else {
        return true;
    }
}

</script>
<script language="JavaScript" src="src/utlis.js"></script>
</head><body bgcolor="092186">
    <table width="600" border="0" cellspacing="0"
cellpadding="0" align="center">
        <tr>
            <td width="17" align="right"></td>
            <td bgcolor="C0D5FC" width="74">&nbsp;</td>
            <td bgcolor="C0D5FC" width="486">&nbsp;</td>
            <td width="18" align="left"></td>
        </tr>
        <tr>
            <td width="20" bgcolor="C0D5FC">&nbsp;</td>
            <td width="74" bgcolor="C0D5FC">
                <a href="http://www.eyardsigns.com"></a></td>
            <td width="486" bgcolor="C0D5FC" align="center">
                <%Set ad =
Server.CreateObject("MSWC.AdRotator") %>
                <%= ad.GetAdvertisement("inc/adrot_lng.txt")
%>

```

```

volunteer_form.asp
</td>
<td width="20" bgcolor="C0D5FC">&nbsp;</td>
</tr>
<tr>
<td width="20" height="3" bgcolor="C0D5FC"></td>
<td width="74" height="3" bgcolor="C0D5FC"></td>
<td width="486" height="3" bgcolor="C0D5FC"></td>
<td width="20" height="3" bgcolor="C0D5FC"></td>
</tr>
<tr>
<td width="20" bgcolor="C0D5FC">&nbsp;</td>
<td width="74"></td>
<td width="486"></td>
<td width="20">&nbsp;</td>
</tr>
<tr>
<td width="20" bgcolor="C0D5FC">&nbsp;</td>
<td colspan="2" bgcolor="C0D5FC" height="371"
valign="top" align="center">
<!-- #include file="inc/database.inc" -->
<%Code start
if not Request.Form("first_name") = "" then
set rs = server.CreateObject("ADODB.Recordset")

'Get data in variables
sTrack_id = Request.Form("id")
sUser_id = Request.Form("user")
sFirst_Name = Request.Form("First_Name")
sMiddle_Initial = Request.Form("Middle_Initial")
sLast_Name = Request.Form("Last_Name")
sAddress1 = Request.Form("Address1")
sAddress2 = Request.Form("Address2")
sCity = Request.Form("city")
sZipCode = Request.Form("zipcode")
sPhone = Request.Form("phone")
sEmail = Request.Form("email")

'Construct SQL
ssql = "INSERT INTO volunteer
(track_id,user_id,Join_Date,First_Name,Middle_Intial," + _
"Last_Name,Address1,Address2,city,zipcode,phone,email) VALUES (" + sTrack_id + ","
+ _
sUser_id + ",#" + cstr(Now) + "#,'" + sFirst_Name +
"', '" + sMiddle_Initial + "' ,'" + _
sLast_Name + "','" + sAddress1 + "' ,'" + sAddress2
+ "' ,'" + sCity + "'" + sZipCode + _
"'','" + sPhone + "' ,'" + sEmail + "')"

db.Execute sSQL

'Take the Volunteer ID out
rs.Open "Select * FROM volunteer WHERE track_id = "
+ sTrack_id,db,1,1

rs.MoveLast
svolunteer_Id = cstr(rs(0))
rs.Close
```

```

volunteer_form.asp

if not instr(1,Request.Form("question"),",") = -1
then
    sArr_Question =
split(Request.Form("question"),",")
    for i = 0 to ubound(sArr_Question)
        sSQL = "INSERT INTO
volunteer_Question_Link (volunteer_id,Question_id) VALUES(" + _
sArr_Question(i) + ")
        sVolunteer_id + "," +
        db.Execute sSQL
    next
else
    sSQL = "INSERT INTO volunteer_Question_Link
(Volunteer_id,Question_id) VALUES(" + _
Request.Form("question") + ")
    sVolunteer_id + "," +
    db.Execute sSQL
end if
'Insert the number of volunteers in Mail_Tracking
sSQL = "SELECT COUNT(*) FROM Volunteer where
track_id = " + sTrack_id
rs.Open sSQL,db
sSQL = "UPDATE Mail_Tracking SET Number_Volunteer =
" + cstr(rs(0)) + " WHERE track_id = " + sTrack_id
db.Execute sSQL
rs.Close : set rs = nothing
db.Close : set db = nothing

Response.Write "<p align='center'><BR><BR><BR><BR>"
Response.Write "<font face='Verdana, Arial,
Helvetica' size='2'><B>Thank you.</B>"
Response.Write "<BR><BR><BR><BR>"
Response.Write "<a
href='javascript:window.close()'>Close window</a></font>"

else%>
<!-- #include file="inc/convert_trackid.inc" -->
<form name="SIGNUP" action="volunteer_form.asp"
method="post" onsubmit="return checkForm()">

```

```

<table width="100%" border="0" cellspacing="2"
cellpadding="2">
|  |
| --- |
|  |

```

```

</tr>
|  |
| --- |
|  |

```


volunteer_form.asp

```

face="Verdana, Arial, Helvetica, sans-serif" size="2"><b><font color="092186">Making
    Phone Calls</font></b></font></td>
</tr>
<tr>
    <td width="40%" align="right" bgcolor="#FFD34F">
        <input type="checkbox" name="question"
value="2">
    </td>
    <td width="60%" bgcolor="#FFD34F"><font
face="Verdana, Arial, Helvetica, sans-serif" size="2"><b><font
color="092186">Holding
        a Fundraiser</font></b></font></td>
</tr>
<tr>
    <td width="40%" align="right" bgcolor="#FFDB6F">
        <input type="checkbox" name="question"
value="3">
    </td>
    <td width="60%" bgcolor="#FFDB6F"><font
face="Verdana, Arial, Helvetica, sans-serif" size="2"><b><font
color="092186">Walking
        Door to Door</font></b></font></td>
</tr>
<tr>
    <td width="40%" align="right" bgcolor="#FFE493">
        <input type="checkbox" name="question"
value="4">
    </td>
    <td width="60%" bgcolor="#FFE493"><font size="2"
face="Verdana, Arial, Helvetica, sans-serif"><b>
        <font color="092186">work on Election
        Day</font></b></font></td>
</tr>
<tr>
    <td width="40%" align="right" bgcolor="#FFE493">
        <input type="checkbox" name="question"
value="5">
    </td>
    <td width="60%" bgcolor="#FFE493"><font
face="Verdana, Arial, Helvetica, sans-serif" size="2"><b><font
color="092186">Writing
        letters</font></b></font></td>
</tr>
<tr>
    <td width="40%" align="right" bgcolor="#FFF3CE">
        <input type="checkbox" name="question"
value="6">
    </td>
    <td width="60%" bgcolor="#FFF3CE"><font
face="Verdana, Arial, Helvetica, sans-serif" size="2"><b><font
color="092186">Other</font></b></font></td>
</tr>
<tr>
    <td colspan="2" align="right" height="5"></td>
</tr>
<tr align="left">
    <td colspan="2" bgcolor="092186"><font

```


volunteer_form.asp

```
<tr>
  <td width="20"></td>
  <td width="74" bgcolor="C0D5FC">&nbsp;</td>
  <td width="486" bgcolor="C0D5FC">&nbsp;</td>
  <td width="20"></td>
</tr>
</table>
</body></html>
```

volunteer_list.asp

```

<%@ Language=VBScript %>
<html><head><title>List of Volunteers</title>
<!-- #include file="inc/session_timeout.inc" -->
<!-- #include file="inc/top_inc.inc" -->
<!-- #include file="inc/database.inc" -->
<td align="middle" valign="top"><%'Code start%>
    <font face='Verdana, Arial' size='3'><B>List of
Volunteers</font></B><BR><BR>
    <%set rs = server.CreateObject("ADODB.Recordset")

    'Check to see where its coming from
    if Request.QueryString("id") = "" then
        'Its from the search form
        sSQL = "SELECT DISTINCT
a.volunteer_id,a.first_name,a.last_name,a.Join_Date,a.email FROM " + _
"volunteer AS a, volunteer_question_link AS
b WHERE a.user_id = " + session("user")

        'Date
        if not Request.Form("sdate") = "" AND not
Request.Form("edate") = "" then
            sSQL = sSQL + " AND (a.join_date
BETWEEN #" + Request.Form("sdate") + "# AND #" + _
Request.Form("edate") + "#)"
        end if

        'city
        if not Request.Form("city") = "" then sSQL =
sSQL + " AND a.city like '" + Request.Form("city") + "'"

        'zipcode
        if not Request.Form("zipcode") = "" then
sSQL = sSQL + " AND a.zipcode like '" + Request.Form("zipcode") + "'"

        'Questions
        if not Request.Form("question") = "" then
            sQuestion =
replace(Request.Form("question"),",",",") or b.question_id = ")
            sSQL = sSQL + " AND (b.question_id =
" + sQuestion + ") AND a.volunteer_id = b.volunteer_id"
        end if
        sSQL = sSQL + " order by a.join_date DESC"
    else
        'from mail tracking

        sTrack_id = Request.QueryString("id")
        sSQL = "Select
volunteer_id,first_name,last_name,Join_Date,email FROM volunteer WHERE "
        sSQL = sSQL + "track_id = " + sTrack_id + "
order by join_date DESC"
    end if
    %>

    <table width="98%" border="0" cellspacing="1"
cellpadding="1" align="CENTER">
        <TR bgcolor="C0D5FC"><td align="center"><font
face='Verdana, Arial' size='2' ><B>Name</B></font></td>
        <td align="center"><font face='Verdana, Arial'
size='2' ><B>Joining Date-Time</B></font></td>
        <td align="center"><font face='Verdana, Arial'
size='2' ><B>Email</B></font></td></tr>
    <%rs.Open sSQL,db
    Page 1

```

09898509.070301

```

        volunteer_list.asp
        if rs.EOF then
            Response.Write "<TR><TD
colspan='3'bgcolor='#D9E6FD'><font face='Verdana, Arial' size='2'>No records
found.</font></td></tr>"
        else
            do until rs.EOF%>
                <tr><td bgcolor="#D9E6FD"><font
face='Verdana, Arial' size='2'>
                    <a
href="volunteer_details.asp?id=<%=rs(0)%>"><%Response.Write rs(1) + " " +
rs(2)%></a></font></td>
                    <td bgcolor="#D9E6FD" ><font
face='Verdana, Arial' size='2'><%=rs(3)%></font></td>
                    <td bgcolor="#D9E6FD" ><font
face='Verdana, Arial' size='2'><%=rs(4)%></font></td></tr>
                    <%rs.MoveNext
                    loop
            end if
            rs.Close : set rs = nothing
            db.Close : set db = nothing%>
            <tr><td colspan="3" align="center"><BR>
            <form><input type=button value="Back"
            onclick="history.back();" name=button1></form></td></tr>
            </table>
        <%'code end%>
        <!-- #include file="inc/bottom_inc.inc" -->

```

volunteer_search.asp

```

<%@ Language=VBScript %>
<html><head><title>Search Volunteers</title>
<!-- #include file="inc/session_timeout.inc" -->
<!-- #include file="inc/top_inc.inc" -->

        <td align="middle"><%'Code start%'>
        <form method="post" name="form1"
action="volunteer_list.asp">
  <TABLE border=0 cellPadding=1 cellSpacing=1 width="98%">
    <TR>
      <TD colspan="3" ><font size="3" face="Verdana, Arial, Helvetica,
sans-serif"><b>Search Volunteers</b><BR>
      <font size="1">Leave the fields blank to get all
records</font></font><BR><BR></TD>
    </TR>
    <TR>
      <TD width="10%"><font size="2" face="Verdana, Arial, Helvetica,
sans-serif"><b>Date</b></font></TD>
      <TD width="25%"><font size="1" face="Verdana, Arial, Helvetica,
sans-serif">Start Date (MM/DD/YY)</font><BR> <INPUT name=sdate
value="<%=date%>"></TD>
      <TD><font size="1" face="Verdana, Arial, Helvetica, sans-serif">End Date
(MM/DD/YY)</font><BR> <INPUT name=edate value="<%=date%>"></TD>
    </TR>
    <TR>
      <TD><font size="2" face="Verdana, Arial, Helvetica,
sans-serif"><b>City</b></font></TD>
      <TD colspan="2"><INPUT name=city></TD>
    </TR>
    <TR>
      <TD><font size="2" face="Verdana, Arial, Helvetica,
sans-serif"><b>Zip-code</b></font></TD>
      <TD colspan="2"><INPUT name=zipcode></TD>
    </TR>
    <TR>
      <TD><font size="2" face="Verdana, Arial, Helvetica,
sans-serif"><b>Questions</b></font></TD>
      <TD colspan="2"><table>
        <tr>
          <td align="right" >
            <input type="checkbox" name="question"
value="1">
            </td>
            <td><font face="Verdana, Arial, Helvetica,
sans-serif" size="2"><b><font color="#092186">Making
Phone Calls</font></b></font></td>
          </tr>
          <tr>
            <td >
              <input type="checkbox" name="question"
value="2">
            </td>
            <td><font face="Verdana, Arial, Helvetica,
sans-serif" size="2"><b><font color="#092186">Holding
a Fundraiser</font></b></font></td>
          </tr>
          <tr>
            <td>
              <input type="checkbox" name="question"
value="3">
            </td>
            <td><font face="Verdana, Arial, Helvetica,
sans-serif" size="2"><b><font color="#092186">walking
Page 1

```

T.00020"6058660

090509 0301
T00000 60586860

```
volunteer_search.asp
    Door to Door</font></b></font></td>
</tr>
<tr>
    <td>
        <input type="checkbox" name="question"
value="4">
        </td>
        <td><font size="2" face="Verdana, Arial,
Helvetica, sans-serif"><b>
Day</font></b></font></td>
    </tr>
    <tr>
        <td>
            <input type="checkbox" name="question"
value="5">
            </td>
            <td><font face="Verdana, Arial, Helvetica,
sans-serif" size="2"><b><font color="#092186">Writing
letters</font></b></font></td>
        </tr>
        <tr>
            <td>
                <input type="checkbox" name="question"
value="6">
                </td>
                <td><font face="Verdana, Arial, Helvetica,
sans-serif" size="2">
                    <b><font
color="#092186">Other</font></b></font></td>
            </tr></table>
</TD>
</TR>
<TR><td colspan="3" align="center"><input type="button" name="button1"
value="Back" onclick="history.back()">
    <input type="submit" name="submit1" value="Search"></td></tr>
</TABLE><!-- #include file="inc/bottom_inc.inc" -->
```

volunteering.asp

```
<%@ Language=VBScript %>
```

[illegible]

vote_form.asp

```

<%@ Language=VBScript %>
<html><head>
<title>Vote</title>
<script language="JavaScript">
function checkForm() {
    errorFields = "";
    if (trim(document.SIGNUP.name.value) == "") {
        errorFields += "- Enter your name.\n";
    }

    if (!isEmailValid(document.SIGNUP.email.value)) {
        errorFields += "- Enter a valid email address in the form
xxx@xxx.xxx.\n";
    }

    if (errorFields != "") {
        errorFields = "Please correct the following errors, then resubmit
the form. Thank you.\n\n" + errorFields;
        alert(errorFields);
        return false;
    }

    else {
        return true;
    }
}

</script>
<script language="JavaScript" src="src/utls.js"></script>
</head><body bgcolor="092186">
<table width="600" border="0" cellspacing="0" cellpadding="0" align="center">
<tr>
<td width="17" align="right"></td>
<td bgcolor="C0D5FC" width="74">&nbsp;</td>
<td bgcolor="C0D5FC" width="486">&nbsp;</td>
<td width="18" align="left"></td>
</tr>
<tr>
<td width="20" bgcolor="C0D5FC">&nbsp;</td>
<td width="74" bgcolor="C0D5FC">
<a href="http://www.eyardsigns.com"></a></td>
<td width="486" bgcolor="C0D5FC" align="center">
<%Set ad =
Server.CreateObject("MSWC.AdRotator") %>
<%= ad.GetAdvertisement("inc/adrot_lng.txt")
%>
</td>
<td width="20" bgcolor="C0D5FC">&nbsp;</td>
</tr>
<tr>
<td width="20" height="3" bgcolor="C0D5FC"></td>
<td width="74" height="3" bgcolor="C0D5FC"></td>
<td width="486" height="3" bgcolor="C0D5FC"></td>
<td width="20" height="3" bgcolor="C0D5FC"></td>
</tr>
<tr>
<td width="20" bgcolor="C0D5FC">&nbsp;</td>
    Page 1

```

090903509.070301

```

                                vote_form.asp
<td width="74"></td>
<td width="486"></td>
<td width="20">&nbsp;</td>
</tr>
<tr>
<td width="20" bgcolor="C0D5FC">&nbsp;</td>
<td colspan="2" bgcolor="C0D5FC" height="371" valign="top" align="top"
align="center">
<p>&nbsp;</p>
<%if Request.Form("vote") = "" then%>
<!-- #include file="inc/convert_trackid.inc" -->
<!-- #include file="inc/database.inc" --><%
set rs = Server.CreateObject("ADODB.Recordset")

ssSQL = "Select First_Name, Last_Name from Mail_Tracking WHERE track_id = " +
sTrack_id
rs.open ssSQL,db
if not rs.eof then      sName = rs(0) ' + " " + rs(1)
rs.Close : set rs = nothing
db.Close : set db = nothing
%>
<form name="SIGNUP" action="vote_form.asp" method="post" onsubmit="return
checkForm()">

<table width="100%" border="0" cellspacing="2" cellpadding="2">
<tr>
<td colspan="2" align="center" bgcolor="092186"><font face="Verdana,
Arial, Helvetica, sans-serif" size="4"><b><font color="#FFFFFF">
<%=sName%></font> <font size="3" color="FFC926">can count on my VOTE
!</font></b></font></td>
</tr>
<tr>
<td width="30%" align="right" bgcolor="FFC926">
<input name="vote" type="radio" value="1">
</td>
<td width="70%" bgcolor="FFC926"><font face="Verdana, Arial, Helvetica,
sans-serif" size="3"><b><font size="4" color="092186">YES</font></b></font></td>
</tr>
<tr>
<td width="30%" align="right" bgcolor="#FF3333">
<input name="vote" type="radio" value="0">
</td>
<td width="70%" bgcolor="#FF3333"><font face="Verdana, Arial, Helvetica,
sans-serif" size="4"><b><font color="092186">NO</font></b></font></td>
</tr>
<tr>
<td width="30%" align="right" bgcolor="#CCFFCC">
<input name="vote" type="radio" value="2">
</td>
<td width="70%" bgcolor="#CCFFCC"><font face="Verdana, Arial, Helvetica,
sans-serif" size="4"><b><font color="092186">UNDECIDED</font></b></font></td>
</tr>
<tr>
<td align="right" bgcolor="092186"><font face="Verdana, Arial,
Helvetica, sans-serif" size="2"><b><font color="#FFFFFF">
Name </td><td bgcolor="092186">
<input type="text" name="name">
</font></b></font></td>
</tr>
<tr>
<td align="right" bgcolor="092186"><font face="Verdana, Arial,
Helvetica, sans-serif" size="2"><b><font color="#FFFFFF">
Email Address </td><td bgcolor="092186">

```


vote_list.asp

```

<%@ Language=VBScript %>
<html><head><title>List of voters</title>
<!-- #include file="inc/session_timeout.inc" -->
<!-- #include file="inc/top_inc.inc" -->
<!-- #include file="inc/database.inc" -->
    <td align="center" valign="top"><%'Code start%><BR>
        <%set rs = server.CreateObject("ADODB.Recordset")

        'Start Vote Graph
        Dim ivotes(2) : Dim bFlag(2)
        Dim sColors(2) : Dim sText(2)
        Dim ivotesP(2)

        'Define Text
        sText(0) = "No" : sText(1) = "Yes" : sText(2) =

"Undecided"

        'Define Colors
        sColors(0) = "Red" : sColors(1) = "Green" :

sColors(2) = "Teal"

        sTrack_id = Request.QueryString("id")
        for i = 0 to 2
            sSQL = "Select COUNT(*) FROM vote WHERE
track_id = " + sTrack_id + " AND vote = " + cstr(i)
            rs.Open sSQL,db
            ivotes(i) = rs(0)
            if ivotes(i) = 0 then bFlag(i) = true
            iTotal = iTotal + ivotes(i)
            rs.Close
        next
        for i = 0 to 2
            ivotesP(i) =
formatnumber((ivotes(i)/iTotal)*100,1)
        next%>

        <table width="70%" border="0" cellpadding="2"
cellspacing="1">
            <tr bgcolor="C0D5FC"><td colspan="3"
align="center"><font face='Verdana, Arial' size='3' ><B>Vote Graph</B></td></tr>
            <%for i = 2 to 0 step -1%>
                <tr bgcolor="#D9E6FD"><td width="10%"
align="right"><font face='Verdana, Arial' size='2' ><%=sText(i)%></font></td><td>
                <table width="100%"><tr><%if not bFlag(i)
then%><td width="<%=ivotesP(i)%%" bgcolor="<%=sColors(i)%%">&nbsp;&nbsp;&nbsp;</td><%end if%>
                <td <%if bFlag(i) then Response.Write
"colspan='2'"%><font face='Verdana, Arial'
size='1'><%=ivotesP(i)%%"</font></td></tr></table></td>
                <td width="10%" align="center"><%if bFlag(i)
then Response.Write ivotes(i) else Response.Write "<a href='vote_list.asp?id=" +
sTrack_id + "&list=" + cstr(i) + "'>" + cstr(ivotes(i))%"</a></td></tr>
                <%next%>

                <tr bgcolor="#D9E6FD" ><td colspan="2"
align="right"><font face='Verdana, Arial' size='2' ><B>Total</B></td>
                <td align="center"><a
href="vote_list.asp?id=<%=sTrack_id%%"><%=iTotal%%"</a></td></tr>

            </table>
            <%'End Vote Graph%>
            <BR>
            <table width="90%" border="0" cellpadding="1"
cellpadding="1" align="CENTER">
                <TR><td align="center" colspan="3">

```

```

                                vote_list.asp
                                <font face='Verdana, Arial' size='3'><B>List of
Voters</font></B></td></tr>
                                <TR bgcolor="C0D5FC">
                                <td align="center"><font face='Verdana, Arial'
size='2' ><B>Name</B></font></td>
                                <td align="center"><font face='Verdana, Arial'
size='2' ><B>Date-Time</B></font></td>
                                <td align="center"><font face='Verdana, Arial'
size='2' ><B>Vote</B></font></td></tr>
                                <%
                                if not Request.QueryString("list") = "" then sFilter
= " AND vote = " + Request.QueryString("list")
                                sSQL = "Select name,email,vote_date,vote FROM vote WHERE track_id =
" + _
                                sTrack_id + sFilter + " order by vote_date DESC"
                                rs.Open sSQL,db

                                dim sArr_Vote(2)
                                sArr_Vote(0) = "No"
                                sArr_Vote(1) = "Yes"
                                sArr_Vote(2) = "Undecided"

                                if rs.EOF then
                                    Response.Write "<TR><TD colspan='3'
bgcolor='#D9E6FD'><font face='Verdana, Arial' size='2'>No records
found.</font></td></tr>"
                                else
                                    do until rs.EOF%>
                                        <tr><td bgcolor="#D9E6FD" ><font
face='Verdana, Arial' size='2'>
                                        <a
href="mailto:<%=rs(1)%"><%=rs(0)%</a></font></td>
                                        <td bgcolor="#D9E6FD" ><font
face='Verdana, Arial' size='2'><%=rs(2)%</font></td>
                                        <td bgcolor="#D9E6FD"
align="center"><font face='Verdana, Arial'
size='2'><%=sArr_Vote(rs(3))%</font></td></tr>
                                        <%rs.MoveNext
                                        loop
                                    end if
                                    rs.close : set rs = nothing
                                    db.close : set db = nothing%>
                                </table>
                                <form><input type=button value="Back"
onclick="document.location='tracking.asp'" name=button1></form>
                                <%code end%>
                                <!-- #include file="inc/bottom_inc.inc" -->

```

vote_search.asp

```
<%@ Language=VBScript %>
<!-- #include file="inc/session_timeout.inc" -->
<!-- #include file="inc/top_inc.inc" -->
    <td align="middle"><%'Code start%'>
        <form method="post" name="form1" action="voter_list.asp">
<TABLE border=0 cellPadding=1 cellSpacing=1 width="98%">
<TR>
    <TD colspan="3" ><font size="3" face="Verdana, Arial, Helvetica,
sans-serif"><b>Search Voters</b><br>
    <font size="1">Leave the fields blank to get all
records</font></font><br><br></TD>
</TR><TR>
    <TD width="15%"><font size="2" face="Verdana, Arial, Helvetica,
sans-serif"><b>Date</b></font></TD>
    <TD width="25%"><font size="1" face="Verdana, Arial, Helvetica,
sans-serif">Start Date (MM/DD/YY)</font><br> <INPUT name=sdate
value="<%=date%>"></TD>
    <TD><font size="1" face="Verdana, Arial, Helvetica, sans-serif">End Date
(MM/DD/YY)</font><br> <INPUT name=edate value="<%=date%>"></TD>
</TR><TR>
    <td colspan="3" align="center"><br><input type="button" name="button1"
value="Back" onclick="javascript:document.location='default.asp'">
    <input type="submit" name="submit1" value="Search"></td></tr>
</TABLE><!-- #include file="inc/bottom_inc.inc" -->
```



```

width="<%=iUndecidedP%>" bgcolor="teal">&nbsp;</td><td><font face='Verdana, Arial'
size='1'><%=iUndecidedP%></font></td></tr></table>
</td><td width="10%" align="center"><a
href="javascript:document.form1.list.value='2';document.form1.submit()"><%=iVotes(2)
%></a></td>
</tr>
align="right"><font face='Verdana, Arial' size='2' ><B>Total</B></td>
<td align="center"><a
href="javascript:document.form1.submit()"><%=iTotal%></a></td></tr>
</table>
<BR>
<table width="90%" border="0" cellpadding="1" cellspacing="1"
cellpadding="1" align="CENTER">
<TR><td align="center" colspan="3">
Voters</font></B></td></tr>
<TR bgcolor="C0D5FC">
<td align="center"><font face='Verdana, Arial'
size='2' ><B>Name</B></font></td>
<td align="center"><font face='Verdana, Arial'
size='2' ><B>Date-Time</B></font></td>
<td align="center"><font face='Verdana, Arial'
size='2' ><B>Vote</B></font></td></tr>
<%
if not Request.form("list") = "" then sFilter = "
AND vote = " + Request.form("list")
ssQL = "Select name,email,vote_date,vote FROM vote WHERE user_id = "
+ Session("user") + sFilter + ssQL1 + " order by vote_date DESC"
rs.Open ssQL,db

dim sArr_Vote(2)
sArr_Vote(0) = "No"
sArr_Vote(1) = "Yes"
sArr_Vote(2) = "Undecided"

if rs.EOF then
Response.Write "<TR><TD colspan='3'
bgcolor='#D9E6FD'><font face='Verdana, Arial' size='2'>No records
found.</font></td></tr>"
else
do until rs.EOF%>
<tr><td bgcolor="#D9E6FD" ><font
face='Verdana, Arial' size='2'>
<a
href="mailto:<%=rs(1)%>"><%=rs(0)%></a></font></td>
<td bgcolor="#D9E6FD" ><font
face='Verdana, Arial' size='2'><%=rs(2)%></font></td>
<td bgcolor="#D9E6FD"
align="center"><font face='Verdana, Arial'
size='2'><%=sArr_Vote(rs(3))%></font></td></tr>
<%rs.MoveNext
loop
end if
rs.close : set rs = nothing
db.close : set db = nothing%>
<tr><td colspan="3" align="center">
<form name="form1" method="post"
action="voter_list.asp">
<input type="hidden"

```



```

value="<%=Request.Form("sdate")%>" name="sdate"> voter_list.asp
<input type=hidden
value="<%=Request.Form("edate")%>" name="edate">
<input type=hidden name="list">
<input type=button value="Back"
onclick="document.location='vote_search.asp'" name=button1>
</form>
</td></tr>
</table>

<% 'code end%>

<!-- #include file="inc/bottom_inc.inc" -->

```

```

<html>
<head>
<title>eYardsigns.com | why we need your e-mail?</title>
</head>

<body link="#003366" alink="#999999" vlink="#333333">

<table width="550" align="center" cellpadding="2" cellspacing="0" border="0">
  <tr>
    <td valign="top" bgcolor="#000000">

<div align=center>

<table bgcolor="C0D5FC" width="550" cellpadding=0 cellspacing=0 border=0>
  <tr>
    <td align="center" colspan=2 valign=middle><br><font
face=verdana,arial,Helvetica,sans-serif size=3><b>why Do We Need Your
e-mail?</b></font><br><br>
    </td>
  </tr>
</table>

<table bgColor=#D9E6FD width="550" cellpadding=0 cellspacing=0 border=0>
  <tr>
    <td width="20">&nbsp;</td>
    <td>
      <br>
      <font face=verdana,arial,Helvetica,sans-serif size=2><b>The real question is: why do
you want us to have your <nobr>e-mail?</b></nobr>
      <p>
        Two reasons. To keep you up to date on <nobr>electionmall.com</nobr> activities via
        email newsletters
      <p>
        Second: you use your e-mail address to recover your password should you ever
        forget it.
      <br><br></font>
    </td>
    <td width="20">&nbsp;</td>
  </tr>
  <tr>
    <td align="center" colspan="3">
      <a href="javascript:window.close();"><font face=arial,Helvetica,sans-serif
size=3>close window</font></a><br>
      &nbsp;<br>
    </td>
  </tr>
</table>

</td>
</tr>
</table>

</td>
</tr>
</table>
</body>
</html>

```

whyurl.htm

<HTML>
<HEAD>
<TITLE>Why we need your URL</TITLE>
</HEAD>
<BODY>

<TABLE align=center border=0 cellPadding=2 cellSpacing=0
style="HEIGHT: 272px; WIDTH: 555px" width=550>
<TBODY>
<TR>
<TD bgColor=#000000 vAlign=top>
<DIV align=center>
<TABLE bgColor=#c0d5fc border=0 cellPadding=0 cellSpacing=0 width=550>
<TBODY>
<TR>
<TD align=middle colspan=2 vAlign=center>
Why Do We
Need Your URL
Address?

</TD></TR></TBODY></TABLE></DIV>
<TABLE bgColor=#d9e6fd border=0 cellPadding=0 cellSpacing=0 width=550>
<TBODY>
<TR>
<TD width=20> </TD>
<TD>

<P>Reason one:
when you create and send out your
eYardSigns, the reciipients will have the
opportunity to visit your <SPAN
class=300181219-04072000>head quarters
(campaign site); this URL should be the
address you would like them to visit.
<P><SPAN
class=300181219-04072000>Reason two: Increase your site viewership by
directly tar<SPAN
class=300181219-04072000>geting your voter's and volunte<SPAN
class=300181219-04072000>er's via eYardSigns, and then having them<SPAN
class=300181219-04072000> visit your he<SPAN
class=300181219-04072000>adquarters,
campaign platforms, campaign party, or e<SPAN
class=300181219-04072000>ndorsements sites.
<P><SPAN
class=300181219-04072000>So why not fill in all the appropriate URL addresses
you would like your eYardSign recipients
to visit?<FONT
size=2>
</P></TD>
<TD width=20> </TD></TR>
<TR>
<TD align=middle colspan=3><FONT
face=arial, helvetica, sans-serif size=3>close window

</TD></TR></TD></TR></TBODY></TABLE></TD></TR></TBODY></TABLE>
</BODY>
</HTML>

yahoo.htm

```
<FORM action=http://login.yahoo.com/config/login?4apqpglph1slp method=post
name=a autocomplete="off"><INPUT name=.tries type=hidden value=1> <INPUT
name=.src type=hidden value=ab> <INPUT name=.last type=hidden> <INPUT name=promo
type=hidden> <INPUT name=.intl type=hidden value=us> <INPUT name=.bypass
type=hidden> <INPUT name=.partner type=hidden> <INPUT name=.chkP type=hidden
value=Y> <INPUT name=.done type=hidden
value=http://address.yahoo.com/yab/us?.rand=1100661313&amp;>
<TD align=right nowrap><FONT face=Arial size=-1>Yahoo! ID:</FONT></TD>
<TD><INPUT maxLength=32 name=login></TD></TR>
<TR>
<TD align=right nowrap><FONT face=Arial size=-1>Password:</FONT></TD>
<TD><INPUT maxLength=32 name=passwd type=password value=""></TD></TR>
<TR>
<TD align=middle colspan=2 nowrap><FONT face=Arial size=-1><INPUT
name=.persistent type=checkbox value=Y>Remember my ID &amp; Password ( <A
href="http://help.yahoo.com/help/us/edit/edit-19.html">what's
this?</A></FONT></TD></TR>
<TD><INPUT type=submit value="Sign in" id=submit1 name=submit1> </TD></TR>
</form>
```


[illegible]

Üöe c l 7 p o V a l u e L i s t ß > " V o l u n t e e r _ I d " ; " Q u e s t i o n _
I d " ; " " Ø...oEWAYF0%è²<u'Äpd 203050`ö(a50bR0cá æ € žyÿÿ Üöe c l t i t l e 7 Y.V
o l u n t e e r _ Q u e s t i o n _ l i n k ê o Z % † ^ D % D • i (C
ÜÖrÿn 0030aÄ0bL0c0d00l0 Üöe c l 8 p o V a l u e L i s t ß 6 " Q u e s t i o n _ I d
" ; " Q u e s t i o n " ; " " ØÄaí G000†%ªähêc~pd 203050`Ä0ak0bq0cá æ € žyÿÿ Üöe c
l t i t l e 8 Y&v o l u 0 ž0š00 000:00 0000 @€ 00000 @€
00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @

0 000 0 0 0 0
0 0 000 0 000 0 0 000 000
000 0 0'0 0 0(0
0)0 0 0*0 0 0+0 0 0,0 0 0 0 0 000 0 000 0 000 0 000 0
000 0 000 0 000 0 000€ 0 000€ 0 000€ 0 000€ 0 000€ 0 000€ 0
000€ 0 000€ " 000€ E 000€ J 000€ q 000€ v 000€ ' 000€ - 000€ S
000€ Y 000€ ! 000€ a 0 0€ ± 0!0€ ' 0"0€ % 0#0€ A 0\$0€ Ê 0%0€- I
0&00 0 0 00 0 0000 0 0000 00

009898509"0703001

..0^2iöá@²Á`²iöá@ r n c _ e m a i l î08 €0 á 0 00 ..0^2iöá@c0a²iöá@ r n c _
e m a i l î0Q0 @ @ @ 4 4 4 4 4 4 2 0 y@ 0 < 0 00
`d0|'èá@"šd%'èá@ v o l u n t e e r _ Q u e s t i o n s î0+0 @0^ T T T H H H
H H H H F 0 y@ 0 [0 00 y-a
\\éá@Ä0>péá@ s e n d t o f r e i n d _ e m a i l s î0x0 @0¥ T T T H H H H H
H H F 0 y@ 0 0 00 0=L€6iá@0µ|6iá@ A d v e r t i s e r _ p r i c e î0'0 @
ç N N N B B B B B B B @ 0 y@ 0 0 €0 00ëvö:psáá@túó²iöá@ A c c e s s L a
y o u t î04 € M R 2 0 €0 K e e p L o c a l 0 0

0 T Ä0 @00 † z z : : : : : 8 0 y@00 0 €0 00 ç Á-'èá@ç Á-'èá@ V o l
u n t e e r v o l u n t e e r _ Q u e s t i o n _ l i n k î0b b b b b b b b b b
0 y 0 0 €0 00 ika-'èá@ika-'èá@ v o l u n t e e r _ Q u e s t i o n s v o l u n
t e e r _ Q u e s t i o n _ l i n k î0v v v v v v v v v t 0 y 0 0 €0 00
-îsÄsáá@-îsÄsáá@ U s e r _ I n f o U s e r _ l i s t _ l i n k î0P P P P P P P P
P P N 0 y 0 0 €0 00 Äîêw'áá@Äîêw'áá@ U s e r _ I n f o M a i l _ T r a c k i
n g î0N N N N N N N N N N L 0 y 0 0 €0 00 00»e³áá@00»e³áá@ U s e r _ I n f o
e m a i l î0> > > > > > > > < 0 y 0 0 €0 00 "y-0\éá@"y-0\éá@ s e n d t o
f r e i n d _ r e f e r e r s e n d t o f r e i n d _ e m a i l s î0p p p p p p p p p
p p n 0 0

üÿÿ 00€00 0000 @€
00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€
00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€
00000 @€ 0

yardsign.mdb

```

0 000 0 000 0 0 0 0 0 0 000 000 000 0 000 0 000
0 0 000 0 000 0 000 0 000 0 000 0 000 0 000 0 000 0 000
0 000 0 000 0 000 0 000 0 000 0 000 0 000 0 000 0 000
p00 p00
p00
p00
p00 0 0& 0 0'0 0 0( 0 0) 0 0*0 0 0+0
0,0
0-0
0.0 0 0/0 0 000 0 010 0 020 0 030 0 040 0 050 0 060 0
070 0 080 0 090 0 0:0 0 0;0 0 0<0 0 0=0 0 0>0 0 0?0 0 0@0
000 0A0 0 0B0 0 0C0 0 0D0 0 0E0 0 0F0 0 0G0 0 0H0 0 0I0 0
0J0 0 0K0 0 0L0 0 0M0 0 0N0 0 0O0 0 0P0 0 0Q0 0 0R0 0
p"0€ 0 p#0€ 0 p$0€ 0 p 0€ 0 p!0€ 0 p%0€ 0 p&0€ 0 p'0€ 0 p(0€ 0
p)0€ 0 p*0€ 0 p00€ 0 p 0€ 0 p
0€ 0 p00€ 0 p00€ 0 p
0€ 0 p00€ 0 p00€ 0 p00€ " p00€ " p00€ " p00€ E p00€ E p00€ E p00€
J p00€ J p00€ J p00€ q p00€ q p00€ q p00€ v p00€ v p00€ v p00€
p+0€ p,0€ p-0€ p.0€ p/0€ p00€ $ p10€ $ p20€ $ p30€ Y
p40€ Y p50€ Y p60€ i p70€ i p80€ i p90€ a p:0€ a p;0€ a p<0€ ±
p=0€ ± p>0€ ± p?0€ i p@0€ i pA0€ i pB0€ % pC0€ % pD0€ % pE0€ A
pF0€ A pG0€ A pH0€ Ê pI0€ Ê ê 0€ ê ê00€ i ê00€ i ê00€ i ê000 0
0000 0 0000 0 0000 0 0 00 0 0000 0 0
00 0 0000 0 0000 0 0000 0!00 0"00 0# îôD D D D D D D D D B 0 y
0 8 0 00 ô' tuââ~AŠuââ Mail Tracking_List_Link îô€ @
¥ Z Z Z N N N N N N L 0 y@ 0 0 00 Ūó%šââ@•ô7óéâ@ Mail_Tra
c king îôY@ 0 H H H < < < < < < : 0 y@ 0 ) 0 00 \c"šââ@{0H}ôéâ@
List îô=0 @0f 6 6 6 * * * * * ( 0 y@ 0 " 0 00 p9Y šââ@+8;ñNââ@ e
m-â-i-l-îô00 @ f 8 8 8 , , , , , , * 0 y@ 0 0 00 di05óéâ@9'ôéâ@ D
onate îô0 @0t : : : : : : : 0 y@ 0 0 00 0 00
i-îi2iâ@2ú•ç6iâ@ A d v e r t i s e r _ I n f o îô00 @0ž L L L @ @ @ @ @ @ @
> 0 y@ 0
€0 €
€%7$Ūšââ@žPF•6iâ@ A d m i n îô00 0°H08 , , , , , , , , * 0 y 00 €0
€0€i0»Vóéâ@i0»Vóéâ@ R e l a t i o n s h i p s _ f o r _ y a r d s i g n îôT @0ž
b b b v v v v v v v t 0 y@ 0 0 €0 00€Ūóž šââ@Ūóž šââ@ U s 0 [ 0 00
y-a
\éâ@A0>péâ@ s e n d t o f r e i n d _ e m a i l s îôX0 @0¥ T T T H H H H H
H H F 0 y@ 0 0 0 00 0=L€6iâ@0µi6iâ@ A d v e r t i s e r _ p r i c e îô'0 @
€ N N N B B B B B B B @ 0 y@ 0 0 €0 00€vô÷pšââ@é
•éAíâ@ A c c e s s L a y o u t îô4 € M R 2 0 € 0 K e e p L o c a l 0
0
0 T Â0 @ 0 † z z : : : : : : : 8 0 y@00 0 €0 00 ç Á-'éâ@ç Á-'éâ@ v o l
u n t e e r v o l u n t e e r _ Q u e s t i o n _ l i n k îôb b b b b b b b b b
0 y 0 0 €0 00 ika-'éâ@ika-'éâ@ v o l u n t e e r _ Q u e s t i o n s v o l u n
t e e r _ Q u e s t i o n _ l i n k îôv v v v v v v v v v t 0 y 0 0 €0 00
-îsAšââ@-îsAšââ@ U s e r _ I n f o U s e r _ l i s t _ l i n k îôP P P P P P P P
P P N 0 y 0 0 €0 00 ^iêw'ââ@^iêw'ââ@ U s e r _ I n f o M a i l _ T r a c k i
n g îôN N N N N N N N 0 i yÿ0 îô0
0 00 i yÿ0
i0"â»WNTó"é00°0_I~0Èf'*00-Ū'x3...0'ó';0e0f0BÁ*Ê55Ä#,Z"ç'.QPA^ä0r@,,ù0e*_î0gr÷C0=0)'Býjs
@0W0x
A-0\p'i,au@Äp
0 00 i yÿ0 îô0
0 00 â yÿ0 îô0
0 00 â yÿ0
i0"â»WNTó"é00°0_I~0Èf'*00-Ū'x3...0'ó';0e0f0BÁ*Ê55Ä#,Z"ç'.QPA^ä0r@,,ù0e*_î0gr÷C0=0)'Býjs
@0W0x
A-0\p'i,au@Äp
0 00 â yÿ0 îô0

```


□JOqQimYkQi+□fiYMqJoqQimYkQi+□Ybsd□ Ö □AYkmQ`JYΛ□
 Ö□□AYkm`JYΛmiJM\YBU+□AYkm+□AYb\□ Ö□□AYkmokQi+□AYkm+□AYb\□
 Ö□□`JYΛ+□miJM\YBUodbJmQ□ Ö□□`JYΛ+□miJM\YBU`JYΛmiJM\YBU+□AYkm+□AYb\□
 Ö□□`JYΛ+□miJM\YBUqdbomdsiQYbo+□iQsqiQi□ Ö□□`JYΛ+□miJM\YBUqdΛobmQqi□
 Ö□□`JYΛ+□miJM\YBUqdmQ□ Ö□□kQbomdsiQYbo+□iQsqiQiQbomdsiQYbo+□Q`JYΛk□ Ö
 □okQi+□YbsdQ`JYΛ□ Ö
 □okQi+□Ybsd`JYΛ+□miJM\YBU□ Ö□□okQi+□YbsdokQi+□AYkm+□AYb\□
 Ö□□qdΛobmQqi+□hoQkmYdbkqdΛobmQqi+□hoQkmYdb+□AYb\□ Ö
 □qdΛobmQqi+□qdΛobmQqi+□hoQkmYdb+□AYb\□ Ö□

□□ □ □□ □□ □□ □□□□□□ äy□□ □ □ €€€ € €€ € €€ € € € € €€@ @@ €y @€
 @ y €@ yy y AAA y yy y yy y y y yy€ y€ €yy €€y y € y€@

a g e 3 Bÿx□(ë□pÁ□àé òN†fíO"w□]yg `Y□aR□bÃ ck Ü□I m
 @ @€ yy y AAA P y y y y y y y y y €yy €y yy€ y€€ € y @€y

€ □ □□ □ □ € □ @ □ □ □□ □ □ žš□□ □□□Ñ□□
 □ □ □ □€

□JOqQimYkQi+□Ybsd□ Ö □odbJmQ□ Ö□□Q`JYΛ□
 Ö□□Q`JYΛ□ Ö
 □`JYΛ+□miJM\YBU□ Ö□□`JYΛmiJM\YBU+□AYkm+□AYb\□ Ö□□`JYΛmiJM\YBU+□AYkm+□AYb\□
 Ö□□kQbomdsiQYbo+□Q`JYΛk□ Ö □kQbomdsiQYbo+□iQsqiQi□ Ö□□okQi+□AYkm+□AYb\□
 Ö□□okQi+□AYkm+□AYb\□ Ö□□qdΛobmQqi□ Ö□□qdΛobmQqi+□hoQkmYdb+□AYb\□ Ö
 □qdΛobmQqi+□hoQkmYdb+□AYb\□ Ö□□qdmQ□ Ö□

bfc0c00ÜL i n e 2 4 B\$A\$4“'LN°€0Λ`E`0ýf 2030`00az0bá ÜL i n e 2 5
€

0

0

00 00

0 0 000 0 000 0 0 0 0 0 0
0 0 000 0 000 0 000 000
000€ 0 000€ 0 000€ 0 000€ 0 0000 0 0 00 0 0000 0 0000 00

000000 äÿ00 0 0 000000 0 0 00 00 00 00 00 0 00 00 00
ÿÿ ÿ ÿÿ ÿ ÿ ÿ ÿÿ€ ÿ€ €ÿÿ €€ÿ ÿ € ÿ€@
ÿÿ ÿ ÿÿ ÿ ÿ ÿ ÿÿ€ ÿ€ €ÿÿ €€ÿ ÿ € ÿ€@

0 0 0 P Ä0 Ä0 äÿ0†,Ö00LŽIÜ0†N0Dýg `#0aÑ0bÄ ck Ü0I m a g e 2 8 Bÿx0(
@ @€ ÿÿÿ ÄÄÄ ÿ ÿÿ ÿ ÿÿ ÿ ÿ ÿ ÿÿÿ €ÿÿ ÿÿ€ ÿ€ € ÿ @€ÿ
@ @€ ÿÿÿ ÄÄÄ ÿ ÿÿ ÿ ÿÿ ÿ ÿ ÿ ÿÿÿ €ÿÿ ÿÿ€ ÿ€ € ÿ @€ÿ

€ÿ 000 000 0 000 0 0 000 0 000 0 000 000 000 000 000
@€ @ ÿ €@ ÿÿÿ ÄÄÄ ÿ ÿÿ ÿ ÿÿ ÿ ÿ ÿ ÿÿÿ €ÿÿ ÿ€ €ÿÿ €€ÿ ÿ € ÿ€@

09898509.070301

yardsign.mdb

ë~2"ù+,,A;9aò>úižýf
□`·a²b□□cJ□ÜL i n e 1 4 B□□xÄ6Ä-□□c...□□□)"@ýf 2□3□`v□ax□bá ÜL i n e 1 5
B□»\$ü[jÜpö€i□R_□%kýf 2□3□`·□aM
bá ÜL i n e 1 6 B□`w¿zî\cL"AhZ□b:¿ýg `³□a·□bz cx ÜI m a g e 1 7 Býh□(□ □ □
□ @ Ä □ Ä □ €€€ € €€ € €€ € € € @€€ @€ ý€ €@ ý @ @€
yyy AAA y yy y yy y y y €yy €y yy€ y€€ € y @€y

□□ □□□□□ āy□□ □ □ €€€ € €€ € €€ € € € €€@ @€ €y @€ @ y €@ yyy AAA
y yy y yy y y y yy€ y€ €yy €€y y € y€@

□ žš□□ □□□Ö□ □ »v□l□i□
□

□□□□

ëëéòšáf~ðE‘U

ótπ;ýg `~"□an□bÄ ck ÜI m a g e 1 8 Býx□(
□ □ □ P Ä □ Ä □ €€€ € €€ € €€ € € € @€€ @€ ý€ €@ y
@ @€ yyy AAA y yy y yy y y y €yy €y yy€ y€€ € y @€y

€y □□ □□ □ □ □□ □ □ āy□□ □ □ €€€ € €€ € €€ € € € €€@ @€
@€ @ y €@ yyy AAA y yy y yy y y y yy€ y€ €yy €€y y € y€@

ë□súôâ5Ö'DŽ□ëä□ÆF8ýf □`v□a\
bá ÜL i n e 2 0

b cš□ÜL i n e 1 9 B□Ücu%□oöcµpÜ4fb{□ýf 2□3□`□□aB
B□}öiIAÖÜI`Uä`ääýmyf 2□3□`·□aM
bá ÜL i n e 2 1 B□öð/ø€öžL™Y'ÜIN~îýg `³□a·□bz cx ÜI m a g e 2 2 Býh□(□ □ □
□ @ Ä □ Ä □ €€€ € €€ € €€ € € € @€€ @€ ý€ €@ ý @ @€
Page 19

T0E020"60585860

yardsign.mdb
ÿÿÿ ÅÅÅ ÿ ÿÿ ÿ ÿÿ ÿ ÿ ÿ €ÿÿ €ÿ ÿÿ€ ÿ€€ € ÿ @€ÿ

```
00jO`Yb0    0000    00jmJMMQk kfJUqk0    0000    00jmJLJKqk0    0000    0Sdi`k0    0    00
0`dooAQk0    0
00    0iqAJmydbkwYfk0    0000    0iqfdimk0    0000    0kmiYfmk0    0000    0kvkiqA^0-    0
00    0mjLAqk0    0    00    00joqQimyKqi+Ybsd0    0000    0`kvkJMQk0    0000    00`kvkdL[QMmk0
0000    00    kvkhoqiYqk0    0000    00    kvkiqAJmydbkwYfk0    0000    00jMMQkkAJvdom0    0000
00`kvkoL0    0000    0oko`jiyYbsd0    0000    00okqioQSybqo0    00    000    000    0
000    0    äy00    0    €€€ €    €€    €    €€    € € € €€@    @@    €ÿ    @€    @    ÿ    €@    yyy    AAA    ŷ
ŷŷ    ŷ    ŷŷ    ŷ    ŷ    ŷ    ŷŷ€    ŷ€    €ŷŷ    €€ŷ    ŷ    €    ŷ€@
```

[illegible][illegible]

Page 20

ÿ ÿ ŷŷ€ ŷ€ €ŷŷ €€ŷ ŷ € ŷ€@

ëïSNÚ(F¿-dü6†D1ýg `paa^a
bÃ cK ÜI m a g e 3 3 Bÿx(C
 P Ä Ä
@ @€ ŷŷ AAA ŷ ŷŷ ŷ ŷŷ ŷ ŷ ŷ ŷŷ €ŷ €ŷ ŷŷ€ ŷ€€ € ŷ @€ŷ € € @€€ @@ ŷ€ €@ ŷ

€ŷ @€ @ ŷ €@ ŷŷŷ AAA ŷ ŷŷ ŷ ŷŷ ŷ ŷ ŷ ŷŷ€ ŷ€ €ŷŷ €€ŷ ŷ € ŷ€@

“ žš—â »v01010§b0000
N

ëæ!T'ekI-úCrŽ=êýf `v0a"0bj0c:ÜÜL i n e 3 4 Bªîx0V™J~K0Ó-;|0ýf 2030`00a»0bá
ÜÜL i n e 3 5 B™;ž00G%l0{060Qýf 2030`0aM
bá ÜÜL i n e 3 6 BÆYç±š0Z0000 `s_0ýg `ªa•0bz cx ÜI m a g e 3 7 Bÿh(C 0 0
@ Ä Ä €€€ € €€ € €€ € € € @€€ @@ ŷ€ €@ ŷ @ @€
ŷŷŷ AAA ŷ ŷŷ ŷ ŷŷ ŷ ŷ ŷ ŷŷ €ŷ ŷŷ€ ŷ€€ € ŷ @€ŷ

ŷ ŷŷŷŷŷŷ äŷ 0 0 €€€ € €€ € €€ € € € €€@ @@ €ŷ @€ @ ŷ €@ ŷŷŷ AAA

€€ € € € €€ @ @ @ €Ÿ @€ @ Ÿ €@ ŸŸŸ ÀÀÀ Ÿ ŸŸ Ÿ
 € Ÿ€@

æ~wEó™34EK"040*0oäýf 0`30a-0b cÈ
 ÜÜL i n e 4 4 ß0=&ë)k<SD~p...Pý0xöýf 2030`É aÜÜL i n e 4 5
 ß0<<ÜüR1N,ø>Aèx/üýf 2030`b0a€0bá ÜÜL i n e 4 6 ß0•,úxHk`@°0.
 um3æyg`€0aè0bz cx ÜÜI m a g e 4 7 Bÿh0(0 0 0 0 @ Ä 0 Ä0
 €€€ € € € € € € € € € € € @ @ ý€ €@ ý @ @€ ýýý ÀÀÀ ý ýý ý ýý ý ýý
 €ýý €ý ýý€ ý€€ € ý @€ý

[illegible]

ýf 2030`0(ap0bá Ü0L

i n e 6 5 B0C B0è'MMŽ>I0Š`00ýf 2030`3'aA
bá Ü0L i n e 6 6 B0~Ü!P8`ÄHŠ0Ç½H60`yg`Q'a« bz cx Ü0I m a g e 6 7 Bÿh0(-0 0
0 0 @ Ä0 Ä0 €€€ € €€ € €€ € € € @€€ @@ ý€ €@ ý @ @€
ÿÿÿ ÀÀÀ ý ÿÿ ý ÿÿ ý ÿ ý €ÿÿ €ÿ ÿÿ€ ý€€ € ý @€ÿ

00 000000 äÿ00 0 0 €€€ € €€ € € € € € € € € € @ €@ €ÿ @€ @ ý €@ ÿÿÿ ÀÀÀ
ÿ ÿÿ ÿ ÿÿ ÿ ÿ ÿ ÿÿ€ ý€ €ÿÿ €€ÿ ý € ý€@

ë0<-²µ0,¿N‡0y'AΛý0yg`2(a00bÄ çK Ü0I m a g e 6 8 Bÿx0(

@ 00 00 P Ä0 Ä0 €€€ € €€ € €€ € € € @€€ @@ ý€ €@ ý
@ @€ ÿÿÿ ÀÀÀ ý ÿÿ ý ÿÿ ý ÿ ý ÿ €ÿÿ €ÿ ÿÿ€ ý€€ € ý @€ÿ

€ÿ 000 000 000 000 0 äÿ00 0 0 €€€ € €€ € €€ € € € € € € @ €@
@€ @ ý €@ ÿÿÿ ÀÀÀ ý ÿÿ ý ÿ ÿÿ ÿ ÿ ÿ ÿÿ€ ý€ €ÿÿ €€ÿ ý0 Ž0Š00 000 00

ë0âx^00DxÇ0ûs+‡0Ä'ýf 0`0(aP
b c/

ë-ðx' -G«.Maè]óyf`Caaabtc
 ÜL i n e 4 9 Bðð%:n{B%ouf,"-ýf 2ð3`Caaabá ÜL i n e 5 0 BðóÀ?SðŽðš+,
 è-ðyf 2ð3`bðaeðbá ÜL i n e 5 1 Bð0qéZ+†E"A.*7pðéyg`€aaêðbz cx ÜI m a g e 5 2
 Bÿh(@ Ä Ä €€€ € €€ € €€ € €€ @€€ @@
 ý€ €@ ý @ @€ ýýý AAA ý ýý ý ýý ý ý ý ýýý €ý ýý€ ý€€ € ý @€ý

ÜL i n e 4 9 Bðð%:n{B%ouf,"-ýf 2ð3`Caaabá ÜL i n e 5 0 BðóÀ?SðŽðš+,
 è-ðyf 2ð3`bðaeðbá ÜL i n e 5 1 Bð0qéZ+†E"A.*7pðéyg`€aaêðbz cx ÜI m a g e 5 2
 Bÿh(@ Ä Ä €€€ € €€ € €€ € €€ @€€ @@
 ý€ €@ ý @ @€ ýýý AAA ý ýý ý ýý ý ý ý ýýý €ý ýý€ ý€€ € ý @€ý

ÜL i n e 4 9 Bðð%:n{B%ouf,"-ýf 2ð3`Caaabá ÜL i n e 5 0 BðóÀ?SðŽðš+,
 è-ðyf 2ð3`bðaeðbá ÜL i n e 5 1 Bð0qéZ+†E"A.*7pðéyg`€aaêðbz cx ÜI m a g e 5 2
 Bÿh(@ Ä Ä €€€ € €€ € €€ € €€ @€€ @@
 ý€ €@ ý @ @€ ýýý AAA ý ýý ý ýý ý ý ý ýýý €ý ýý€ ý€€ € ý @€ý

ÜL i n e 4 9 Bðð%:n{B%ouf,"-ýf 2ð3`Caaabá ÜL i n e 5 0 BðóÀ?SðŽðš+,
 è-ðyf 2ð3`bðaeðbá ÜL i n e 5 1 Bð0qéZ+†E"A.*7pðéyg`€aaêðbz cx ÜI m a g e 5 2
 Bÿh(@ Ä Ä €€€ € €€ € €€ € €€ @€€ @@
 ý€ €@ ý @ @€ ýýý AAA ý ýý ý ýý ý ý ý ýýý €ý ýý€ ý€€ € ý @€ý

00000000

@0t-'\$A@0t-'\$A

Blob

0000000000000000

byyy

DirData

0000000000000000

Custom Groups

00000000 yyy

@0t-'\$A@0t-'\$A

Data Access

Pages

0000000000000000

@0t-'\$A@0t-'\$A

0000000000000000

0000000000000000

id"; "email"; "list_id"; "user_

id"; " " 00fil')AöAf"0x91'!pd 203050'a

aÜb'cá æ € žyyy Üe cl t i t l e 0 Y

email êid N0"40'dYdx°6'ýn 0030ah0b&0cú0d"0l Üe cl 1 p0V a l u e L i s t

By0" "user_id"; "User Name"; "Password"; "First_N

ame"; "Last_Name"; "URL"; "Address

2"; "City"; "State"; "zip_code"; "email"; "Phon

e"; "Party_Affiliation"; "Office"; "Age"; "Sex

"; "Income"; "Newsletter"; "Create_Date"; "

00000000p-J-ûÿÿi00pd 203050'h0aE0bú0cá æ € žyyy Üe cl t i t l e 1 Y0U s e r _ I n

f o ê0),x-·zµA,,:QEco)0ýn 0030a

bÁ0c

0dÁ0l Üe cl 2 p0V a l u e L i s t B,"user_id"; "list_id"; "

000f^5EQKI°-æ2š0tgpd 203050'a

aà0b

0cá æ € žyyy Üe cl t i t l e 2 Y0U s e r _ l i s t _ l i n k ê00Qa³Ä-ve°ŠÜÊ0hâ0ýn

0030aú0bè0c0dÁ0l Üe cl 3 p0V a l u e L i s t B."track_id"; "List

_id"; " " 00Yn!0x>"E-óvi0d"7pd 203050'ú0a00b0cá æ € žyyy Üe cl t i t l e 3

Y,M a i l T r a c k i n g _ L i s t _ L i n k ê0A 0ymÁ00°-0{/>Aýn 0030a\$

b00c0d0d0l Üe cl 4 p0V a l u e L i s t Bý0"track_id"; "user_i

d"; "Mail_date"; "First_Name"; "Last_Name"; "T

it le"; "Position"; "design"; "message"; "retur

n_email"; "logo"; "music"; "Number_Headquarte

rs"; "Number_Donate"; "Number_Volunteer"; "Nu

mber_Sendtofriend"; "Number_vote"; "

00-"6Z>ž,IxoIHê0c0d 203050'\$ a00b0cá æ € žyyy Üe cl t i t l e 4 Y0M a i l _ T

r a c k i n g ê00Ê0+ü0'A°g'y0Äiîýn 0030ay0b0i0d0l Üe cl 5 p0V a l u e L i s t

BL"list_id"; "list_name"; "Create_date"; " " 00 Ê:0

a0M;d0b0š^0pd 203050'y0ah0b 0cá æ € žyyy Üe cl t i t l e 5 Y0L i s t ê0=0†

0%/0,,0}9W"i ýn 0030aÁ bç c0d0l Üe cl 6 p0V a l u e L i s t Bý0"vol

unteer_id"; "track_id"; "user_id"; "Join_Date

"; "First_Name"; "Middle_initial"; "Last_Name"

"; "Address1"; "Address2"; "City"; "ZipCode"; "P

hone"; "email"; " 00_>p;aàN"0±K00S0pd 203050'Á a0 b0cá æ €

žyyy Üe cl t i t l e 6 Y0v o l u n t e e r ê00(ý7,,2,A,f>îšý30ýn 0030a0(b00cR0d0l0

Üe cl 7 p0V a l

à0

à0

000

00- " Y 00¥0z0R0,00000f0x0K0\$0÷

0
0
Z
Q

ñÄ0-0r0I00000ç0æ0t0K0#00
i
S
U
&
ú

0

-

0

S

!

yardsign.mdb

```

i0Ã0>0r0A0000à²...0Y0-0ý000~0,0Y030000$000R0$00í0;0v0H000÷0í0>0q0L000ú000×0}0W0.0
000!0{0K0!0í
0000 / 0
ybrichard.bray@sapphire-inc.com- 0 0 00 C0 / 0 ypcbraden@trivnet.com# 0 0 00 B0
/ 0 ypbrian@brianbonnifield.com) 0 0 00 A0 / 0 ypladyfair125@home.com$ 0 0
00 @ 0 / 0 ypcbakken@pausd.paloalto.ca.us, 0 0 00 ?0 / 0 ypmkaranda@aol.com
0 0 00 >0 / 0 ypbbaquino@ferret.slip.net' 0 0 00 =0 / 0
ypthomasa@nuance.com" 0 0 00 <0 / 0 ypdghom@yahoo.com 0 0 00 ;0 / 0
ypmabellai@aol.com 0 0 00 :0 / 0 ypfstan@leland.stanford.edu( 0 0 00 90 / 0
ypevents@cagop.org 0 0 00 80 / 0 ypadmin@wgn.net 0 0 00 70 / 0
yppba-request@ai.sri.com& 0 0 00 60 / 0 yppriag@ctra.org 0 0 00 50 / 0
ypkhueter@pacbell.net# 0 0 00 40 / 0 ypgloria_hom@wvmccd.cc.ca.us* 0 0 00 30 0
0 ypgopher@oakharbor.net$ 0 0 00 20 0 ypmark@herrick.org 0 0 00 10 0
0 ypsHPUBLISHER@aol.com# 0 0 00 00 0 ypcbraden@freecitizen.com' 0 0 00 /0
0 ypsommers@pacbell.net$ 0 0 00 .0 0 ypkesh@electionmall.com% 0 0 00
,0 0 ypscherryj_123@hotmail.com' 0 0 00 +0 0 ypnam237@hotmail.com" 0 0
00 *0 0 ypsokorukerflouse@usa.com' 0 0 00 )0 0
ypdelena.cabral@usop.com( 0 0 00 (0 0 yparcordy@aol.com 0 0 00 '0 0
ybpschwenkler@hotmail.com' 0 0 00 &0 0 ypdantonip@earthlink.net& 0 0 00 %0
0 ypmathesonjustin@hotmail.com* 0 0 00 $0 0 ypdghom@yahoo.com 0 0 00 #0
0 ypnccg2000@excite.com" 0 0 00 "0 0 yprogers@rmrwest.com# 0 0 00 0 0
0 ypmcdowel@seq.org 0 0 00 00 0 ybjonsloane@yahoo.com# 0 0 00 00 0
ypfdelima@mcnallytemple.com) 0 0 00 00 0 ypslobue@na.cokecce.com% 0 0 00
0 yphgreen@susd.k12.ca.us% 0 0 00 00 0 ypsbrooks@susd.k12.ca.us& 0 0
00 00 0 ypAmie.Newmark@deluxe.com' 0 0 00 00 0
ypstemores@na.cokecce.com' 0 0 00 00 0 ypcampsheppard@integrityol.com, 0 0 00
00 0 ypschwankmonster@hotmail.com* 0 0 00 00 0 yptfurukaw@cisco.com" 0
0 00 00 0 ypbCVABeach@aol.com! 0 0 00 00 0 yppoliticsJS@aol.com" 0 0
00 00 0 ypsachendra@wearethesolution.com. 0 0 00 00 0
ypsachin@wearethesolution.com+ 0 0 00
0 ypsachendra@hotmail.com% 0 0 00 00 0 ypsachendram22@yahoo.com& 0 0
00
0 ybjearl@truserv.com! 0 0 00 æ0 0 ybaruneshc@cs.com 0 0 00 å0 0
0 ybakshay_jb@hotmail.com% 0 0 00 ö0 4 ypbansal_rajat@hotmail.com( 0 0 00
0 ybakbarreham@home.com# 0 0 00 ý0 0 yprakeshpa@home.com! 0 0 00 ú0
0 yprakeshpa@home.com! 0 0 00 ù0 0 ypkesh@electionmall.com% 0 0 00 ú0
0 ypkeshjunk@home.com! 0 0 00 ù0 0 ypkeshjunk@home.com! 0 0 00 ö0 0
0 ypkp1108@hotmail.com" 0 0 00 ò0 0 ypkeshjunk@home.com! 0 0 00 É0 0
ypskillyvu@hotmail.com$ 0 0 00 É0 $ ybjennifermedler@yahoo.com( 0 0 00 É0 9
0 yplorileach3@aol.com" 0 0 00 È0 " ypgirlinhath@yahoo.com# 0 0 00 Ç0 C
0 yptkeefe2@excite.com" 0 0 00 Æ0 0 yblydonm@aol.com 0 0 00 Å0 0
ypbillychoso@hotmail.com& 0 0 00 Å0 0 ybfrankpensa@hotmail.com& 0 0 00 Å0 0

ypsachin@wearethesolution.com+ 0 0 00 Å0 0
ypjessepiceno@hotmail.com' 0 0 00 %0 0 ypbbrilloazul@aol.com" 0 0 00 %0 9
0 ybjpowers001@email.msn.com( 0 0 00 »0 M ybjoeeweiss@usa.net 0 0 00 °0
0 ypbiglardo@aol.com 0 0 00 '0 0 yppatrickdennehy@aol.com& 0 0 00 ,0 C
0 ypthohn@willex.com 0 0 00 •0 0
ypnathan@us.matranet.com& 0 0 00 ¶0 0
ypjoshuapollock@cs.com$ 0 0 00 µ0 0
ybrandol@us.matranet.com& 0 0 00 '0 0
ypjohn.downey@us.matranet.com+ 0 0 00 ³0 0
ypjmason@redshift.com# 0 0 00 ©0 0 ybtp0803@home.com 0 0 00 00 0
ypcahohn@excite.com! 0 0 00 00 0 ypsachendra@excite.com$ 0 0 00 00 0
ypsachendram22@yahoo.com& 0 0 00
0 0 ypchrismatthews@msnbc.com' 0 0 0000 " X Ó0²0000V0.0000P0²0<0\000000

```

{
K

ô0»000W0-000ô0f0~0W000000

f
a

5

0

È ÿ t A 0
 c0%0"0i0A0000è0À0"0i0;000ç0;0-0^030000æ0%0"0k070000à0±0f0a0900000°0|0S0)000x0³0#0`08000
 i0%0000[0(0÷ È 0 00 B 0 ÿpkrisbaines@hotmail.com& 0 00 0 B 0
 ÿpkatyb@uclink4.berkeley.edu* 0 00 00 ÿ B 0 ÿpkatyb@boalhall.berkeley.edu, 0 0
 00 p0 B 0 ÿbjackaxtman@worldnet.att.net+ 0 00 00 ÿ B 0
 ÿb75451.2403@compuserve.com) 0 00 00 ù B 0 ÿbautumnronda@earthlink.net) 0 00 00
 ù B 0 ÿbTedArm@aol.com 0 00 00 ù B 0 ÿbMraring@aol.com 0 00 00 ù B 0
 ÿbRitchComm@aol.com! 0 00 00 0 B 0 ÿbPalmassy@aol.com 0 00 00 ÷ B 0
 ÿbSheila.ali@clorox.com% 0 00 00 0 B 0 ÿbbaibby@jps.net 0 00 00 0 B 0
 ÿbmahr@1stblackhawk.com% 0 00 00 0 B 0 ÿbsuerca@aol.com 0 00 00 0 B 0
 ÿbkladams@2xtreme.net# 0 00 00 0 B 0 ÿbRicharde37@aol.com" 0 00 00 ñ C 0
 ÿbntroad@northfieldtownship.com- 0 00 00 0 9 0 ÿbgoslin@netpad.com! 0 00 00 i0
 N 0 ÿbimtoomuch32@aol.com# 0 00 00 i0 M 0
 ÿbclarkej@housegopmail.state.il.us0 0 00 00 i0 M 0 ÿbmattccrcc@aol.com! 0 00 00
 i0 9 0 ÿbinfo@ilgop.org 0 00 00 è C 0 ÿbPTrombley@dantis.com\$ 0 00 00 è
 > 0 ÿbRep.Goode@mail.house.gov(0 00 00 è > 0 ÿbbernie@mail.house.gov% 0 0
 00 è 9 0 ÿbcrt719@megsinnet.net\$ 0 00 00 ç 9 0
 ÿbmartha.roman@piperrudnick.com- 0 00 00 æ C 0 ÿbpgroeck@hewitt.com" 0 00 00 à
 9 0 ÿbmargewoof@aol.com! 0 00 00 ä M 0 ÿbmatt.marten@rrd.com# 0 00 00 ä 9
 0 ÿblydonm@aol.com 0 00 00 ä 9 0 ÿbjljohms21@msn.com! 0 00 00 ä 9 0
 ÿbjglassgo@winston.com\$ 0 00 00 0 M 0 ÿbkathy.gallanis.hx91@statefarm.com1 0 0
 00 p0 C 0 ÿbprcntfiend@aol.com" 0 00 00 Y C 0 ÿbmic1962@yahoo.com! 0 00 00
 00 C 0 ÿbrchew@cookcntyclerk.com' 0 00 00 0 9 0 ÿbblk@wmbclair.com 0 00 00
 00 9 0 ÿbkgehl@cityofchicago.org' 0 00 00 0 9 0 ÿbrcrokin@pseudo.com" 0 0
 00 00 9 0 ÿbaagarwal@mayerbrown.com' 0 00 00 0 C 0 ÿbslkelsey3@aol.com! 0
 00 00 9 0 ÿblsimonelic@cbrichardellis.com- 0 00 00 0 9 0
 ÿbpharle@aol.com 0 00 00 0 9 0 ÿbjmcg3@hotmail.com! 0 00 00 0 9 0
 ÿbjduggan@dcsgroup.com\$ 0 00 00 Ñ 9 0 ÿbjimjarrard@msn.com" 0 00 00 0 9 0
 ÿbkathy@goponline.net# 0 00 00 i0 C 0 ÿbrcairo@ebrainsinc.com% 0 00 00 i0 9 0
 ÿbinformation@catsmpo.com' 0 00 00 i0 C 0 ÿbpublicansai@mindspring.com, 0 0
 00 i0 9 0 ÿbjohn.h.idler@abs.com\$ 0 00 00 è C 0 ÿbsdeveaux@cagop.org" 0 0
 00 è 9 0 ÿbjackson@conservative-party.org.uk2 0 00 00 è 9 0
 ÿbjfogarty@pretzel-stouffer.com- 0 00 00 è 9 0 ÿbkhrent@kentlaw.edu" 0 00 00 ç
 M 0 ÿbdanders@kentlaw.edu# 0 00 00 Å 9 0 ÿbkthomas@evensendodge.com(0 00 00
 Å 9 0 ÿbjbbaits22@aol.com 0 00 00 Å C 0 ÿbryan@keynet.net 0 00 00 Å M
 0 ÿbddeyoung@allianceai.org' 0 00 00 Å M 0 ÿblourdesgm@cs.com 0 00 00 Å C
 0 ÿbr.wallace@hotmail.com% 0 00 00 ç C 0 ÿbvalcarce@uswest.net# 0 00 00 % M
 0 ÿbjmtirsh@aol.com 0 00 00 % 9 0 ÿbgigmedia@email.msn.com& 0 00 00 % 9
 0 ÿbcskelton@ameritech.net& 0 00 00 » M 0 ÿbjsimonian@co.lake.il.us' 0 00 00
 ° 9 0 ÿbkdorfl02@cs.com 0 00 00 ' C 0 ÿbrumseyrich@aol.com" 0 00 00 0 9
 0 ÿbkrosel@aol.com 0 00 00 • C 0 ÿbrudypamintuan@aol.com% 0 00 00 ¶ C 0
 ÿbmash1234@hotmail.com% 0 00 00 ' M 0 ÿbjohn.s.maxon@ucm.com\$ 0 00 00 ° 9
 0 ÿbkopft@marvelgroup.cam% 0 00 00 ° 9 0 ÿbmargaret.johnson@worldnet.att.net1
 0 00 00 ± 9 0 ÿbmfarina@cancer.org" 0 00 00 ° 9 0 ÿbshkhead@aol.com 0 0
 00 -0 8 0 ÿbPaul_B_Payne@ml.com# 0 00 00 -0 7 0
 ÿbJkilgallon@pclient.ml.com) 0 00 00 « 6 0 ÿbchristopher.cox@mail.house.gov. 0
 00 00 ° 6 0 ÿbprep.jcwatts@mail.house.gov* 0 00 00 0 6 0
 ÿbtx22@legislators.com\$ 0 00 00 ° 6 0 ÿbtx26@legislators.com\$ 0 00 00 \$ 6 0
 ÿbdhastert@mail.house.gov' 0 00 00 | 0 0 ÿbsupervisor@willsborony.com* 0 00 00
 ¥ (0 ÿbhomforsenate@yahoo.com& 0 00 00 ¤ 4 0 ÿbbillychoso@hotmail.com& 0
 0 00 £ 4 0 ÿbranijasbir@aol.com" 0 00 0000 " Y 00±0,0T0,000Ñ0°0}0I0%0ö

i

t

M

i

60È0-0m0>000è0ç000f0<000ç

ç

h

h

?

0 1 % Z *
 u0i0Y0p0I0!000f0s0A00000%0k0<00000A0\$0u0L0\$0u0i0Y0{0R0-00000-0y0P0(0
 0i0f0u0P0)0u0000a0|0M0000 0 Z0 B 0
 ypbhn@uclink4.berkeley.edu(0 0 00 Y0 B 0 ypnancy_tognela@yahoo.com' 0 0 00
 x0 B 0 ybjoel.eddy@netivation.com(0 0 00 W0 B 0
 ybmaryjeanduran@yahoo.com' 0 0 00 V0 B 0 ybHerrDrummer@aol.com# 0 0 00 U0 B
 0 ypbardoy@aol.com 0 0 00 T0 B 0 ybBrian.Dowling@safeway.com 0 0 00 S0 B
 0 ypdooher1@llnl.gov 0 0 00 R0 B 0 ybrondmr@aol.com 0 0 00 Q0 B 0
 ybjulie_dobie@hotmail.com' 0 0 00 P0 B 0 yblcdober@pacbell.net# 0 0 00 O0 B
 0 ypanthony_dipietra@hotmail.com, 0 0 00 N0 B 0 yplinda2730@aol.com! 0 0 00
 M0 B 0 ybdanad@pacbell.net! 0 0 00 L0 B 0 ypsdeveaux@cagop.org" 0 0 00 K0
 B 0 yptim_devane@mail.northgrum.com- 0 0 00 J0 B 0 ypdessayer@pacbell.net\$
 0 0 00 I0 B 0 ypscott.denny@sen.ca.gov& 0 0 00 H0 B 0 ybLADemaria@aol.com!
 0 0 00 G0 B 0 ybAMDB32@aol.com 0 0 00 F0 B 0 ybdayton@abc-ggc.org" 0 0 00
 E0 B 0 ypcasting@pacbell.net# 0 0 00 D0 B 0 ypd7algers@aol.com 0 0 00 C0
 B 0 ybpandjcyril@access1.net& 0 0 00 B0 B 0 ybjcunneen@cunneen.com\$ 0 0 00
 A0 B 0 ypbhscullum@aol.com! 0 0 00 @0 B 0 ypzosojp@hotmail.com" 0 0 00 ?0
 B 0 ybjcronk@aol.com 0 0 00 >0 B 0 ybconkoman@pacbell.net\$ 0 0 00 =0 B
 0 ybTedCon@home.com 0 0 00 <0 B 0 ybcommerford@juno.com# 0 0 00 ;0 B 0
 ybHdfiesta@aol.com 0 0 00 :0 B 0 ybdoug.collier@bigfoot.com(0 0 00 90 B 0
 ybclint_c@pacbell.net# 0 0 00 80 B 0 ybcoleman@ebmud.com! 0 0 00 70 B 0
 ybccb1700@aol.com 0 0 00 60 B 0 ybjcleveland@cleveland-group.com. 0 0 00 50 B
 0 ybclarkson@ccnet.com" 0 0 00 40 B 0 ybjclark@baysidefinancial.com+ 0 0 00
 30 B 0 ybdonald.clark@bodywise.net) 0 0 00 20 B 0 ybKKchohan@aol.com 0 0
 00 10 B 0 ybcynthia.chin@asm.ca.gov' 0 0 00 00 B 0 ybcbchell@pacbell.net" 0
 0 00 /0 B 0 ypbchapman@best.com! 0 0 00 .0 B 0 ybgopbetty@aol.com 0 0 00
 -0 B 0 ypbchamber@walnut-creek.com(0 0 00 ,0 B 0
 ybpsimpson@chasecellars.com) 0 0 00 +0 B 0 ypdcasper@opticemail.net% 0 0 00 *0
 B 0 ybpncasari@srvusd.k12.ca.us(0 0 00)0 B 0 ypbenc@uclink4.berkeley.edu)
 0 0 00 (0 - B 0 ybdtcannoy@gs-warriors.com(0 0 00 '0 B 0
 ybtcampbell@campbell.org& 0 0 00 &0 B 0 ybPerry_Calos@compuserve.com* 0 0 00 %0
 B 0 ybjbyun@mail.sas.upenn.edu(0 0 00 \$0 B 0 ybLBusboom@flash.net" 0 0 00
 #0 B 0 ybminparking@aol.com" 0 0 00 "0 B 0 ybmurge@earthlink.net\$ 0 0 00
 !0 B 0 ybBRUZZONE@PRIMENET.COM% 0 0 00 00 B 0 ybpbkbrumleve@aol.com! 0 0 00
 00 B 0 ybkevinlb3@home.com! 0 0 00 00 B 0 ybchattonbrown@value.net& 0 0 00
 00 B 0 ybjohn_brown@amat.com# 0 0 00 00 B 0 ybalphapirat@aol.com" 0 0 00
 00 B 0 ybken@nationalcartridge.com) 0 0 00 00 B 0 ybjustinb@tracetec.com\$
 0 0 00 00 B 0 ybbrewer@sanramon.org# 0 0 00 00 B 0 ybpbbradshaw@home.com#
 0 0 00 00 B 0 ybstephanie@lbanetwork.com(0 0 00 00 B 0
 ybleob@lbanetwork.com# 0 0 00 00 B 0 ybvictory@lakeforcongress.org, 0 0 00 00
 B 0 ybablake6221@aol.com" 0 0 00 00 B 0 ybDBingham@uclink4.berkeley.edu- 0
 0 00 00 B 0 ybckb@pacbell.net 0 0 00 00 B 0 ybawipres@juno.com 0 0 00 00
 B 0 ypbmbenton76@earthlink.net' 0 0 00 00 B 0 ypbmbenton@earthlink.net% 0 0
 00 00 B 0 ybGEBellows@aol.com! 0 0 00 00
 0 B 0 ybmatthew_G_Bell@yahoo.com(0 0 00 00 B 0 ybjbell@jps.net 0 0 00 00
 B 0 ybprogerb@argoinsurancegroup.com- 0 0 00
 0 B 0 ybbeerlin@ix.netcom.com& 0 0 00 00 B 0 ybDBax1776@aol.com 0 0
 00 00 B 0 ybcbattle@claudehutchison.com+ 0 0 00 00 B 0
 ybcbattle@tansys.net" 0 0 00 00 B 0 ybOmaBartke@aol.com! 0 0 00 00 B 0
 ybcharles@charlesball.org' 0 0 00 00 B 0 ybtodd.baker@gecapital.com(0 0 00 00
 B 0 ypbake07@aol.com 0 0 00 00 B 0 ybCLARKBAKER@home.com# 0 0 00 00 * "

x A0`0d0=00000000}0M0'0y
 0
 i
 u
 N
 &
 00i000~000)0÷0i0Y0u0A0000ä
 »
 ,
 i
 A

÷00°^d08000ã»00e0>000ê0Aš0q0K000ô0Aš0r0L0"0ú0Ä0 0z0T0,0 0à0 000`010
 000 050^0/000x0-0r0A0000 É 0 m0 B 0 ybcwoo@allcovered.com# 0 0 00 10 B
 0 yborindarwc@att.net! 0 0 00 k0 B 0 yptwisse@home.com 0 0 00 j0 B 0
 ypscott.wilson@senate.ca.gov* 0 0 00 i0 B 0
 ypharleston.a.wilson@bankofamerica.com4 0 0 00 h0 B 0 ypdwills@gate.ecc.net# 0
 0 00 g0 B 0 ypdavid_dew_williams@msn.com* 0 0 00 f0 B 0 ypcpacyndi@aol.com
 0 0 00 e0 B 0 yplWestine@technetwork.org(0 0 00 d0 B 0
 ypalabama_kim@yahoo.com% 0 0 00 c0 B 0 yphwelm@home.com 0 0 00 b0 B 0
 ypbeweir@weircapital.com% 0 0 00 a0 B 0 ypmessagewebb@hotmail.com' 0 0 00 0 B
 0 ypbjabweaver@aol.com! 0 0 00 _0 B 0 ypbucwevr@worldnet.att.net(0 0 00 ^0
 B 0 yptjwalinski@mindspring.com) 0 0 00]0 B 0 ypbwalden156@aol.com! 0 0 00
 \0 B 0 ypbwrwalcutt@aol.com! 0 0 00 [0 B 0 ypbgeobethewc@aol.com" 0 0 00 Z0
 B 0 ypbRV95@aol.com 0 0 00 Y0 B 0 yptomvargas@aol.com! 0 0 00 X0 B 0
 yptomvanv@aol.com 0 0 00 W0 B 0 yptomivdb@aol.com 0 0 00 V0 B 0
 ypkylev@idt.net 0 0 00 U0 B 0 ypgayle@bos.co.contra-costa.ca.us/ 0 0 00 T0 B
 0 ypbobiudo@excite.com! 0 0 00 S0 B 0 ypbudinsky@udinsky.com# 0 0 00 Q0 B 0
 yptitus@value.net 0 0 00 P0 B 0 yprJTITMA@phjw.com! 0 0 00 O0 B 0
 ypbdtalamo@pacbell.net\$ 0 0 00 N0 B 0 ypbtheroux@independent.org(0 0 00 L0 B
 0 ypbmtarkoff@aol.com 0 0 00 K0 B 0 ypbexcelgrafix@earthlink.net) 0 0 00 J0
 B 0 ypbpstupak@aol.com 0 0 00 I0 B 0 ypbdmstumph@yahoo.com" 0 0 00 H0 B 0
 ypbstrawn@ricochet.net\$ 0 0 00 G0 B 0 ypbjim@bsclaw.com 0 0 00 F0 B 0
 ybstrapac@mindspring.com& 0 0 00 E0 B 0 ypbsestrapac@cs.com 0 0 00 D0 B 0
 yplisa@jstokes.com 0 0 00 C0 B 0 ypbinfo@jstokes.com 0 0 00 B0 B 0
 ypbkstoddard@earthlink.net(0 0 00 A0 B 0 ypbkentstew@aol.com! 0 0 00 @0 B 0
 ypbcalgeneral@aol.com" 0 0 00 ?0 B 0 ypbfulcrum21@hotmail.com% 0 0 00 >0 B 0
 ypbinfomom@earthlink.net% 0 0 00 =0 B 0
 yplTC_Stanley_Smith@hcssaln1.hcssa.amedd.army.mil? 0 0 00 <0 B 0
 ypbquichecat@aol.com! 0 0 00 ;0 B 0 ypbkevgop@msn.com 0 0 00 :0 B 0
 ypbjds1024@netvista.net\$ 0 0 00 90 B 0 ypbsskaggs@mdbe.com 0 0 00 80 B 0
 ypbzarof@golf@aol.com" 0 0 00 70 B 0 ypbregent@dnai.com 0 0 00 60 B 0
 ypbasilva@OASYSnetworks.com(0 0 00 50 B 0 ypbMJSHEP@aol.com 0 0 00 40 B 0
 ypbSharpvet@aol.com 0 0 00 30 B 0 ypbMeridianAssociates@prodigy.net. 0 0 00 20
 B 0 ypbFundriver@prodigy.net% 0 0 00 10 B 0 ypbseina@seina.com 0 0 00 00 B
 0 ypbduckling13@yahoo.com\$ 0 0 00 /0 B 0 ypbshirlee@scribnermedia.com) 0 0 00
 .0 B 0 ypbprob@schroderinsurance.com) 0 0 00 -0 B 0 ypbresearch@netwiz.net# 0
 0 00 ,0 B 0 ypbdanschnr@ix.netcom.com& 0 0 00 +0 B 0
 ypbdan.schnur@mindspring.com) 0 0 00 *0 B 0 ypbbschneil@ix.netcom.com& 0 0 00)0
 B 0 ypbjschmidt@ipsaintl.com% 0 0 00 (0 B 0 ypbshmickerw@pegasusgroup.net+ 0
 0 00 '0 B 0 ypbjscalia@cdhkk.com! 0 0 00 &0 B 0 ypbTAHOERULE@AOL.COM! 0 0 00
 %0 B 0 ypbLinclub@aol.com 0 0 00 \$0 B 0 ypbtricial9jb@aol.com" 0 0 00 #0
 B 0 ypbduck@rubottom.com! 0 0 00 !0 B 0 ypbjbr123@silcon.com! 0 0 00 0 B
 0 ypbperinjr@ix.netcom.com\$ 0 0 00 00 B 0 ypbocr@OCF.Berkeley.EDU\$ 0 0 00 00 B
 0 ypbderrei@safeco.com! 0 0 00 00 B 0 ypbpreilly@uclink4.berkeley.edu, 0 0 00
 00 B 0 ypbreece@community.net# 0 0 00 00 B 0 ypbperathbun@pacbell.net\$ 0 0 00
 00 B 0 ypbjrcattle@aol.com! 0 0 00 00 B 0 ypbobtanny@aol.com 0 0 00 00 B
 0 ypbshantal405@aol.com" 0 0 00 00 B 0 ypbamirez@cogit.com! 0 0 00 00 B 0
 ypbEJRealtor@aol.com! 0 0 00 00 B 0 ypbseantor.rainey@senate.ca.gov, 0 0 00 00
 B 0 ypbginar@heart.org 0 0 00 00 B 0 ypbjpixton@abanet.org" 0 0 00 00 B 0
 ypbdebpts@worldnet.att.net) 0 0 00 00 B 0 ypbdenmaxpierson@home.com& 0 0 00
 00 B 0 ypbplantdis@sf.znet.com\$ 0 0 0000 " T x0°0|0P0'000I0f0z0F000ë

[illegible]

İ
f
v
F
0
ë'1†0[0000000-0,,0L0!0ô
ç
q

÷Ä™g< ¢ª~S(ù

V
?
0
æ 1 Y (0z0J000i0Ä0-010A000æ0»0<0]0*0ÿ0i000r0G000ç0,000b0/000ÿ0²0
ÿ0N0!0{0K000é0%0"000^030000Ü0-0z0J000i0Ä0-010A000æ0»0<0]0*0ÿ0i000r0G000ç0,000b0/000ÿ0²0
%0e0>000i É 0 00 K 0 ÿpdrquaid@gwi.net 0 0 00 00 K 0
ÿpcnolan@mm1k.com 0 0 00 00 K 0 ÿpsales@integram.com" 0 0 00 00 K 0
ÿpaapcmail@aol.com 0 0 00 00 K 0 ÿpalocke@ccq.com 0 0 00 00 L 0
ÿpjcoats@tribune.com" 0 0 00 00 L 0 ÿptribtech@tribune.com\$ 0 0 00 00 K 0
ÿpcorn@gwu.ede.0 0 00 00 ; 0 ÿptalk2jay@mail.house.gov' 0 0 00 00 ; 0
ÿpasa.hutchinson@mail.house.gov, 0 0 00 00 ; 0 ÿpaz06@legislators.com\$ 0 0 00 00
; 0 ÿpaz05@legislators.com\$ 0 0 00
; 0 ÿbj.shadegg@mail.house.gov(0 0 00 00 ; 0
ÿpmatt.salmon@mail.house.gov* 0 0 00 00 ; 0 ÿpdon.young@mail.house.gov(0 0 00
0 ; 0 ÿpal06@legislators.com\$ 0 0 00 00 ; 0 ÿpal04@legislators.com\$ 0
0 00 00 ; 0 ÿpbob.riley@mail.house.gov(0 0 00 00 ; 0
ÿpterry.everett@mail.house.gov, 0 0 00 00 ; 0 ÿpal01@legislators.com\$ 0 0 00 00
; 0 ÿpbarbara.cubin@mail.house.gov, 0 0 00 00 ; 0
ÿpsensen09@mail.house.gov' 0 0 00 00 ; 0 ÿpmark.green@mail.house.gov) 0-0 00 00
; 0 ÿpwio6@legislators.com\$ 0 0 00 00 ; 0 ÿpwio1@legislators.com\$ 0 0 00
0 ; 0 ÿbjim.demint@mail.house.gov) 0 0 00 00 ÿ ; 0 ÿpsc03@legislators.com\$ 0
0 00 00 ; 0 ÿpsc02@legislators.com\$ 0 0 00 00 ÿ ; 0
ÿpsanford@mail.house.gov& 0 0 00 00 ; 0 ÿppa21@legislators.com\$ 0 0 00 00 ð ;
0 ÿppa19@legislators.com\$ 0 0 00 00 ð ; 0 ÿpgwgwebsite@mail.house.gov) 0 0 00
0 ; 0 ÿppitts.PA16@mail.house.gov) 0 0 00 00 ; 0
ÿpRep.Toomey.pa15@mail.house.gov. 0 0 00 ÷0 ; 0 ÿppa10@legislators.com\$ 0 0 00
00 ; 0 ÿppa08@legislators.com\$ 0 0 00 00 ; 0 ÿpcurtpa07@mail.house.gov' 0
0 00 00 ; 0 ÿppa05@legislators.com\$ 0 0 00 00 00 ; 0
ÿpgreg.walden@mail.house.gov* 0 0 00 00 ; 0 ÿpreplucas@mail.house.gov' 0 0 00
0 ; 0 ÿpistook@mail.house.gov% 0 0 00 00 00 ; 0
ÿprep.jcwatts@mail.house.gov* 0 0 00 i0 ; 0 ÿpwes.watkins@mail.house.gov* 0 0
00 i0 ; 0 ÿprep.coburn@mail.house.gov) 0 0 00 i0 ; 0
ÿbok01@legislators.com\$ 0 0 00 i0 ; 0 ÿboh19@legislators.com\$ 0 0 00 é0 ; 0
ÿpbobney@mail.house.gov% 0 0 00 é0 ; 0 ÿboh16@legislators.com\$ 0 0 00 é0 ;
ç 0 ÿppryce.oh15@legislators.com* 0 0 00 è0 ; 0 ÿboh12@legislators.com\$ 0 0 00
0 ; 0 ÿbjohn.boehner@mail.house.gov+ 0 0 00 æ0 ; 0
ÿpmike.oxley@mail.house.gov) 0 0 00 ä0 ; 0 ÿpportmail@mail.house.gov' 0 0 00 ä0
; 0 ÿboh01@legislators.com\$ 0 0 00 ä0 ; 0
ÿpRepCharles.Taylor@mail.house.gov0 0 00 ä0 ; 0 ÿpmyrick@mail.house.gov% 0 0 00
ÿpcass.ballenger@mail.house.gov- 0 0 00 ä0 ; 0
ä0 ; 0 ÿpnc08@legislators.com\$ 0 0 00 ß0 ; 0
ÿphoward.coble@mail.house.gov+ 0 0 00 þ0 ; 0 ÿpdunnwa08@mail.house.gov' 0 0 00
ÿ0 ; 0 ÿpwa05@legislators.com\$ 0 0 00 Ü0 ; 0 ÿpwa04@legislators.com\$ 0 0
00 Ü0 ; 0 ÿpwa02@legislators.com\$ 0 0 00 Ü0 ; 0
ÿptom.davis@mail.house.gov(0 0 00 Ü0 ; 0 ÿpva10@legislators.com\$ 0 0 00 00 ;
0 ÿptom.bliley@mail.house.gov) 0 0 00 x0 ; 0 ÿpva06@legislators.com\$ 0 0 00
00 ; 0 ÿpva01@legislators.com\$ 0 0 00 00 ; 0 ÿpcannon.ut03@mail.house.gov*
0 0 00 00 ; 0 ÿput02@legislators.com\$ 0 0 00 00 ; 0
ÿput01@legislators.com\$ 0 0 00 00 ; 0 ÿptx26@legislators.com\$ 0 0 00 Ñ0 ; 0
ÿptx23@legislators.com\$ 0 0 00 00 ; 0 ÿptx22@legislators.com\$ 0 0 00 i0 ; 0
ÿptx21@legislators.com\$ 0 0 00 i0 ; 0 ÿptx19@legislators.com\$ 0 0 00 i0 ;
0 ÿprep.paul@mail.house.gov' 0 0 00 i0 ; 0 ÿptx13@legislators.com\$ 0 0 00 É0
; 0 ÿptx12@legislators.com\$ 0 0 00 É0 ; 0 ÿprep.brady@mail.house.gov(0 0
00 É0 ; 0 ÿptx07@legislators.com\$ 0 0 00 É0 ; 0 ÿppetes@mail.house.gov\$ 0
0 00 ç0 ; 0 ÿptn07@legislators.com\$ 0 0 00 Å0 ; 0 ÿptn04@legislators.com\$
0 0 00 Å0 ; 0 ÿptn03@legislators.com\$ 0 0 00 Å0 ; 0
ÿptn02@legislators.com\$ 0 0 00 Å0 ; 0 ÿptn01@legislators.com\$ 0 0 000("
[x00000Q0'0ü0N000€0R0+0000
a
}
M

00A0ç0y0C000i0ç0æ0v0I0000ô

I
i
Z
P

b ô - 0 X & N0«0...0]050000ä0%0000^000
 0x0-0...000!0÷0E0 0r0L0"000i0"0z0U0.000Ü0-0,,0U0.000x0u0ž0^090000ä0.000e0>000i
 0 w0 L 0 ypskloehn@tribune.com# 0 0 00 v0 L 0
 ybpwpfaff@easynet.fr! 0 0 00 u0 L 0 ypericzorn@aol.com 0 0 00 t0 L 0
 ybds1@dlstrategies.com# 0 0 00 s0 L 0 ybstbiz@suntimes.com" 0 0 00 r0 L 0
 yphoaglandj@washpost.com& 0 0 00 q0 L 0 ypcomment@tribune.com# 0 0 00 p0 L 0
 ypsalim4x@tribune.com# 0 0 00 o0 L 0 ypspikeo@aol.com 0 0 00 n0 L 0
 yp70277.2502@compuserve.com) 0 0 00 l0 L 0 ybjmarvin@well.com 0 0 00 k0 L 0
 ybatc@npr.org 0 0 00 j0 L 0 ybafreeman@interaccess.com(0 0 00 i0 L 0
 ybafreeman3@aol.com! 0 0 00 h0 L 0 ybabcradio@aol.com 0 0 00 g0 L 0
 ypchronicle@mail.colum.edu(0 0 00 f0 L 0 ypchronicle@nwu.edu! 0 0 00 e0 L 0
 ybezotti@merle.acns.nwu.edu) 0 0 00 d0 L 0 ypplayfish@aol.com 0 0 00 c0 C
 0 ybamer@kusperraucci.com\$ 0 0 00 b0 C 0 yb11plomar@aol.com 0 0 00 a0 C 0
 ybpsidg1@aol.com 0 0 00 0 C 0 ybfhc9@corboydemetrio.com' 0 0 00 _0 € 0
 ypkurtmika@aol.com 0 0 00 ^0 C 0 ypuibush@hotmail.com" 0 0 00]0 L 0
 ybsavage@suntimes.com# 0 0 00 \0 L 0 ybandy@world.std.com# 0 0 00 [0 L 0
 ypinc@tribune.com 0 0 00 z0 L 0 ypbctc-COMMENT@tribune.com' 0 0 00 Y0 L 0
 ypschapman@tribune.com\$ 0 0 00 X0 L 0 ypdgreising@tribune.com% 0 0 00 W0 C 0
 ybprepmulligan@usa.net# 0 0 00 V0 C 0 ybdeadhead2112@excite.com' 0 0 00 U0 C
 0 ybmikeandkristininchicago@att.net/ 0 0 00 T0 M 0 ybadmin@lauzen.com 0 0
 00 S0 C 0 ypsmd1885@eathlink.net\$ 0 0 00 R0 M 0
 ybmichaelcoddington@email.msn+ 0 0 00 Q0 C 0 ypd.chang@wcom.com 0 0 00 P0 C
 0 ypcwc@aristotleonline.com' 0 0 00 0 C 0 yptmiles@bigelow-company.com* 0 0
 00 NO : 0 ybguamtodc@mail.house.gov' 0 0 00 M0 L 0 ybmitch221@aol.com 0 0
 00 LO L 0 ybletters@chireader.com% 0 0 00 K0 L 0 ypcbjcc@aol.com 0 0 00
 -j0 L 0 - yphowistern@aol.com! 0 0 00 I0 L 0 ybwgneditor@aol.com! 0 0 00 H0
 L 0 ypbwbbmch2@aol.com 0 0 00 G0 L 0 ypc1tvtip@aol.com 0 0 00 F0 L 0
 ypdaily@merle.acns.nwu.edu(0 0 00 D0 L 0 ypcedwards@ap.org 0 0 00 C0 L 0
 ybao1594@unseen2.acns.nwu.edu+ 0 0 00 B0 L 0 ybjoelkening@aol.com" 0 0 00 A0 L
 0 ybjschmid@suntimes.com\$ 0 0 00 @0 L 0 ypnseinb748@aol.com! 0 0 00 ?0 L
 0 ybholton@suntimes.com# 0 0 00 >0 L 0 ypsduke@suntimes.com" 0 0 00 =0 L 0
 ybmetro@suntimes.com" 0 0 00 <0 L 0 ypbbyrne@suntimes.com# 0 0 00 ;0 L 0
 ybdoktawho@aol.com 0 0 00 :0 L 0 ypppustelnik@tribune.com& 0 0 00 90 L 0
 ybprintme@aol.com 0 0 00 80 L 0 ypcmadigan@tribune.com\$ 0 0 00 70 L 0
 ybd1ittle@tribune.com# 0 0 00 60 L 0 ybshenderson@tribune.com& 0 0 00 50 L 0
 ybjlgriff@aol.com 0 0 00 40 L 0 ybadevigal@tribune.com\$ 0 0 00 30 L 0
 ypbrowndog8@aol.com! 0 0 00 20 L 0 ybebittner@tribune.com\$ 0 0 00 10 K 0
 ypcvaroga@ix.net.com" 0 0 00 /0 K 0 yppoliticaloffice@westernwats.com/ 0 0 00
 .0 K 0 ybadam@probofsky.com" 0 0 00 -0 K 0 yppell@gte.net 0 0 00 ,0 K
 0 yppresident@themeridiangroup.net./ 0 0 00 +0 K 0 yprkcompany@aol.com! 0 0
 00 *0 K 0 ybmagnacom@mnsino.com# 0 0 00)0 K 0
 ybrsavage@richmond.infi.net) 0 0 00 (0 K 0 yptzazio@camuargrams.com& 0 0 00 '0
 K 0 ybaelar@americomdm.com% 0 0 00 &0 K 0 yblarrynash@compuserv.com' 0 0
 00 %0 K 0 ybmai@geovoter.com 0 0 00 \$0 K 0 ybinfo@gnossos.com 0 0 00 #0
 K 0 ybgspm@gwis.cric.gwu.edy.' 0 0 00 "0 K 0 ybccps@american.edu." 0 0 00
 !0 K 0 ypb1iss@vakron.edu! 0 0 00 0 K 0 ybdamcyer@voicenat.com\$ 0 0 00
 00 K 0 ybhhogan@earthlink.net\$ 0 0 00 0 K 0 ypsales@vidiolabs.net# 0 0 00
 00 K 0 ybpartytype@worldnet.att.net' 0 0 00 0 K 0 ybpreidgold@netaxs.com# 0 0
 00 00 K 0 ybinfo@campaignoffice.com' 0 0 00 0 K 0 ybatodd@electinc.com" 0
 0 0000 " Y 00x0~0Y050000é0"0S0_000000

a
r
E
0
ë0Ä0š0k0C000é0%0'0g0<000ä
µ
€
Z

n
 A
 3
 W
 *
 ýËËj;qqF000000A0'0k0C0000i0%0"0f0500000\$0|000"000A0-0k0C000000%0000h0=0000â0,0<0Z0-0ý0i0
 i0t0G0000ë
 ýbjignashal@yahoo.com# 0 0 00 Å V (ýppriyanka_tomar@mailcity.com+ 0 0 00 Å
 V (ýpkunwar_pal@hotmail.com& 0 0 00 Å V (ýpshripalsingh@yahoo.com&
 0 0 00 Å V (ýpsavina04@hotmail.com\$ 0 0 00 Å V (ýpsachendram22@yahoo.com& 0 0 00 Å
 ýpfrank@wearethresolution.com* 0 0 00 Å V (ýptech@wearethresolution.com) 0 0
 00 Å V (ýpchris@electionmall.com& 0 0 00 Å V (ýpsachendram22@yahoo.com& 0 0 00 Å
 ýpjesse@wearethresolution.com* 0 0 00 Å V (ýpsachendram22@yahoo.com& 0 0 00 Å
 V (ýptburke@netscape.net# 0 0 00 Å V (ýplsingh100@yahoo.com# 0 0 00 Å
 ýpravisingh@bellsouthips.com* 0 0 00 Å V (ýpspitfire@wwti.com! 0 0
 V (ýpkiran_raja@yahoo.com\$ 0 0 00 Å V (ýpspitfire@wwti.com! 0 0
 00 Å & ýpsimer@electionmall.com& 0 0 00 Å &
 ýpjsebben@sebix.com! 0 0 00 Å & ýpteresa@wearethresolution.com+ 0 0 00 Å
 0 & ýpsupersikh@hotmail.com% 0 0 00 Å & ýprakeshpa@home.com! 0 0
 00 0 & ýbankur@cranomedia.com\$ 0 0 00 Å &
 ýpspitfire@wrigley.wwti.com) 0 0 00 Å & ýbjignashal@yahoo.com# 0 0 00 Å
 0 & ýppriyanka_tomar@mailcity.com+ 0 0 00 Å &
 ýpkunwar_pal@hotmail.com& 0 0 00 Å & ýpshripalsingh@yahoo.com& 0 0 00 Å
 0 & ýpsavina04@hotmail.com\$ 0 0 00 Å &
 ýpfrank@wearethresolution.com* 0 0 00 Å & ýptech@wearethresolution.com) 0 0
 00 Å & ýpchris@electionmall.com& 0 0 00 Å &
 ýpjesse@wearethresolution.com* 0 0 00 Å & ýpsachendram22@yahoo.com& 0 0 00 Å
 0 & ýptburke@netscape.net# 0 0 00 Å &
 ýpravisingh@bellsouthips.com* 0 0 00 Å & ýplsingh100@yahoo.com# 0 0 00 Å
 0 & ýpkiran_raja@yahoo.com\$ 0 0 00 Å & ýpspitfire@wwti.com! 0 0
 00 V X 0 ýpsimer@electionmall.com& 0 0 00 Å X 0
 ýpjsebben@sebix.com! 0 0 00 Å X 0 ýpteresa@wearethresolution.com+ 0 0 00 Å
 X 0 - ýpsupersikh@hotmail.com% 0 0 00 Å X 0 ýprakeshpa@home.com! 0 0
 00 q X 0 ýbankur@cranomedia.com\$ 0 0 00 Å X 0
 ýpspitfire@wrigley.wwti.com) 0 0 00 Å X 0 ýbjignashal@yahoo.com# 0 0 00 Å
 X 0 ýppriyanka_tomar@mailcity.com+ 0 0 00 Å X 0
 ýpkunwar_pal@hotmail.com& 0 0 00 Å X 0 ýpshripalsingh@yahoo.com& 0 0 00 Å
 X 0 ýpsavina04@hotmail.com\$ 0 0 00 Å X 0
 ýpfrank@wearethresolution.com* 0 0 00 Å X 0 ýptech@wearethresolution.com) 0 0
 00 h X 0 ýpchris@electionmall.com& 0 0 00 Å X 0
 ýpjesse@wearethresolution.com* 0 0 00 Å X 0 ýpsachendram22@yahoo.com& 0 0 00 Å
 X 0 ýptburke@netscape.net# 0 0 00 Å X 0
 ýpravisingh@bellsouthips.com* 0 0 00 Å X 0 ýplsingh100@yahoo.com# 0 0 00 Å
 X 0 ýpkiran_raja@yahoo.com\$ 0 0 00 Å X 0 ýpspitfire@wwti.com! 0 0
 00 W ýpsimer@electionmall.com& 0 0 00 Å W
 ýpjsebben@sebix.com! 0 0 00 Å W ýpteresa@wearethresolution.com+ 0 0 00 Å
 W ýpsupersikh@hotmail.com% 0 0 00 Å W ýprakeshpa@home.com! 0 0
 00 [W ýbankur@cranomedia.com\$ 0 0 00 Å W
 ýpspitfire@wrigley.wwti.com) 0 0 00 Å W ýbjignashal@yahoo.com# 0 0 00 Å
 W ýppriyanka_tomar@mailcity.com+ 0 0 00 Å W ýpshripalsingh@yahoo.com& 0 0 00 Å
 W ýpsavina04@hotmail.com\$ 0 0 00 Å W ýptech@wearethresolution.com) 0 0
 ýpfrank@wearethresolution.com* 0 0 00 Å W ýptech@wearethresolution.com) 0 0
 00 R W ýpchris@electionmall.com& 0 0 00 Å W ýpsachendram22@yahoo.com& 0 0 00 Å
 ýpjesse@wearethresolution.com* 0 0 00 Å W ýpsachendram22@yahoo.com& 0 0 00 Å
 W ýptburke@netscape.net# 0 0 00 Å W
 ýpravisingh@bellsouthips.com* 0 0 00 Å W ýplsingh100@yahoo.com# 0 0 00 Å
 W ýpkiran_raja@yahoo.com\$ 0 0 00 Å W ýpspitfire@wwti.com! 0 0
 00 J 0) ýptim@boxes2boxes.com# 0 0 00 Å 0)
 ýptech@wearethresolution.com) 0 0 00 Å 0) ýptburke@netscape.net# 0 0 00 Å
 0) ýpsachendra@hotmail.com% 0 0 00 Å 0)
 ýprosiegutierrez77@msn.com(0 0 00 Å 0) = 00¥0}0Q000÷0Ê000p0A0000ô
 I

ñ	4				
€		ò	400€	ô	400€
€		ù	400€	ú	400€
ø	400€				ö
ø	400€				4
ø	400€				
	400€				
	400€				
	400€				
	400€				
	400€				
	400€				
"	400€				
#	400€				
%	400€				
)	400€				
+	4 00€				
1	4!00€				
2	4"00€				
C	4#00€				
E	4\$00€				
F	4%00€				
G	4&00€				
H	4'00€				
I	4(00€				
K	4)00€				
L	4*00€				
N	4+00€				
O	4,00€				
T	4-00€				
V	4.00€				
W	4/00€				
X	400€				
Y	4100€				
Z	4200€				
[4300€				
\	4400€				
]	4500€				
d	4<00€				
d	4<00€				
d	4<00€				
d	4<00€				
d	4<00€				
d	4<				

09898509"070301

yardsign.mdb

```
,K00 ,L00 ,M00 ,N00 ,O00 ,P00 ,Q00 ,R00 ,S00 ,T00 - 00 -000 -000 -000
-000 -000 -000 -00 -00 -00! - 0" -
0# -00$ -00% -
0& -00' -00( -00) -00* -00+ -00, -00- -00. -00/ -000 -001 -002 -003
-004 -005 -006 -007 -008 - 09 -!0: -"0; -#0< -$0= -%0> -&0@ -'0A -(0B
-)0C -*0D +0E -,0F --0G -.0H -/0I -00J -10K -20L -30M -40N -50O -60P
-70Q -80R -90S -:0T -;0U -<0V -=0W ->0X -?0Y -@0Z -A0[ -B0\ -C0] -D0^
-E0_ -F0 -G0a -H0b -I0c -J0d -K0e -L0f -M0g -N0h -O0i -P0j -Q0k -R0l
-S0m -T0n . 0o .00p .00q .00r .00s .00t .00u .00v .00w . 0x .
0y .00z .00{ .
0| .00} .00~ .000 .00€ .000 .00. .00f .00" .00... .00† .00‡ .00^ .00%
.00$ .00< .00€ .000 .00Ž . 00 .!00 ."0' .#0' .00" .%0" .&0. .'0- .(0-
.)0~ .*0™ .+0$ .,0> .-0€ .00 . /0ž .00Ÿ .10 .20i .30¢ .40f .50¤ .60¥
.70! .80$ .90$ .:0@ .;0^ .<0« .=0~ .>0- .?0° .@0 .A0° .B0± .C0² .D0³
.E0 .F0µ .G0¶ .H0• .I0 .J0' .K0° .L0» .M0% .N0% .O0% .P0¿ .Q0À .R0Á
.S0Â .T0Ã / 0A /00A /00A /00Ç /00È /00É /00Ê /00Ë /00Ï / 0Í /
0Î /00Î /00Ð /
0Ñ /00Ò /00Ó /00Ô /00Õ /00Ö /00× /00Ø /00Ù /00Ú /00Û /00Ü /00Ý /00Þ
/00ß /00à /00á /00â /00ã / 0ä /!0å /"0æ /#0ç /$0è /%0é /&0ê /'0ë /(0ì
/)0í /*0î /+0ï /,0ð /-0ñ /.0ð //0ó /00ô /10ô /20ô /30÷ /40ø /50ù /60ú
/70û /80ü /90ý /:0þ /;0ÿ /<0 />00 /?00 /@00 /A00 /B00 /C00 /D00
/E0 /F0
/G00 /H00 /I0
/J00 /K00 /L00 /M00 /N00 /O00 /P00 /Q00 /R00 /S00 /T00 /U00 /V00 0 00
0000 0000 0000 0000 000 000! 000" 000# 0 0$ 0
0% 000& 000' 0
0( 000) 000* 000+ 000, 000- 000. 000/ 0001 0002 0003 0004 0005 0006
0007 0008 0009 000: 000; 0 0< 0!0= 0"0> 0#0? 0$0@ 0%0A 0&0B 0'0C 0(0D
0)0F 0*0G 0+0H 0,0I 0-0J 0.0K 0/0L 000M 010N 020O 030P 040Q 050R 060S
070T 080U 090V 0:0W 0;0X 0<0Y 0=0Z 0>0[ 0?0\ 0@0] 0A0^ 0B0_ 0C0` 0D0a
0E0b 0F0c 0G0d 0H0e 0I0f 0J0g 0K0h 0L0i 0M0j 0N0k 0O0l 0P0m 0Q0o 0R0p
0S0q 0T0r 0U0s 0V0t 0W0u 0X0v 0Y0w 0Z0x 1 0y 100z 100{ 100| 100} 100~
1000 100€ 1000 1 0, 1
0f 100, 100... 1
0† 100‡ 100~ 100% 100$ 100< 100€ 1000 100Ž 1000 1000 100' 100' 100"
100" 100• 100- 100- 100~ 1 0™ 1!0$ 1"0> 1#0æ 1$00 1%0ž 1&0Ÿ 1'0 1(0i
1)0¢ 1*0f 1+0x 1,0¥ 1-0! 1.0$ 1/0" 1000 110^ 120« 130- 140- 150° 160
170° 180± 190² 1:0³ 1;0 1< 00á0" ? 0000 @€ 00000 @€ 00000
@€ 00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€
00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€
00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€
00000 @€ 00000 @€ 00000 @€
0€ 0µ 1=0€ 0¶ 1>0€ 0• 1?0€ 0, 100€ 0' 1A0€ 0° 1B0€ 0» 1C0€ 0%
1D0€ 0% 1E0€ 0% 1F0€ 0¿ 1G0€ 0À 1H0€ 0Á 1I0€ 0Â 1J0€ 0Ã 1K0€ 0Ä 1L0€ 0Å
1M0€ 0Æ 1N0€ 0Ç 1O0€ 0È 1P0€ 0É 1Q0€ 0Ê 1R0€ 0Ë 1S0€ 0Ì 1T0€ 0Í 1U0€ 0Î
1V0€ 0Ï 1W0€ 0Ð 1X0€ 0Ñ 2 0€ 0Ò 200€ 0Ó 200€ 0Ô 200€ 0Õ 200€ 0Ö
200€ 0Ø 200€ 0Ù 200€ 0Ú 2 0€ 0Û 2
0€ 0Ü 200€ 0Ý 200€ 0Þ 2
0€ 0ß 200€ 0à 200€ 0á 200€ 0â 200€ 0ã 200€ 0ä 200€ 0å 200€ 0æ 200€ 0ç 200€
0è 200€ 0é 200€ 0ê 200€ 0ë 200€ 0ì 200€ 0í 200€ 0î 200€ 0ï 200€ 0ð 200€ 0ñ
2 0€ 0ò 2!0€ 0ó 2"0€ 0ô 2#0€ 0õ 2$0€ 0ö 2%0€ 0÷ 2&0€ 0ø 2'0€ 0ù 2(0€ 0ú
2)0€ 0û 2*0€ 0ü 2+0€ 0ý 2,0€ 0þ 2-0€ 0ÿ 2.0€ 0 2/0€ 00 200€ 00 210€ 00
220€ 00 230€ 00 240€ 00 250€ 00 260€ 00 270€ 0 280€ 0
290€ 00 2:0€ 00 2;0€ 0
2<0€ 00 2=0€ 00 2>0€ 00 2?0€ 00 2@0€ 00 2A0€ 00 2B0€ 00 2C0€ 00 2D0€ 00
2E0€ 00 2F0€ 00 2G0€ 00 2H0€ 00 2I0€ 00 2J0€ 00 2K0€ 00 2L0€ 00 2M0€ 00
2N0€ 6 200€ 7 2P0€ 8 2Q0€ 9 2R0€ : 2S0€
; 2T0€ < 2U0€ = 2V0€ > 2W0€ ? 2X0€ @
2Y0€ A 2Z0€ B 2[0€ C 2\0€ D 2]0€ E 2^0€
F 3 0€ G 300€ H 300€ I 300€ J 300€ K
300€ L 300€ M 300€ N 300€ O 3 0€ P 3
0€ Q 300€ R 300€ S 3
Page 60
```

10E020"60586860

[illegible]

	400€
□	400€
□	400€
□	400€
□	400€
□	400€
□	400€
"	400€
#	400€
%	400€
)	400€
+	4 0€
1	4!0€
2	4"0€
C	4#0€
E	4\$0€
F	4%0€
G	480€
H	4'0€
I	4(0€
K	4)0€
L	4*0€
N	4+0€
O	4,0€
T	4-0€
V	4.0€
W	4/0€
X	400€
Y	410€
Z	420€
[430€
\	440€
]	450€
d	4<0€
d	4=0€
d	4>0€
d	4~0€
d	4≠0€
d	4≤0€
d	4≥0€

```

40  C0  %W0  & 0  &00  $00  $00  $00  $ 0  $!0  %F0  %G0  %H0  B0€  0  /0  i0€  ,
%M0  %N0  %O0  %P0  %Q0  %R0  %U0  %V0  &00  $ 0  $00  $00  $00  $
0  $00  $00  $
0  $00  $00  $00  $00  $00  $00  &  0  &
0  &00  &00  &
0  &00  &00  &00  &00  &00  &00  &00  &00  &00  &00  &00  &00  &00  &00  &00
&00  &00  & 0  &!0  &"0  &#0  &$0  &%0  &&0  &'0  &(0  &)0  &*0  &+0  &,0  &-0  &.0
&/0  &00  &10  &20  &30  &40  &50  &60  &70  &80  &90  &:0  &;0  &<0  &=0  &>0  &?0
&B0  &C0  &D0  &E0  &F0  &G0  &H0  /O0  /P0  /Q0  /R0  /S0  /T0  /U0  /V0  0 0  000
000--000--000  000  000  000  000  0  0  0
0  000  000  0
0  000  000  000  000  000  000  000  000  000  000  000  000  000  000  000  000
000  000  0 0  0!0  0"0  0#0  0$0  0%0  0&0  0'0  0(0  0)0  0*0  0+0  0,0  0-0  0.0
O/0  000  010  030  040  050  060  070  080  090  0:0  0;0  0<0  0=0  0>0  0?0  0@0
0A0  0B0  0C0  0D0  0E0  0F0  0G0  0H0  0I0  0J0  0K0  0L0  0M0  0N0  0O0  0P0  0Q0
0R0  0S0  0T0  0U0  0V0  0W0  0X0  0Y0  0Z0  1 0  100  100  100  100  100  100  100
100  1 0  1
0  100  100  1
0  100  100  100  2M0  $0
$0
$0
$0
$0
$
0  $00  $00  $00  2N0  4.0  4/
$0
$00  $00  $*0  $+0  $,0  $-0  $.0  $/0  $00  $10  $20  $30  $40  $50  $60  $70
$80  $90  $:0  $;0  $<0  $=0  $>0  $?0  $@0  $A0  $B0  $C0  $D0  $E0  $F0  $G0  $H0
$I0  $J0  $K0  $L0  $M0  $N0  $O0  $P0  $Q0  $R0  $S0  $T0  $U0  $V0  $W0  $X0  $Y0
%00  %00  %00  %00  %00  %00  %00  %00  %
0  %00  %00  %
0  %00  %00  %00  %00  %00  %00  %00  %00  %00  %00  %00  %00  %00  %00  %00  %00
%00  %00  % 0  %!0  %"0  %#0  %$0  %%0  %&0  %'0  %(0  %)0  %*0  %+0  %,0  %-0  %.0
%/0  %00  %10  %20  %30  %40  %50  %60  %70  %80  %90  %:0  %;0  %<0  %=0  %>0  %?0
%@0  %A0  %B0  %C0  %D0  $00  $00  $00  %$0  %E0  %S0  %T0  &00  &00  &00  &00  &00
&00  &@0  &A0  +
0  +00  +00  +
0  +00  +00  +00  +00  +00  +00  +00  +00  +00  +00  +00  +00  +00  +00  +00  +00
+00  +00  + 0  +!0  +"0  +#0  +$0  +%0  +&0  +'0  +(0  +)0  +*0  ++0  +,0  +-0  +.0
+/0  +00  +10  +20  +30  +40  +50  +60  +70  +80  +90  +:0  +;0  +<0  +=0  +>0  +?0
+@0  +A0  +B0  +C0  +D0  +E0  +F0  +G0  +H0  +I0  +J0  +K0  +L0  +M0  +N0  +O0  +P0
+Q0  +R0  +S0  , 0  ,00  ,00  ,00  ,00  ,00  ,00  ,00  ,00  ,00  ,00  ,
0  ,00  ,00  ,

```

Figure 1. The effect of the concentration of the *Agrobacterium* suspension on the transformation efficiency of *Agrobacterium* strains. The *Agrobacterium* strains were grown in YEA medium at 28°C for 24 h. The cell concentration was adjusted to 1.0 × 10⁸ cells/ml. The cells were then mixed with the plant tissue and the transformation efficiency was determined. The results are shown as the mean ± SD of three independent experiments. The transformation efficiency was significantly different from the control (P < 0.05) as determined by the Student's *t*-test.

[illegible]

Page 64

yardsign.mdb

```

*  *  *  *
  *  *  *
  *  *  *  *  *  *  *  *  *  *  *  *  *  *  *  *
*  *  *  *  *  *  *  *  *  *  *  *  *  *  *  *  *
*/  *  *  *  *  *  *  *  *  *  *  *  *  *  *  *  *
*@  *A  *B  *C  *D  *E  *F  *G  *H  *I  *J  *K  *L  *M  *N  *O  *P
*Q  *R  *S  *T  *U  *V  *W  *X  *Y  *Z  +  +  +  +  +  +  +  +
+  +  +  +  1$  2J$  2K$  2L&  31&  32&  33&  34&  35&  36&  37&  38&  39&
3:&  3;&  3<&  3=&  3>&  3?&  3@&  3A&  3B&  3C&  3D&  3E&  3F&  4&  4'  3'  3'
3'  3'  3
'  3'  3'  3
'  3'  3'  3'  3'  3'  3'  3'  3'  3'  3'  3'  3'  3'  3'  3'  3'  3'  3'  3'  3'
3J(  3K(  3L(  3M(  3N(  3O(  3P(  3Q(  3R(  3S(  3T(  3U(  4 (  4(  4(  4(  4(
4(  4(  2O)  2P)  2Q)  2R)  2S)  2T)  2U)  2V)  2W)  2X)  2Y)  2Z)  2[)  2\ )  2])
2\ )  3 )  3)  3)  3)  3)  3)  4
,  4,  4,  4
,  4,  4,  4,  4,  4,  4,  4,  4,  4,  4,  4,  4,  4,  4,  4,  4,  4,  4
  C
  @€ @€ @€ @€

```

```

4!€ , 4"€ , 4#€ , 4$€ , 4%€ , 4&€ , 4'€ , 4(€ , 4)€ , 4 € ,
4*€ , 4+€ , 4,€ , 4-€ . 4

```

09090509.070301

```

      Y0 K Z    F OF K K     K K   YO     O O
< O    NO O O O O        O O O list_id lis
t_name Create_date fo      %YO O O "O O
fo yy yy yyy yy yy yy yyOF I O %YO O O O
Y0 O O q OOO YO O O O' OOO YO yyy O
Y0 O O yyy OOO O.rC O.rD O.rE Olist_id Primary
Key yy

```

06090

□ □ Ö □

»v1i

€

€

□□Õ□E

κ àÁ f f E E * ç E ð x t l P - a

Æ a □ n M + ï Ã x f f ? □ ë è

ïÈ;š^=øò@žqA&û

ë ¾ " h > □
ê ì ž v n & ü ò § € b 7 0 0 0 å % ¢ q 0 0 3 0 0 0 ò ô ' " y

```

00JmJJMMQkfkfJUqk0    0000    00JmJLJKqk0    0000    0Sdi`k0    0    00    0`dooAQk0    0
00    0iqAJmydbkwYfk0    0000    0iqfdimk0    0000    0kmIyfmk0    0000    0kvkiQA0    0
00    0mJLAQk0    0    00JOqQimYqi+YbsD0    0000    00JOqQimYqi+fiYM00    0000
00odbjmq0    0000    00Q`jYA0    0000    0`kvkJMqk0    0000    0`kvkdL[QMmk0    0000

```

0908509 070301

yardsign.mdb

kvkhoqiYQk kvkiQ^JmYdbkwyfk JMMQkk^Jvdom kvkOLO ko jivYbsd okQIOQSYbQO

o@ypchicago tribune o o o X a@a@ypshit o o o W a@a@ypsexyone o o
o V a@a@ypTesting o o o U a@a@ypcontributor o o o T
o@ypABATE o o o S a@a@ypMike Rupnow o o o R
a@a@ypE-Contributor/ElectionMail* o o o Q o@ypmedia o o o P
o@ypsvp(E-Campaign) o o o O a@a@ypE-Campaign Seminar" o o o N
o@ypDemocrat Political" o o o M o@ypRepublican Political\$ o o o L
o@yptribune o o o K o@ypcamp&elect magzn o o o J
o@ypbusreps-dems(161-206)\$ o o o I o@ypbusreps-dems(121-160# o o o H
o@ypbusreps-dems(81-120)# o o o G o@ypbusreps-dem(41-80)! o o o F
o@ypbusreps-dems(1-40)! o o o E o@ypbusreps-dems(1-20)! o o o D
o@ypbusreps-democrats (1-20)' o o o C n@ypInvite2 o o o B
e@a@ypEmail Supporters o o o A n@ypIndependents-Governors& o o o @
n@ypDemocrats-Governors# o o o ? n@ypRepublicans-Governors% o o o >
n@ypIndependents-USReps# o o o = n@ypRepublicans-USSenators& o o o <
n@ypDemocrats-USSenators\$ o o o ; n@ypRepublicans-USReps" o o o :
n@ypDemocrats-USReps o o o 9 @n@ypInvite o o o 8 e@a@ypPaul
Payne o o o 7 e@a@ypkilgalon o o o 6 a@ypU.S. Representatives -
Republican1 o o o 5 a@ypU.S. Representatives\$ o o o 4 e@a@ypRavi o
o o 3 i@ypCampaign Contribution.com) o o o 2 i@ypFamily o o o 1
i@ypTest o o o 0 a@a@ypNetscape Addresses" o o o / a@a@ypYahoo
Addresses o o o . i@ypworkers o o o - @i@ypsachin o s list o o
o i@ypcalifornia o o o + a@a@ypwomans Voice Contacts% o o o *
A@a@ypsteve o o o (A@a@ypSF Bay Area o o o
i@ypnkrent@hlerk.com o o o & i@ypnkrent@hclerk.com, nkrent@hotmail.com5
o o o % i@ypsachen o s o o o \$ e@a@ypJen Medler o o o #
e@a@ypLori Leach o o o " e@a@ypkiki o o o e@a@ypKeefe o o o
e@a@ypM. Lydon o o o e@a@ypBush o o o
i@ypbillychoso@hotmail.com& o o o i@ypJimmy Powers o o o
i@ypwiess o o o i@ypDAD o o o i@ypmy list o o o
i@ypkesh o s Emails o o o
i@ypSeema o o o a@a@yptechies o o o a@a@ypchris
Matthews o o o i@ypkesh o o o i@ypkesh Daddy o o o
a@a@ypsachin o o o a@a@ypvoters o o o a@a@ypvolunteers o o
o o o a@a@ypContacts o o o a@a@ypAnonymous o o o
o o o @e o o o o e o o o o e o o o o e o o o o e o o o o e o o o o e
o o o o e o o o

o e o G o e o G o e o G o e o
G o e o G
o e o G o e o G
o e o G o e o G o e o G o e " G o e # G o e \$ G o e % G o e
& G o e ' G o e (G o e * G o e + G o e , G o e - G o e . G o e / G o e 0
G o e 1 G o e 2 G o e 3 G o e 4 G o e 5 G o e 6 G o e 7 G o e 8 G o e 9
G o e : G o e ; G o e < G o e = G o e > G o e ? G o e @ G o e A G o e B
G o e C G o e D G o e E G o e F G o e G o e H G o e I G o e J G o e K
G o e L G o e M G o e N G o e O G o e P G o e Q G o e R G o e S G o e T
G o e U G o e V G o e W G o e X G o e Y G o e Z G o e

0000

0

»0v010i0\$0b000

09898509.070301

6

€

0

0

àÑk«7

@

0."TH

00P J

0 Y0°0ÿ

>

h
□
\
/

00€00h0ú00"0Š0H0t0È0Z0P

one of the founders of this is my new venture. I am
Kash pAtellk1h1fh1lsdhgf

VOTE 4 ME!! I am Danny Raja and I am ru
nning for the PRESIDENCY... Help me, donat
e and vote 4 ME!! I am running for State Se
nate and would like to see how many people
can vote for me and help donate funds. Plea
se vote for me and donate some \$\$\$\$!! Plea
se vote 4 ME, I need \$\$\$\$!!

Thanx,

GloriaLook around my website.

Love

Chris Hohnvote for me and i won't take
most of your moneyWhat do you think?

I think you'd be a good JudgeThere wil
l be a Young Professionals for Bush recept
ion, sponsored by the

IL Bush campaign, on Tuesday, July 11
5-7 PM at Jilly's Bar, 1007 N. Rush St.,

Chicago. Free admission.

Electionmall.com will help Al Gore mar
ket himself to Internet users. Use Election
mall.com and you can market Al Gore over t
he Internet. v

 o

 t

 e

 for me

 or

 e

0586509.070304

yardsign.mdb
1

< B R >

< B R >

s

< B R >

e

v o t e

< B R >

f o r

< B R >

m e

< B R >

o r

< B R >

e l s e

< B R > w e l c o m e t o e y a r d s i g n s . c h e c k t h i s o u t
T h i s i s a m e s s a g e

< B R >

< B R > y i p p e e y o I , M a r i s o l , w i l l m a k e s u r e t h e r e a r e p a r t i e s e v e r y d a y ! ! ! C h e c k o u t m y s i t e .

< B R >

< B R > H e l p m e i n c r e a s e t r a f f i c .

< B R >

< B R > C h r i s H o h n C h e c k o u t m y s i t e ! ! !

< B R >

< B R > C h r i s H o h n I f e l e c t e d s e n a t o r , I w i l l r a i s e t h e s a l a r y o f a l l t h e s e c r e t a r i e s i n t h e n a t i o n t o e x c e e d t h e i r b o s s e s , w h o s e j o b s t h e y d o a n y w a y .

< B R >

< B R > A l s o , a l l h i g h w a y c o n s t r u c t i o n w i l l b e d o n e a t n i g h t . I f e l e c t e d s e n a t o r , I w i l l r a i s e t h e s a l a r y o f a l l t h e s e c r e t a r i e s i n t h e n a t i o n t o e x c e e d t h e i r b o s s e s , w h o s e j o b s t h e y d o a n y w a y .

< B R >

< B R > A l s o , a l l h i g h w a y c o n s t r u c t i o n w i l l b e d o n e a t n i g h t . C h e c k t h i s s i t e o u t ! !

< B R >

< B R > w w w . e l e c t i o n m a l l . c o m

< B R >

< B R > F o r m o r e i n f o r m a t i o n c o n t a c t : 3 1 2 - 9 3 3 - 7 2 8 4 L V A L * X C O O

< B R > p a p e r l o o p . c o m d a i l y
n e w s s e r v i c e

09898509.070301

< B R >

< B R > Welcome to paperloop.com, the premier
< B R > information and exchange service for t
he

< B R > paper, pulp, converting, and printing
industries.

< B R >

< B R > Monday, July 3, 2000

< B R >

< B R >

< B R > ~~~~~
~~~~~

< B R > Copyright 2000 paperloop.com. All righ  
ts reserved.

< B R > This material is copyrighted and shoul  
d not be forwarded,

< B R > reproduced, printed, or distributed wi  
thout permission.

< B R >

< B R > ~~~~~  
~~~~~

< B R >

< B R >

< B R > * * * * *
* * * * *

< B R > * * * * * Advertisement * * * * *

< B R >

< B R > - Sheet quality improved by 36%

< B R > - Downtime reduced 33%

< B R > - Chemical consumption reduced by 27%

< B R > - Power consumption reduced by 14%

< B R > - Fabric life improved by 25%

< B R >

< B R > Interested?

< B R >

< B R > < http://www.huytexx.com >

0969509"070301

businesses.

 <<http://www.paperloop.com/inside/stories/wk07-03-2000/r04.shtml>>

.....

Metso's Neles Automation and Endress+Hauser
a user a LVAL °

nnounce an alliance

HELSINKI, July 3, 2000 - Metso Corp.'s
Automation

and Control Technology business area,
Neles Automation,

and Endress+Hauser International Holding
ng announced today

the intention to form an alliance for
joint technology

development and sales activities.

 <<http://www.paperloop.com/inside/stories/wk07-03-2000/03.shtml>>

.....

UPM-Kymmene of Finland establishes e-b
usiness center

HELSINKI, July 3, 2000 - UPM-Kymmene C
orp. of Finland

said today it has established a new bu
siness center

for e-commerce.

 <<http://www.paperloop.com/inside/stories/wk07-03-2000/r05.shtml>>

Senate3 €
 ybDonate and Vote 4 ME!ybrakesha@home.comybgrfx/republic.gifybmusic/pinkpanther.mid
 > u R P B 3 . & yyy W A
 ôôîâ@ ybGloriaaybHomyp11th DistrictybpState Senate3 €
 ybDonate and Vote 4 ME!ybkesh@home.comybgrfx/republic.gifybnone - „ u R P B 3 . &
 yyy V »Ûpâôîâ@ ybGloriaaybHomyp11th districtybpState
 Senate3 €
 ybPlease send money!!ybinfo@hom.comybgrfx/republic.gifybmusic/pinkpanther.mid« " s
 R P B 3 . & yyy U iôBôîâ@ ybGloriaaybHomyp11th
 districtybpState Senate3 €
 ybPlease send money!!ybinfo@hom.comybgrfx/republic.gifybmusic/pinkpanther.mid« " s
 R P B 3 . & yyy T aô3Yôîâ@ ybGloriaaybHomyp11th
 districtybpState Senate3 €
 ybPlease send money!!ybinfo@hom.comybgrfx/republic.gifybmusic/pinkpanther.mid« " s
 R P B 3 . & yyy€ J _00Q0E
 E
 A000<0E
 E
 9 300s0!0!0000'0æ/0^000m0A

09898509.070301
 r00Pqîâ@ ybGeorgeybBushybConcerned
 AmericanybPresident5 @OT ybron_breier@hotmail.comybgrfx/elephant.gifybnone'
 & y a U S H 4 . & yyy f ±â0Kqîâ@
 ybGeorgeybBushybConcerned AmericanybPresident5 @ T
 ybron_breier@hotmail.comybgrfx/elephant.gifybnone' & y a U S H 4 . & yyy ,
 R-Jâ%îâ@ ybkljhÿbplkjlkÿbjlkÿbjlkj2 €
 ybkljÿbplkjlkj@kjh.comybgrfx/donkey.gifybnone s b R A ? 9 3 , & yyy
 e0+0%îâ@ 8 8 8 8 3 € 8
 ypsachendra@hotmail.comybgrfx/donkey.gifybnone1 f U > 0 . , * (& yyy €
 >m0îâ@ ybmohinderybRakhalayb1ST MAILINGybPresident3 | @0M
 ybmohinder@sikhemail.comybgrfx/capitol.gifybmusic/antartica.midž % w _ S Q F 9 0 &
 yyy ~ 00€0îâ@ ybkashybPatelybFremont City #2ybCounty
 Assessor3 n @0M ypsachendra@hotmail.comybgrfx/republic.gifybnone" z c w u d
 3 , & yyy ~ iîî*0îâ@ 7 7 7 7 3 € 7
 ypsachendra@hotmail.comybgrfx/donkey.gifybnone1 f U > 0 . , * (& yyy }
 Yô_âîâ@ 6 6 6 6 3 € 6
 ypsachendra@hotmail.comybgrfx/donkey.gifybnone1 f U > 0 . , * (& yyy |
 oi00îâ@ 6 6 6 6 3 € 6
 ypsachendra@hotmail.comybgrfx/donkey.gifybnone1 f U > 0 . , * (& yyy {
 [000îâ@ 6 6 6 6 3 € 6
 ypsachendra@hotmail.comybgrfx/donkey.gifybnone1 f U > 0 . , * (& yyy z
 AB!00îâ@ ybFresh KeshybBushybFremont City #1ybFor President2 !
 €
 ypkfyslks1f removal testing doneybpsachendra@hotmail.comybgrfx/judge.gifybnone' * ž
 ‡ Z X I 8 2 & yyy y U0šîîâ@ 6 6 6 6 3 € 6
 ypsachendra@hotmail.comybgrfx/donkey.gifybnone1 f U > 0 . , * (& yyy x
 3Aôâûîâ@ ybFresh KeshybPatelybMenlo Park 7/12ybMayor of S.F.4
 € ybHi there..ybpsachendra@hotmail.comybgrfx/capitol.gifybnone€ æ š s [Y J 9
 2 & yyy w æ}4eûîâ@ 5 5 5 5 3 € 5
 ypsachendram22@yahoo.comybgrfx/donkey.gifybnonem g v > 0 . , * (& yyy v
 0!ô*ûîâ@ 5 5 5 5 3 € 5
 ypsachendram22@yahoo.comybgrfx/donkey.gifybnonem g v > 0 . , * (& yyy u
 Lh/!ûîâ@ 5 5 5 5 3 € 5
 ypsachendram22@yahoo.comybgrfx/donkey.gifybnonem g v > 0 . , * (& yyy t
 ,0H0ûîâ@ 5 5 5 5 3 € 5
 ypsachendram22@yahoo.comybgrfx/donkey.gifybnonem g v > 0 . , * (& yyy s
 0""0îâ@ ybdannyybRajaybPorindaybPresident of United States5 -
 @0M ypsachendra@hotmail.comybgrfx/democrat1.gifybmusic/pinkpanther.midš | e Y
 w ; 3 - & yyy r E0Sxôîâ@ 4 4 4 4 3 € 4
 ypsachendram22@yahoo.comybgrfx/donkey.gifybnonem g v > 0 . , * (& yyy q
 f{bkôîâ@ ybGeorge W.ybPatelybwestECH!ybFor President1
 € ybHelp us.ybpsachendra@hotmail.comybgrfx/judge.gifybnone- € i s Q B 8 1
 & yyy p UUUUôîâ@ 3 3 3 3 1 € 3

09050507001

yardsign.mdb
ypsachendra@hotmail.comybggrfx/donkey.gifybnone1 f U > 0 . , * (& yy o
>m•Róíá@ 3 3 3 3 1 € 3
ypsachendra@hotmail.comybggrfx/donkey.gifybnone1 f U > 0 . , * (& yy n
iãÑDóíá@ 2 2 2 2 3 € k d
ypsachendra@hotmail.comybggrfx/donkey.gifybnonen h w @ 0 . , * (& yy m
è\yÀóíá@ 2 2 2 2 3 € k d
ypsachendra@hotmail.comybggrfx/donkey.gifybnonen h w @ 0 . , * (& yy l
[]*»óíá@ 2 2 2 2 3 € k d
ypsachendra@hotmail.comybggrfx/donkey.gifybnonen h w @ 0 . , * (& yy k
-üb%óíá@ ybjkfhypkjsdhgkypbjkshgybdkfjhgkd3 €
ypshjgyypsachendra@hotmail.comybggrfx/donkey.gifybnone , q Z H F < 5 , &
yy LVAL p à " :È

clicking on one of the
links below the eYardSign.

< B R >

< B R > I have sent this electronic YARD sign
to my friends and family. We have launche
d our site as most of you know. eYardSign
.com is only one of eight dot.coms in Elec
tionMall.com. This is a smaple of what an
eYardSign does, I thought that you guys c
ould help in just pretending to be a voter b
, and click the links below. The donate b
utton is inactive in this case. But the r
est still work, please help by following d
irections on each link below.

< B R >

< B R > Thanks ,

< B R >

< B R > Kesh Patel

< B R > electionmall.com clicking on one of the
links below the eYardSign.

< B R >

< B R > I have sent this electronic YARD sign
to my friends and family. We have launche
d our site as most of you know. eYardSign
.com is only one of eight dot.coms in Elec
tionMall.com. This is a smaple of what an
eYardSign does, I thought that you guys c
ould help in just pretending to be a voter b
, and click the links below. The donate b
utton is inactive in this case. But the r
est still work, please help by following d
irections on each link below.

< B R >

< B R > Thanks ,

< B R >

< B R > Kesh Patel

yardsign.mdb

electionmall.com clicking on one of the
links below the eYardSign.

I have sent this electronic YARD sign
to my friends and family. We have launc he
d our site as most of you know. eYardSign
.com is only one of eight dot.coms in Elec
tionMall.com. This is a smaple of what an c
eYardSign does, I thought that you guys c
ould help in just pretending to be a voter
, and click the links below. The donate b
utton is inactive in this case. But the r
est still work, please help by following d
irections on each link below.

Thanks,

Kesh Patel

electionmall.com Hi there, please suppo
rt my campaign.

Goody seth your support is crucial to m
y victory. Please ensure this finman receiv
es the votes of your family and friends! Pl
ease ensure this finman receives the votes
of your family and friends! 00A J 0]00 0s
00*0000
!

j 3000[0000600000X000y

0 š 0 Ac%.ñiá@

0 Š 0 Ac%.ñiá@
yDean AristotleyPhillipsyDean PhillipsyPresident of U.S.1 Š @ Y
ybkesh@electionmall.comygrfx/capitol.gifybnoneY™ ‡ p d b o @ 6 &

y00™ 0 iSF,Áiá@ yBakulyBakul JoshiyBakul JoshiyPresident3 è0

@ x ybkesh@electionmall.comygrfx/repulic.gifybnoneŠ „ q Z N L A 4 - &

y00 ~ 0 <60*uiá@ yBRomanyKagarlitskyyRoman

KagarlitskyyPresident of United States2 10 00W

ybkesh@electionmall.comygrfx/donkey.gifybnone¥ Ÿ Ž w k i M : - & y00 - 0

0 ‡ 0 iá@ ybcharanyBholyworldyPresident2 0 €

yPlease elect me.ybcharan.johl@weil.comygrfx/democrat1.gifybmusic/spring.mid0 |

f H F ; 4 . & y00 - 0 M<+00iá@

yRaviySinghyAnnouncementyKane County Board3 \ @0W

yRavi4us@aol.comygrfx/elephant.gifybmusic/pinkpanther.mid ‡ s b v T A 3 , &

y00 • 0 K%r00iá@ yBAmityBhawaryI need your

love!yPresident3 F @0W

ybarpicked@aol.comygrfx/capitol.gifybmusic/spring.mid- „ r ` T R G 4 , &

y00 " 0 iíi*-iá@ yBTabreezyBverjeezyBTabreez

VerjeezyPresident of United States2 ^ 0 @ W

ybkesh@electionmall.comygrfx/capitol.gifybnone š ^ q e c G 7 / & y00 " 0

0^X=yiá@ yBMichaelyBFarmers F yBMayor of S.F.2 ô0 00V

ybkesh@electionmall.comygrfx/capitol.gifybnone‡ 0 o X L J ; 7 / & y00 ' 0

*0<>giá@ ypravi singhyAurorawaleyTesting the size of

yardsignsyBWATS3 €

yptestingyBkunwar@mysikh.comygrfx/donkey.gifybmusic/antartica.mid³ ž 0 z e c] > 2

0985509"070304

yardsign.mdb
& yÿ ' ?Ó»íá@ ypkeshÿpPatelÿpMenlo Park 2ÿpU.S.
Senate2 0 @v ypkeshjunk@home.comÿbgrfx/republic.gifÿpnone , o \ P N A 3 , &
yÿ e†@íá@ ypkeshÿpPatelÿpkesh s Test FF2ÿpU.S.
Senate2 | @ v ypkeshjunk@home.comÿbgrfx/capitol.gifÿpmusic/pinkpanther.midž ‡
u b V T G 3 , & yÿ .4 íá@
ÿpkeshÿpPatelÿpkesh s Test FFÿpU.S. Senate5 r @T
ÿpkeshjunk@home.comÿbgrfx/republic.gifÿpmusic/pinkpanther.midž ‡ t a U S F 3 , &
yÿ Z òñ-fíá@ ypkeshÿpPatelÿpkesh s Test FFÿpU.S.
Senate5 r @T ypkeshjunk@home.comÿbgrfx/republic.gifÿpmusic/pinkpanther.midž ‡
t a U S F 3 , & yÿ o^Míá@
ÿpkeshÿpPatelÿpkesh s Test FFÿpU.S. Senate5 r @T
ÿpkeshjunk@home.comÿbgrfx/republic.gifÿpmusic/pinkpanther.midž ‡ t a U S F 3 , &
yÿ æ ,ùA' íá@ ÿpShripalÿpsinghÿpDelhiÿpCranomedia3
€ ÿpvote for meÿpshripal@crano.comÿbgrfx/elephant.gifÿpnone Š w d K I = 6
/ & yÿ < 7°çÿíá@ ÿpShripalÿpsinghÿpDelhiÿpCranomedia3
€ ÿpvote for meÿpshripal@crano.comÿbgrfx/elephant.gifÿpnone Š w d K I = 6
/ & yÿ Š „V?uíá@ ÿpGoodyÿpSethÿpSanta ClaraÿpMayor3
v @T ypkeshjunk@home.comÿbgrfx/republic.gifÿpmusic/pinkpanther.mid' { h U I G
@ 3 - & yÿ % í% x^íá@
ÿpkeshÿpPatelÿpFrekemapÿpTest5 € k k
ÿpkeshjunk@home.comÿbgrfx/democrat1.gifÿpnone... k X H F @ 5 , & yÿ ~
:xa5 íá@ ÿpbraviÿpsinghÿpvote for meÿppresident5 L @T
ÿpRavi4us@aol.comÿbgrfx/elephant.gifÿpmusic/pinkpanther.mid" } j Y M K @ 3 , &
yÿ ‡ 2Tv íá@ d r ÿpdfgÿbiuywÿpdfg3
€ ÿpyutgrgÿfÿpsachendra@hotmail.comÿbgrfx/donkey.gifÿpnone { j S = ; 6 / *
& yÿ ‡ [¥D' íá@ ÿpTesterÿpTESTERÿptitleÿpTESTER3
€ ÿpmessageÿpsachendra@hotmail.comÿbgrfx/donkey.gifÿpnoneŠ „ s \ G E = 6 .
& yÿ ... æ íá@ ÿpTesterÿpTESTERÿptitleÿpTESTER3
€ ÿpmessageÿpsachendra@hotmail.comÿbgrfx/donkey.gifÿpnoneŠ „ s \ G E = 6 .
& yÿ € LVAL 0 Z
"

Mr . Farmer :

< B R >

< B R >It was a pleasure to speak with you th
is afternoon. As I mentioned earlier,

< B R >THIS is the worlds first eYARDSIGN!!
I will keep this short and simple.

< B R >

< B R >Simply click on the 5 links below the
yardsign, to see what this HYPE is all

< B R >about. We would like to utilize and c
reate a strategic partnership with

< B R >CampaignContribution.com.

< B R >

< B R >Let me know what you think!!

< B R >

< B R >Kesh Patel

< B R >Co-Founder &

< B R >Chief Operating Officer

ElectionMall.com TESTING ONLY...

...clicking on one of the links below the yardSign.

I have sent this electronic YARD

sign to my friends and family. We have

launched our site as most of you know.

eYardSign.com is only one of eight dot
.coms in ElectionMall.com.

This is a sample of what an eYardSign
does, I thought that you guys

could help in just pretending to be a
voter, by clicking on the links below.

The donate button is inactive in this
case. But the rest still work, please

help by following directions on each

link below. Also send to your friends
as well, by clicking send-to-a-friend!!

Thanks,

Kesh Patel

electionmall.com

 TESTING ONLY...

...clicking on one of the links below the
yardSign.

I have sent this electronic YARD

sign to my friends and family. We have

yardsign.mdb

launched our site as most of you know.

eYardSign.com is only one of eight dot
.coms in ElectionMall.com.

This is a sample of what an eYardSign
does, I thought that you guys

could help in just pretending to be a
voter, by clicking on the links below.

The donate button is inactive in this
case. But the rest still work, please

help by following directions on each

link below. Also send to your friends
as well, by clicking send-to-a-friend!!

Thanks,

Kesh Patel

electionmall.com
LVAL x200 Dear Roman:

This is the eYardSign custom made for
you. This

will give you a glimpse of what we are
doing. We

also have other sites for citizens, wh
ere they may get involved

in forums, chats, emails, etc. We als
o, have

ElectionShopping.com - where we sell c
ampaign

goodies like banners, buttons, pens,
t-shirts, etc..

Below this eYardSign are 5 links: Eac
h link allows

the voters and volunteer (any recipie
nt)

 of an eYardSign to get involved by either donating,

 visiting the politicians headquarters, volunteering,

 sending the eYardSign to a friend, or simply polling a vote.

By clicking on any of these icons, the results are tallied;

 this allows the users (campaign managers and

 politicians) to see the actual results of the eYardSigns

 they sent out!!

Please let me know what you think!

Kesh Patel

ElectionMall.com

Co-founder...Your support and love mean a great deal to me! This is my future plans Mom and Dad Good afternoon Tabreez:

This is the eYardSign custom made for you. This

will give you a glimpse of what we are doing. We

also have site for citizens, where they may get involved

in forums, chats, emails, etc. We also, have

ElectionShopping.com - where we sell campaign

goodies like banners, buttons, pens, t-shirts, etc..

Below this eYardSign are 5 links: Each link allows

the voters and volunteer (any recipient).

 of an eYardSign to get involved by either donating,

 visiting the politicians headquarters, volunteering,

 sending the eYardSign to a friend, or simply polling a vote.

By clicking on any of these icons, the results are tallied;

 this allows the users (campaign managers and

 politicians) to see the actual results of the eYardSigns

 they sent out!!

Please let me know what you think!

Kesh Patel

ElectionMall.com

C O O b LVAL P a Z a Z o o , ^

s out, the latest in online politics. Communicate to your voters via email. E-Campaigning just started to make cents! I have a fundraiser this week and would like you to come! Hey Paul,

I just got off the phone with Jim and we're off and running. More news to come.

Chris HohnHere is your personalized sign.

Chris HohnBe a Hero! Show your member this eYardSign all for the best political price, FREE! Be a Hero! Show your Member this eYardSign all for the best political price, FREE! Be a Hero! Show your member this eYardSign all for the best political price, FREE! Be a Hero! Show your Member this eYardSign all for the best political price, FREE! Be a Hero! Show your Mem

ber this eYardSign all for the best political price, FREE! Be a Hero! Show you Member this eYardSign all for the best political price, FREE! Does your campaign manager know about this great campaigning tool? Find out more at ElectionMall.com Dear Baku Joshi:

This is the eYardSign custom made for you. This

will give you a glimpse of what we are doing. We

also have other sites for citizens, where they may get involved

in forums, chats, emails, etc. We also, have

ElectionShopping.com - where we sell campaign

goodies like banners, buttons, pens, t-shirts, etc..

Below this eYardSign are 5 links: Each link allows

the voters and volunteer (any recipient)

of an eYardSign to get involved by either donating,

visiting the politicians headquarters, volunteering,

sending the eYardSign to a friend, or simply polling a vote.

By clicking on any of these icons, the results are tallied;

this allows the users (campaign managers and

politicians) to see the actual results of the eYardSigns

they sent out!!

Please let me know what you think!

Kesh Patel

ElectionMall.com

Co-founder... LVAL v<00000000

in online politics. Check this out the latest
Check this out the latest in
online politics. Communicate to your vote
rs via email. E-Campaigning just started t
o make cents! Melinda this is one of the th
ings that I am working on at electionmall.
com, I will explain it more this weekend w
hen I go. So what do you think? Does Your C
ampaign Manager know about this great new
campaigning tool? Find out more about abou
t this and other e-campaigning tools a Ele
ctionMall.com Teresa,

 How about this for a website!

Design your own campaign material.

Chris helped design the site; we can u
se it in the future.

Ted Dear Dean Phillips:

Ravi Singh asked me to send this eYard
Sign

out to YOU! Ravi looks forward to vis
iting you this

afternoon. My name is Kesh Patel COO o
f

ElectionMall.com.

This is the eYardSign custom made for
you. This

will give you a glimpse of what we are
doing. We

also have other sites for citizens, wh
ere they may get

involved

in forums, chats, emails, etc. We als
o, have

ElectionShopping.com - where we sell c
ampaign

goodies like banners, buttons, pens, t
-shirts, etc..

Below this eYardSign are 5 links: Eac
h link allows

of an eYardsign to get involved by eit
her donating,

sending the eyardsign to a friend, or
simply polling a vote.

By clicking on any of these icons, the results are tallied;

```
<BR>politicians) to see the actual results  
of the eYardSigns
```

< B R >

Please let me know what you think!

< B R > K e s h P a t e l

< B R > E l e c t i o n M a l l . c o m

< B R > Chief Operating Officer 000 J 0 70u00

 \hat{A}

0\00æ0-0|0í0 0l0'0 0K v®<`Úđá@

Richard Arme y_ Texas U.S. Representative3 ú @Y

ypRichard Armeý_ yplexasypo.s. Representatives u @
ybqus@electionmail.comybgrfx/elephant.gifybmusic/spring.midæ Š_w_a_Ü_S_>75&

`DZAGÚdá@`

Representative3 ü @X

ypbgus@electionmall.comypbgrfx/elephant.gifypmusic/spring.mid Ž { e Y W B 8 6 &

ÿbLarryÿbPurpÿburoÿbDemoÿbPresident3 r @

ypRavi@wearethesolution.comypgrfx/elephant.gifypmusic/pinkpanther.midš f p U

I G < 6 - & yy[] - [] ^xýôöä@[]
 [cornfield] [dohMichael] cornfield[dohPresident of GWU] @[] @[]

ypmichaelypCornfielddypMichael CornfielddypPresident of GWU1 @ @L
 ökhoch@electionmall.comöbgrfx/donkey.giföhnöne : m a M : / & VV 7

```
ypkesh@electionmail.comypgrtx/donkey.giftyphone> • „ M a _ M : / & yy  4  0
Tux 1 3 0 0      vbFrankvbouinnvbFrank'ouinn e-thepeopleybPresident5  0
```

ypFrankypQuinnypFrank Quinn e-thepeopleypries
@ [yhkesh@electionmall.comybgfrfx/donkey.gifybnone" Ž } f z x M 4 - &

ypkesh@electionmail.com ypgltx/donkey:gnypphone 2 j 1 2 x m 1 2
 ŸpPau1ŸpPayneŸpPau1 PayneŸpSenate3 ú @

X ypchris@electionmall.comypgrfx/capitol.gifypmusic/pinkpanther.mid- m U I G

3 , & ŷŷ a ŷŷw, Žďá@

ÿþjímÿþkillgalonÿþkillgalonÿþSenate2 j @X

yardsign.mdb

ÿbRichard Gephardt_

[illegible]

J U S H 6 , & yyy^ LVAL eU u% utuuE

Hey! We are a local chicagoland startup. Check this out
the latest in online politics. Communicate
to your voters via email. E-Campaigning ju
st started to make cents! Hey! we are a l
ocal chicagoland startup. Check this out,
the latest in online politics. Communicate
to your voters via email. E-Campaigning ju
st started to make cents! Hey! We are a loc
al Chicagoland startup. Check this out, tht
e latest in online politics. Communicate jus
o your voters via emails. E-Campaigning ju
st started to make cents! Hey! We are a loca
l Chicagoland startup. Check this out, the
latest in online politics. Communicate to
your voters via email. E-Campaigning just
started to make cents! Check this out the
atest in online politics. CCommunicate to yo
ur voters via email. E-Campaigning just s
arted to make cents! ChecK this out the la
test in online politics. CommuniCate to yo

yardsign.mdb

politics. Communicate to your voters via e
mail. E-Campaign just started to make cent
s! Merrill Lynch and

Kent College of Law,

in partnership with

Electionmall.com,

would like to invite you

to the first ECampaign

Seminar in Chicago.

4:30 - 6:00

ECampaign Seminar

6:00 - 9:00

Social Hour

Upstairs at Monday's

Restaurant 203 North

LaSalle Chicago, IL

First door East of

LaSalle Street on Lake

Street.

Feel free to forward

this email.

RSVP to

RSVP@electionmall.com

or 773/ 262-6525 Merrill Lynch and Ken

t

College of Law

in partnership with

Electionmall.com

Would like to invite you

to the first

ECampaign Seminar in

Chicago.

4:30 - 6:00 ECampaign

Seminar

6:00 - 9:00 Social Hour

Upstairs at Monday's

Restaurant

203 North LaSalle

Chicago, IL

First door East of

LaSalle Street on Lake

Street,

Feel free to forward this

invitation.

RSVP to

(773) 262-6525

or

RSVP@electionmall.com

05698509.070301

< B R > < a

< B R > h r e s = mailto.RSV P@ELECTIO

< B R > N M A L L . C O M > e c h e c k t h i s o u t , t h e l a t e s t
 i n o n l i n e p o l i t i c s . C o m m u n i c a t e t o y o u r v
 o t e r s v i a e m a i l . E - c a m p a i g n i n g j u s t s t a r t e
 d t o m a k e c e n t s ! B r i n g i n g t h e c o m m u n i t y b a c
 k t o g e t h e r a g a i n c h e c k t h i s o u t , t h e l a t e s
 t i n o n l i n e p o l i t i c s . C o m m u n i c a t e t o y o u r
 v o t e r s v i a e m a i l . E - c a m p a i g n i n g j u s t s t a r t
 e d t o m a k e c e n t s ! c h e c k t h i s o u t , t h e l a t e s
 t i n o n l i n e p o l i t i c s . C o m m u n i c a t e t o y o u r
 v o t e r s v i a e m a i l . E - c a m p a i g n i n g j u s t s t a r t
 e d t o m a k e c e n t s ! c h e c k t h i s o u t , t h e l a t e s
 t i n o n l i n e p o l i t i c s . C o m m u n i c a t e t o y o u r
 v o t e r s v i a e m a i l . E - c a m p a i g n i n g j u s t s t a r t
 e d t o m a k e c e n t s ! F O ' O

5
}Ä

µó-òb|ê.ór|ú>,

Ü >m·|óá@

ÿpsACHENDRA YADAV-

ÿpfreinds3ÿpPRESIDENT OF US3 V @ a

ÿpsachendram22@yahoo.comÿpgrfx/capitol.gifÿpmusic/pinkpanther.midf æ z b v T C 9 7 &

ÿÿ Ü %~|óá@

ÿpsACHENDRA YADAV-

ÿpfreinds3ÿpPRESIDENT OF US3 V @

ÿpsachendram22@yahoo.comÿpgrfx/capitol.gifÿpmusic/pinkpanther.midf æ z b v T C 9 7 &

ÿÿ Ü ä-í|óá@

ÿpsACHENDRA YADAV-

ÿpfreinds3ÿpPRESIDENT OF US3 V @

ÿpsachendram22@yahoo.comÿpgrfx/capitol.gifÿpmusic/pinkpanther.midf æ z b v T C 9 7 &

ÿÿ Ø U ÷|óá@

ÿpsACHENDRA YADAV-

ÿpfreinds3ÿpPRESIDENT OF US3 V @

ÿpsachendram22@yahoo.comÿpgrfx/capitol.gifÿpmusic/pinkpanther.midf æ z b v T C 9 7 &

ÿÿ Ø M<+Ü|óá@

ÿpsACHENDRA YADAV-

ÿpfreinds3ÿpPRESIDENT OF US3 V @

ÿpsachendram22@yahoo.comÿpgrfx/capitol.gifÿpmusic/pinkpanther.midf æ z b v T C 9 7 &

ÿÿ Ø :m Ó|óá@

ÿpsACHENDRA YADAV-

ÿpfreinds3ÿpPRESIDENT OF US3 V @

ÿpsachendram22@yahoo.comÿpgrfx/capitol.gifÿpmusic/pinkpanther.midf æ z b v T C 9 7 &

ÿÿ Ø •(gð|óá@

ÿpsACHENDRA YADAV-

ÿpfreinds3ÿpPRESIDENT OF US3 V @

ÿpsachendram22@yahoo.comÿpgrfx/capitol.gifÿpmusic/pinkpanther.midf æ z b v T C 9 7 &

ÿÿ Ø m Óæ|óá@

ÿpsACHENDRA YADAV-

ÿpfreinds3ÿpPRESIDENT OF US3 V @

ÿpsachendram22@yahoo.comÿpgrfx/capitol.gifÿpmusic/pinkpanther.midf æ z b v T C 9 7 &

ÿÿ Ø ~"Iæ|óá@

ÿpsACHENDRA YADAV-

ÿpfreinds2ÿpPRESIDENT OF THE US3 €

ÿpYa Baby, this thing

rocks!!ÿpsachendra@hotmail.comÿpgrfx/capitol.gifÿpnone² - š f Z X C 9 7 &

ÿÿ Ñ æ±Z5|óá@

ÿpsACHENDRA YADAV- ÿpfreindsÿpPRESIDENT OF

US3 € ÿpYa baby, this thing

rocks!!ÿpsachendra@hotmail.comÿpgrfx/capitol.gifÿpnone- š • ~ U S B 9 7 &

ÿÿ Ð ÍÁ«Öñá@

ÿpYour Name Here_ ÿpU.S. Reps

DemocratsÿpU.S. Representative3 ö @

ÿpbgus@electionmall.comÿpgrfx/donkey.gifÿpmusic/spring.mid@ - † p d b M 8 6 &

ÿÿ Í ºZ{ñá@

ÿpELECTIONMALLÿpELECTIONMALLÿpsecondt

invite-with dateÿp.COM5 æ @

ÿpCHRISTopherahohn@excite.comÿpgrfx/capitol.gifÿpmusic/spring.mid± ÿ p d b \ B 4 &

ÿÿ Í @%öw.ñá@

ÿpELECTIONMALLÿpELECTIONMALLÿpsecondt invite with dateÿp.COM5 æ @

ÿpCHRISTopherahohn@excite.comÿpgrfx/capitol.gifÿpmusic/spring.mid± ÿ p d b \ B 4 &

ÿÿ Í íóó5ñá@

ÿpClaudeÿpHutchisonÿpEast

BayÿpCongress - 10th District5 „ @

09898509-070301

yardsign.mdb

ypgetinvolved@claudehutchison.comypgrfx/elephant.gifypnone¥ Ÿ æ k _] C 9 : &
yy[] i [] yKs0{ñá@[] ypELECTIONMALLypELECTIONMALLypinviteyp.COM5
^[] @[] ypChristopherahohn@excite.comypgrfx/capitol.gifypmusic/pinkpanther.mid^
[] { ^ R P J B 4 & yy[] É [] {}zñá@
ypELECTIONMALLypELECTIONMALLypinviteyp.COM5 ô[] @[]
ypchhristopherahohn@excite.comypgrfx/capitol.gifypmusic/spring.mid Ž | ^ R P J B 4
& yy[] É [] ^1_7cñá@ ypBernard Sanders_ ypVermontypU.S.
Representative3 ü @[]
ypgus@electionmall.comypgrfx/capitol.gifypmusic/spring.midŸ [] { e Y W B 9 7 &
yy[] É [] Å%cóQñá@ ypDavidypwilsonyp34th wardypAlderman1 v
@[] ypimtoomuch32@aol.comypgrfx/democrat1.gifypnone† [] m X L J @ 5 - &
yy[] É [] μvÿyāđá@ ypRichard A. Gephardt_ ypMissouriypU.S.
Representative3 ü @[]
ypgus@electionmall.comypgrfx/donkey.gifypmusic/spring.midf ' € j ^ \ G = ; &
yy[] Ç [] flèiāđá@ ypDavid Bonior_ ypMichiganypU.S.
Representative3 ü @[]
ypgus@electionmall.comypgrfx/donkey.gifypmusic/spring.midæ Š y c w U @ 6 4 &
yy[] Å [] ¼°úYāđá@ ypJohn M. Shimkus_ ypIllinoisypU.S.
Representative3 ü @[]
ypgus@electionmall.comypgrfx/elephant.gifypmusic/spring.midj [] | f Z X C 9 7 &
yy[] i LVAL |
[] [] Š [] [] i [] [] B [] i

Sorry guys im tes
ting, this is the last onesorry guys im te
sting, this is the last onesorry guys im t
esting, this is the last onesorry guys im
testing, this is the last onesorry guys im
testing, this is the last onesorry guys im
testing, this is the last onesorry guys im
h and Kent College of Law in partnership
with Electionmall.com would like to in
vite you to the first ECampaign Seminar in
n Chicago. 4:30 [] 6:00 ECampaign Semina
r 6:00 [] 9:00 Social Hour August 31st

Upstairs at Monday's Restaurant 203 N
orth LaSalle Chicago First door East of
LaSalle Street on Lake Street, Feel fre
e to forward this invitation.

RSVP to

(773) 262-6525
or RSVP@ELECTIONMALL.CO
M Merrill Lynch and Kent College of Law
in partnership with Electionmall.com W
ould like to invite you to the first ECam
paign Seminar in Chicago. 4:30 [] 6:00 EC
ampaign Seminar 6:00 [] 9:00 Social Hour
August 31st

Upstairs at Monday's Restaurant 203 N
orth LaSalle Chicago First door East of
LaSalle Street on Lake Street, Feel fre
e to forward this invitation.

RSVP to

(773) 262-6525
or RSVP@ELECTIONMALL.CO
M Help elect Claude Hutchison to be our re

yardsign.mdb

LaSalle Chicago First

door East of LaSalle

Street on Lake Street,

Feel free to forward this

invitation.

RSVP to

(773) 262-6525 or

RSVP@EMerrill Lynch and Kent

College of Law in

partnership with

Electionmall.com would

like to invite you to the

first ECampaign Seminar

in Chicago. 4:30 □ 6:00

ECampaign Seminar 6:00 □

9:00 Social Hour August

31st

Upstairs at Monday's

Restaurant 203 North

LaSalle Chicago First

door East of LaSalle

Street on Lake Street,

Feel free to forward this

invitation.

RSVP to

(773) 262-6525 or

RSVP@ECheck this out, the latest in on
line politics. Communicate to your voters
via email. E-Campaigning just started to m
ake cents! Check this out, the latest in on
line politics. Communicate to your voters
via email. E-Campaigning just started to m
ake cents! Check this out, the latest in on
line politics. Communicate to your voters
via email. E-Campaigning just started to m
ake cents! Check this out, the latest in on

0909509 0001
0909509 0001

yardsign.mdb

line politics. Communicate to your voters
via email. E-Campaigning just started to m
ake cents! sorry guys im testing, this is t
he last one sorry guys im testing, this is
the last one sorry guys im testing, this is
the last one sorry guys im testing, this is
s the last one sorry guys im testing, this
is the last one sorry guys im testing, this
is the last one sorry guys im testing, this
is the last one sorry guys im testing, thi
s is the last one

TO~Ü

1 •P@è4,,ôR'Ü

DrewInternet God5 € á-1óá@ ýbJimýbDrewýbJim
Jimýbcahohn@excite.comýbgrfx/elephant.gifýbmusic/pinkpanther.mid † s ` K I ; 1 + &
ýýüü í ü DtA~>óá@ ýbMALCOLMýbSMITHýbSanta ClaraýbPRESIDENT3
ü € ýbVOTE FOR
ME!!!ýbmalcolmasmith@yahoo.comýbgrfx/donkey.gifýbmusic/spring.mid" - ... 1 P N C 6 / &
ýýüü í ü q2Iu>óá@ ýbMALCOLMýbSMITHýbSanta
ClaraýbPRESIDENT3 ü € ýbVOTE FOR
ME!!!ýbmalcolmasmith@yahoo.comýbgrfx/donkey.gifýbmusic/spring.mid" - ... 1 P N C 6 / &
ýýüü í ü ü-s>óá@ ýbMALCOLMýbSMITHýbSanta
ClaraýbPRESIDENT3 ü € ýbVOTE FOR
ME!!!ýbmalcolmasmith@yahoo.comýbgrfx/donkey.gifýbmusic/spring.mid" - ... 1 P N C 6 / &
ýýüü í ü ü=yüüóá@ ýbAshcroftýbAshcroftýbSen.
AshcroftýbSenate3 üü @üü
ýbcahohn@excite.comýbgrfx/elephant.gifýbmusic/spring.mid- ... r _ S Q I : 0 &
ýýüü é ü üü'üüóá@ ýbAshcroftýbAshcroftýbSen.
AshcroftýbSenate3 üü @üü
ýbcahohn@excite.comýbgrfx/elephant.gifýbmusic/spring.mid- ... r _ S Q I : 0 &
ýýüü é ü A'á'óá@ ü ýbELECTIONMALLýbELECTIONMALLýbthird
inviteýb.COM4 êü @ c ýbcahohn@excite.comýbgrfx/capitol.gifýbmusic/spring.mid> %
w d X V P B 4 & ýýüü é ü ~|fóá@ü
ýbELECTIONMALLýbELECTIONMALLýbthird inviteýb.COM4 êü @üa
ýbcahohn@excite.comýbgrfx/capitol.gifýbmusic/spring.mid> % w d X V P B 4 &
ýýüü é ü áK~óá@ ýbELECTIONMALLýbELECTIONMALLýbthird
inviteýb.COM4 êü @
a ýbcahohn@excite.comýbgrfx/capitol.gifýbmusic/spring.mid> % w d X V P B 4 &
ýýüü ç ü e'jm}óá@ ýbYour Name Here_ ýbALLýbU.S.
Representative3 üü @üa
ýbgus@electionmall.comýbgrfx/donkey.gifýbmusic/spring.mid™ ‡ v ` T R = 8 6 &
ýýüü æ ü RÄBf}óá@ ýbYuor Name Here_ ýbALLýbU.S.
Representative3 üü @üa
ýbgus@electionmall.comýbgrfx/donkey.gifýbmusic/antartica.midæ ‡ v ` T R = 8 6 &
ýýüü á ü kâYü}óá@ ýbYour Name Here_ ýbAllýbU.S.
Representative3 üü @
a ýbgus@electionmall.comýbgrfx/donkey.gifýbmusic/antartica.midæ ‡ v ` T R = 8 6
& ýýüü ä ü öit,,|óá@ ýbYour Name Here_ ýbAllýbU.S.
Representative3 üü @ a
ýbgus@electionmall.comýbgrfx/elephant.gifýbmusic/spring.mid> % v ` T R = 8 6 &
ýýüü ä ü ZÜ b|óá@ ýbSACHENDRA YADAV- ýbfreinds3ýbPRESIDENT OF
US3 V -@üa ýbsachendram22@yahoo.comýbgrfx/capitol.gifýbmusic/pinkpanther.midf @
z b V T C 9 7 & ýýüü á ü @ÉPY|óá@ ýbSACHENDRA YADAV-
ýbfreinds3ýbPRESIDENT OF US3 V @üa
ýbsachendram22@yahoo.comýbgrfx/capitol.gifýbmusic/pinkpanther.midf @ z b V T C 9 7 &
ýýüü á ü üü=U|óá@ ýbSACHENDRA YADAV-
ýbfreinds3ýbPRESIDENT OF US3 V @üa
ýbsachendram22@yahoo.comýbgrfx/capitol.gifýbmusic/pinkpanther.midf @ z b V T C 9 7 &

yardsign.mdb

ÿÿ à www7|òá@ ÿpsACHENDRA YADAV-
ÿpfreinds3ÿpPRESIDENT OF US3 V @a
ÿpsachendram22@yahoo.comÿbgrfx/capitol.gifÿbmusic/pinkpanther.midf æ z b v T C 9 7 &
ÿÿ ð ð ðw,|òá@ ÿpsACHENDRA YADAV-
ÿpfreinds3ÿpPRESIDENT OF US3 V @a
ÿpsachendram22@yahoo.comÿbgrfx/capitol.gifÿbmusic/pinkpanther.midf æ z b v T C 9 7 &
ÿÿ ð ð '-ñ!|òá@ ÿpsACHENDRA YADAV-
ÿpfreinds3ÿpPRESIDENT OF US3 V @a
ÿpsachendram22@yahoo.comÿbgrfx/capitol.gifÿbmusic/pinkpanther.midf æ z b v T C 9 7 &
ÿÿ ð Y ð µN|òá@ ÿpsACHENDRA YADAV-
ÿpfreinds3ÿpPRESIDENT OF US3 V @a
ÿpsachendram22@yahoo.comÿbgrfx/capitol.gifÿbmusic/pinkpanther.midf æ z b v T C 9 7 &
ÿÿ ð Ü ð ð=|òá@ ÿpsACHENDRA YADAV-
ÿpfreinds3ÿpPRESIDENT OF US3 V @a
ÿpsachendram22@yahoo.comÿbgrfx/capitol.gifÿbmusic/pinkpanther.midf æ z b v T C 9 7 &
ÿÿ ð ð ð LVAL ð ð ð@

09898509 "070301
j ð ð ð ð
lease attend TODAY! There is limited spac
e available for the e-Campaign Seminar & N
etworking Conference which will be held at
Monday's Restaurant, 203 N. La Salle Stree
t, Chicago, Illinois. Click here for<a href=
f= ð http://maps.yahoo.com/py/pmap.py?Pyt=Tm
ap&addr=203+N.+La+Salle+Street&city=Chicag
o&state=IL&slt=41.886000&sln=-87.632300&zi
p=60601-1210&country=us&BFCat=&BFCClient=&m
ag=9&cs=9&name=&desc= ð >DirectionsPleas
e attend TODAY! Your place has been reserv
ed for the e-Campaign Seminar & Networking
Conference which will be held at Monday's
Restaurant, 203 N. La Salle Street, Chicag
o, Illinois. Click here for<a href= ð http://
maps.yahoo.com/py/pmap.py?Pyt=Tmap&a-d-d-r=2
03+N.+La+Salle+Street&city=Chicago&state=I
L&slt=41.886000&sln=-87.632300&zip=60601-1
210&country=us&BFCat=&BFCClient=&mag=9&cs=9
&name=&desc= ð >DirectionsPlease attend,
your place has been reserved. The e-Campaig
n Seminar & Networking Conference will be
held at Monday's Restaurant, 203 N. La Sal
le Street, Chicago, Illinois. For directio
ns click here Help yourself to this

 site it's FREE.

I spoke with someone at

your campaign office and

I thought that you may

like this.

Please forward this to

your Tech or Internet

campaign sta help yourself to this

yardsign.mdb

 site it's FREE.

 I spoke with someone at

 your campaign office and

 I thought that you may

 like this.

 Please forward this to

 your Tech or Internet

 campaign staffer Merrill Lynch and Kent

 College of Law in

 partnership with

 Electionmall.com would

 like to invite you to the

 first ECampaign Seminar

 in Chicago. 4:30 - 6:00

 ECampaign Seminar 6:00 -

 9:00 Social Hour August

 30th

 Upstairs at Monday's

 Restaurant 203 North

 LaSalle Chicago First

 door East of LaSalle

 Street on Lake Street,

 Feel free to forward this

 invitation.

 RSVP to

 (773) 262-6525 or

 RSVP@EJ J"

W

On

o

ý:µ0b"Åù/0o°

/~fQôá@

ýpMargaretybFarinaybFarina dogcatcherybDog Catcher3 € ýpHey

margaretybcahohn@excite.comýpgrfx/capitol.gifýbmusic/pinkpanther.mid°™ ‡ t Z X K 8

yardsign.mdb

0 & ŷŷ " xŷLŷôá@ ŷpdimitriŷptzoumasŷpdcŷŷvp bd4
€ ŷptestŷpdtzoumas@mindspring.comŷpupload\34_implogo.imgŷpnoneZ q X F D = 8
/ & ŷŷ " ¼»»{ôá@ ŷpTanya ŷpzimmerliD C ŷpTech Dir3
@e

ŷpdimitri@contributor.comŷpupload\34_implogo.imgŷpmusic/pinkpanther.midæ ... n T H F
< 8 . & ŷŷ " E/-üôá@

ŷpAttendŷpElectionMall.comŷpmediaŷpe-Campaign & Networking Conference1 T @e
ŷpgus@electionmall.comŷpgrfx/capitol.gifŷpnoneš ; y m k G @ . & ŷŷ "
0*%Eôá@ ŷpAttendŷpElectionMall.comŷpallyŷpe-Campaign &

Networking Conference1 D @e
ŷpgus@electionmall.comŷpgrfx/capitol.gifŷpmusic/spring.mid± ŷ w k i E @ . &
ŷŷ " " .:zôá@

ŷpAttendŷpElectionMall.comŷpallyŷpe-Campaigning & Networking Conference1 @ @ e
ŷpgus@electionmall.comŷpgrfx/capitol.gifŷpmusic/spring.mid € z n l E @ . &
ŷŷ " " 'jišôá@

ŷpAttendŷpElectionMall.comŷpMidwestŷpe-Campaign & Networking Conference1 B @c
ŷpgus@electionmall.comŷpgrfx/capitol.gifŷpmusic/spring.midµ f ' { o m I @ . &
ŷŷ y " K%rtôá@

ŷpAttendŷpElectionMall.comŷpMidwestŷpe-Campaign & Networking Conference1 8 @c
ŷpgus@electionmall.comŷpgrfx/capitol.gifŷpmusic/spring.midµ f ' { o m I @ . &
ŷŷ b " Yèžôá@

ŷpAttendŷpElectionMall.comŷpMidwestŷpe-Campaign & Networking Conference1 æ @c
ŷpgus@electionmall.comŷpgrfx/capitol.gifŷpmusic/spring.midµ f ' { o m I @ . &
ŷŷ y " lÁôá@ q q q q 3 € q

ŷpsachendra@hotmail.comŷpgrfx/donkey.gifŷpnone1 f U > 0 . , * (& ŷŷ ü
x*1Bŷôá@ q q q q 3 € q
ŷpsachendra@hotmail.comŷpgrfx/donkey.gifŷpnone1 f U > 0 . , * (& ŷŷ û

.4ôôôô@ " ŷpGeorge W. BushŷpGeorge W. BushŷpTest_RNCŷpPRESIDENT5
ö @a ŷpsachendra@hotmail.comŷpgrfx/elephant.gifŷpmusic/pinkpanther.midª " € i
] [P F 6 & ŷŷ ü zšñ-Áôá@ ŷpGeorgeŷpBushŷpFirst

MailingŷpPRESIDENTŷp_rnc1 €
ŷpmessageŷpsachendra@hotmail.comŷpgrfx/elephant.gifŷpnoneš " j U N C 4 . &
ŷŷ ü " ü-æªôá@ ŷpsachendraŷpsachendraŷptitleŷpsachendra3

€ ŷpmessageŷpsachendra@hotmail.comŷpgrfx/donkey.gifŷpmusic/pinkpanther.mid¥
Z } f Q O D < 1 & ŷŷ ø " ÷ñ-ªôá@
ŷpbergŷpsdfgŷpsdfŷpsdfg3 €
ŷpsdfŷpsg@sdf.dfgŷpgrfx/donkey.gifŷpmusic/pinkpanther.midf 1 [O > < 6 1 + &

ŷŷ ÷ " æªªôá@ ŷpbergŷpsdfgŷpsdfŷpsdfg3 €
ŷpsdfŷpsg@sdf.dfgŷpgrfx/donkey.gifŷpmusic/pinkpanther.midf 1 [O > < 6 1 + &
ŷŷ ö " ô-!ªôá@ ŷpMaurrenŷpMurphyŷpGoddesŷpGoddes3 €

ŷpHeyŷpcahohn@excite.comŷpgrfx/elephant.gifŷpmusic/pinkpanther.mid n Z I G ?
7 / & ŷŷ ö " <6Uª.ôá@ ŷpMaureenŷpMurphyŷpMaureen
MurphyŷpGoddes3 € ŷpHey

ŷpcahohn@electionmall.comŷpgrfx/elephant.gifŷpmusic/pinkpanther.mid! | c Q O G 7 /
& ŷŷ ö " 6U*¥.ôá@ ŷpMaureenŷpMurphyŷpMaureen
MurphyŷpGoddes3 € ŷpHey

ŷpcahohn@electionmall.comŷpgrfx/elephant.gifŷpmusic/pinkpanther.mid! | c Q O G 7 /
& ŷŷ ö " Y
it.ôá@ ŷpMaureenŷpMurphyŷpMaureen MurphyŷpGoddes3 €

ŷpHey ŷpcahohn@electionmall.comŷpgrfx/elephant.gifŷpmusic/pinkpanther.mid! | c Q O
G 7 / & ŷŷ ö " ô-!8ôá@ ŷpJimŷpDrewŷpJim
DrewŷpInternet God5 € ŷpHey

Jimŷpcahohn@excite.comŷpgrfx/elephant.gifŷpmusic/pinkpanther.mid † s K I ; 1 + &
ŷŷ ñ " 02T6ôá@ ŷpJimŷpDrewŷpJim DrewŷpInternet God5 €
ŷpHey Jimŷpcahohn@excite.comŷpgrfx/elephant.gifŷpmusic/pinkpanther.mid † s

K I ; 1 + & ŷŷ d LVAL " Aô | (ô-06ôxô€
If you want

t Nader to get out his message use Election
n mall . com . Contact us at electionmall@yah
oo . com or call at 7 7 3 2 6 2 6 5 2 5 Don't know h
ow to put you Campaign On-Line? Well Elect
ion Mall . com is what you need .

ion Mall . com is what you need .

yardsign.mdb

Receive contributions for your campaign on-line 24/7.

Set up an account today through Election Mall.com for free, the standard fee of \$99 will be waived by signing up today through us.

You will be able to receive contributions within 48 hours when you take advantage of this opportunity.

The new age of campaigning is on-line, ARE YOU?

Contact us at gus@electionmall.com Hi M
el! Isn't this cool. It's a simple web site
esign this system. This is only a test. Please at
ttend TODAY! There is limited seating available
table for the e-campaign seminar & networking
ing Conference, which will be held at Monday
y's Restaurant, 203 N. La Salle Street, Chicago
icago, Illinois. Click here for <a href=ht
tp://maps.yahoo.com/py/pmap.py?pyt=Tmap&ad
dr=203+N.+La+Salle+Street&city=Chicago&sta
te=IL&slt=41.886000&sln=-87.632300&z=606
01-1210&country=us&BFCat=&BFClient=&mag=9&
cs=9&name=&desc=>Directions

Please attend TODAY! There is limited
seating available for the e-campaign seminar
nar & networking Conference which will be
held at Monday's Restaurant, 203 N. La Salle
le Street, Chicago, Illinois. Click here for
or <a href= http://maps.yahoo.com/py/pmap.p
y?pyt=Tmap&addr=203+N.+La+Salle+Street&cit
y=Chicago&state=IL&slt=41.886000&sln=-87.6
32300&z=60601-1210&country=us&BFCat=&BFC
lient=&mag=9&cs=9&name=&desc=>Directions <
/a> Please attend TODAY! There is limited
pace available for the e-campaign seminar
& networking Conference which will be held
at Monday's Restaurant, 203 N. La Salle St
reet, Chicago, Illinois. Click here for <a
href= http://maps.yahoo.com/py/pmap.py?pyt
=Tmap&addr=203+N.+La+Salle+Street&city=Chi
cago&state=IL&slt=41.886000&sln=-87.632300
&z=60601-1210&country=us&BFCat=&BFClient
=&mag=9&cs=9&name=&desc=>Directions </p>
</div>
<div data-bbox="74 762 367 803" data-label="Text">
<p>ä 5 M00000W0'000'0</p>
</div>
<div data-bbox="74 797 637 814" data-label="Text">
<p>000 & ^A,i00á@</p>
</div>
<div data-bbox="74 809 880 839" data-label="Text">
<p>yBrajat yBansal yBmusic yBThe President of the United States5 D @h</p>
<p>yBrajat@wearethesholtion.com yBgrfx/capitol.gif yBmusic/pinkpanther.mid^ > % n b < 5</p>
</div>
<div data-bbox="74 834 820 853" data-label="Text">
<p>- & y y 00 00 x ^ 000á@ ybyour yBname yBallyBattorney</p>
</div>
<div data-bbox="74 850 224 866" data-label="Text">
<p>general3 E @h</p>
</div>
<div data-bbox="74 860 892 880" data-label="Text">
<p>yBgus@electionmall.com yBgrfx/democrat1.gif yBmusic/pinkpanther.mid ~ 0 m W K I 7 2 , &</p>
</div>
<div data-bbox="74 875 370 904" data-label="Text">
<p>y y 00 00 0 [^ A00á@ yBjim yBjim Ryan yBIllinois</p>
<p>Votes yBAttorney General5 00 @j</p>
</div>
</div>
<div data-bbox="438 899 522 916" data-label="Page-Footer">
<p>Page 108</p>
</div>

yardsign.mdb

Here is one of our 8 dot coms within ElectionMall.com with it patent pending e campaigning solutions. We are the first in the industry to create this 2 way communication tool for campaign managers and politicians, to communicate with their voters.

We are going to revolutionize the way campaigning is done over the NET!

PS - Look at the 5 links below....

Kesh Patel

COO & co-founder

510 610 7708

electionmall.com We appreciate your interest and thank you for your attendance to the E-Campaign Seminar. You made it a successful event. Now it is time to work!

Put your Campaign On-Line!

Receive contributions for your campaign on-line.

Set up an account today through ElectionMall.com free! The standard fee of \$99 will be waived by signing up today through us, but don't hesitate this is a one time offer!

You will be able to receive contributions within 48 hours when you take advantage of this opportunity.

The new age of campaigning is on-line, ARE YOU? Jerry, use Electionmall.com to help get out the vote and raise money online. Contact us at electionmall@yahoo.com or 773-262-6525 Through the help of Electionmall.com Nader can win. Contact electionmall@yahoo.com or call 773 262 6525 Through the help of Electionmall.com Nader can win. Contact electionmall@yahoo.com or call 773 262 6525 Through the help of Electionmall.com Nader can win. Contact electionmall@yahoo.com or call 773 262 6525 If you want Nader to get out his message use Electionmall.com. Contact us at electionmall@yahoo.com or call at 773 262 6525 "LVAL ~0000:0

Here you go see if
it finally works please remeber to register
and vote on November 7th. Hello Ray, your m
essage goes here. You can also add links
and urls here. Is your campaign using the
full benefits of E-Campaigning? Is your ca
mpaign On-Line? Well no matter what the ca
se is we can help.

Receive contributions online in only 4
8 hours. This can be done through Election
Mall.com!

Sign up now and the one time fee of \$9
9 will be waived, but it will only be for
a limited time. So take advantage of this
great offer.

Email me at gus@electionmall.com or st
op by our website at ElectionMall.com and
click on to Fundraisingby.net.com. What do
you have to lose? Hey Kesh

Chris Hohn

We are going to be in San

Fran October 6th through

the 9th for a wedding.

I am going to have ONE day

for myself I think it is

going to be Saturday. If

you would like to set up

a VC meeting or two we

could tag team. This

will be the best way to

handle these VCs. You

know the business I know

the politics.

yardsign.mdb

< B R >

< B R > I have a line on a VC

< B R > here & need some coaching

< B R > on what to say. W/B &

< B R > give me some buzz words,

< B R > ideas that I need to hit

< B R > with them and what ever

< B R > tells you can think of

< B R > that I will need to know

< B R > I think we have a tech

< B R > glitch usi
LVAL

Support your Republican Attor
ney General. Punch the donate button on
the bottom of this e-yardsign and make a d
ifference in IL. Your donation of \$1,000
will be used to convince other voters that
Jim Ryan is the best choice for IL attorne
y general. January 25, 2000

< B R >

< B R >

< B R >

< B R >

< B R > Dear Concerned Voter,

< B R >

< B R >

< B R > U.S House, Illinois 10.

< B R > -

< B R > The retirement of GOP

< B R > incumbent John Porter put

< B R > this seat into play.

< B R > If Democrats can take a

< B R > GOP-leaning district like

this one, they'll be

well on their way to

recapturing control of

the House.

- Campaigns & Elections,

February 2000

There is no doubt that

the future of the

leadership of the US

House of Representatives

will be decided in this

district in the primary

election on the 21st of

March, 2000.

Here are the facts:

1. Speaker Hasert has a

thin five seat margin in

Congress.

2. The National

Democratic Party has

targeted the 10th

district as winnable.

3. The Democratic

nominee, Lauren Beth

Gash, is one of the most

experienced and best

financed political

yardsign.mdb

candidates the Democrats

have to offer.

4. Woman candidates tend

to have an, up to 5%,

advantage at the polls.

5. The Republican

candidate will have to

raise at least 3-4

million dollars.

Who is best beat Lauren

Beth Gash? We are.

Bio stuff here

I am looking forward to

meeting you answering

your questions on the

29th, at the wheeling

HERE IS THE CUT OFF

Township Precinct

 < J @

F

N

A

)

f

3

ypAl Gore _ ypAl

GoreypPresident 20003 @

ypgus@electionmall.comypgrfx/donkey.gifypmusic/spring.mid' € o Y M K ; 2 0 &

ypDan the ManypDan PatlakypPresident5 F

@i ypgus@electionmall.comypgrfx/elephant.gifypmusic/spring.mid• f p Z N L A 5

(& ypDan the ManypDan the

TownshipypState Representative - 36th District4 h @i

ypvlasis2000@aol.comypgrfx/elephant.gifypmusic/antartica.mid, £ | p n H 8 0 &

ypDan the ManypDan the

manypElectionMall.com5 P @

ypgus@electionmall.comypgrfx/elephant.gifypmusic/spring.mid < x b V T B 5 (&

ypJoeypBlowyprepubsyypJudge5 €

09898509"070301

yardsign.mdb
ybmessageypsimer@electionmall.comybgfrfx/elephant.gifybpnone^ , o w B @ 9 1 + &
yy[] . [] Pif[]@
General1 [] € ybPackers are #1
Cheeseheads!ybTeresazepeda@yahoo.comybgfrfx/democrat1.gifybpmusic/pinkpanther.midÂ « -
[] V T B 8 + & yy[] -[] . []+[]@
ybLeeypGissendanerybGreenbayybAttorney General1 [] € ybPackers are #1
Cheeseheads!ybTeresazepeda@yahoo.comybgfrfx/democrat1.gifybpmusic/pinkpanther.midÂ « -
[] V T B 8 + & yy[] ,[] . []%[]@
ybLeeypGissendanerybohioybPresident3 [] € ybFootball as an Olympic
sportybTeresazepeda@yahoo.comybgfrfx/donkey.gifybpmusic/pinkpanther.midž ž [] u K I > 8
+ & yy[] +[] [] a õ>²ää@ ybRayybPray LongybTribuneybU.S.
Senator5 - @[]
ybjesse@electionmall.comybupload\12_implogo.imgybpmusic/antartica.midž % r Z N L > 5
+ & yy[] *[] [] #[]aA°ää@
ybREPUBLICANSybREPUBLICANSybCCRCCybCook County3 †[] @ m
ybcahohn@excite.comybgfrfx/elephant.gifybpmusic/spring.midš ^ u b v T G @ 3 &
yy[])[] , ot[]Ytää@[] [] ybGeorge W.ybBUSHybHohnybPRESIDENT2 à[] @[]
ybjoeweiss@usa.netybupload\44_implogo.imgybpnone... [] h v j h = 7 1 & yy[] ([] ,
m-[]Ytää@ ybGeorge W.ybBushybChicago AreaybPresident4 à[] @[]
ybjoeweiss@usa.netybupload\44_implogo.imgybpnone[] ‡ p ^ R P E 7 1 & yy[] '[] []
ti[]=ää@ ybSimerybSinghybSimerybPresident1 [] @[]
ybcahohn@excite.comybgfrfx/donkey.gifybpnone~ x g T H F ; 4 - & yy[] &[] []
g[]YD0ää@ q q ybpmusicq 3 [] €
ybpeeeypsachendra@hotmail.comybgfrfx/donkey.gifybpnoneu o ^ G 5 3 1 * (&
yy[] %[] [] -i[]l[]ää@ ybJim Ryan_ ybJim RyanybAttorney General3
%[] @ 1 ybgus@electionmall.comybgfrfx/elephant.gifybpmusic/spring.mid- ... r \ P N <
2 0 & yy[] \$[]) l[]x[]üää@ ybjoeybmamaybmidwestybbig cheese1
\ @[]h ybfrankpensa@hotmail.comybgfrfx/judge.gifybpnone, | l T H F : 1 + &
yy[] #[]) E[]'uüää@[] [] [] j e j e ybtestj e 5 [] € ybtest test
testybjesse@electionmall.comybgfrfx/democrat1.gifybpmusic/spring.mid" , n v : 8 4 . *
& yy[] "[] & o[]fñää@[] [] [] ybRajatybBansalybmusicybThe
President of the United States5 D @
h ybrajat@wearethesolution.comybgfrfx/capitol.gifybpmusic/pinkpanther.mid³ æ Š n
b < 5 - & yy[] ![]) ,4[]iää@[] [] ybfrankieybpensa
ybmayor1 [] € ybfrankie pensa

testingybfrankpensa@hotmail.comybgfrfx/donkey.gifybpmusic/pinkpanther.mid« " f k C
A : 6 / & yy[] [] ' i[]i[]ää@[] [] [] []
ybtester ybtest ybtest ybtest4 [] € ybyou can eat
cakeybTeresazepeda@yahoo.comybgfrfx/donkey.gifybpmusic/pinkpanther.mid % x ^ B @ : 4
& yy[] [] [] s[]Eiää@[] [] [] ybyourybnameyballybpattorney
general3 E @ h
ybpgus@electionmall.comybgfrfx/democrat1.gifybpmusic/pinkpanther.mid~ [] m w K I 7 2 , &
yy[] [] (s[]Eiää@[] [] [] ybjesseybjesseybjesseybjesse5 [] €
ybjesse/jesse/jesse/jesseybjesse@electionmall.comybgfrfx/democrat1.gifybpmusic/spring.
midš . [] i D B ; 4 - & yy[]V[]LVAL [] D[] ,L[]l[]

On Thursday, Sep
tember 28, from 5 - 7 : 30 P M , we re going to
have a YP4W social event at The Hunt Club ,
1100 N . State St . , Chicago .

< B R >

< B R > we had upwards of 200 people at our ki
ckoff at Jillys and, with the

< B R > election drawing nearer, we expect an
even larger turnout this time .

< B R >

yardsign.mdb

This event will focus on Governor Bush's commitment to education. We're asking people to bring \$10 worth of school supplies, such as pencils and paper, as a cover charge, which we will donate to local schools. We'll have

state officials and representatives of volunteer groups on-hand to talk about education as well.

On Thursday, September 28, from 5-7:30 PM, we're going to have a YP4W social event at The Hunt Club, 1100 N. State St., Chicago.

We had upwards of 200 people at our kickoff at Jilly's and, with the

election drawing nearer, we expect an even larger turnout this time.

This event will focus on Governor Bush's commitment to education. We're asking people to bring \$10 worth of school supplies, such as pencils and paper, as a cover charge, which we will donate to local schools. We'll have

state officials and representatives of volunteer groups on-hand to talk about education as well.

We are going to meet with

Andy Todd of Elect Sunday

after you get back from

NY. Call me when you get

in. 773-388- Through the new technology of E-Yardsigns you can reach, track and communicate to a wider audience. E-Yardsigns is the tool for your campaign. You can receive contributions within 48 hours if you sign up through ElectionMall.com. Customization is also available and for a great price. You can reach out with your own personal touch and bring your campaign online more effectively. So visit us at ElectionMall.com and check it out. Or you can contact me at gus@electionmall.com --LVAL z*

ay, here is a sample eyardsign. You can a
dd, your own logo to the left, instead of t
he capital logo. Your message would go he
re. You can also add links and urls here.
So what do you think? Al Gore 2000 definit
ely can use this to create a fuss. We can
customize an E-Yardsign for Al Gore 2000.
Go to eyardsign.com, empowered by Election
Mall.com, and check out for yourself. Cont
act me at gus@electionmall.com and let's
get the ball rolling. Dan if you get at leas
t the text of this message. Email exactly
what you get or just forward it to exme. If
not copy exactly what you get and fax it t
o me at 630-859-9051 Dear Matt,

First off we will beat Aristotles's per
centage for online fund-raising.

Secondly we have the ability to raise
money in the old fashioned way, in that th
e donor must go to the individual candidat
e or committee site to donate. What we do
is, through email, send the site to the do
nor. As you can see at the bottom of this
Eyardsign you can donate directly to CCRCC
. Added to the ability to donate you will
be able to track where and by whom the ema
ils are forwarded, collect volunteers, plu
s, Minus, Zero with the "vote" button and
visit CCRCC's home page directly from you
email.

We can also manage sending out your em
ails and creating a customized Eyardsign.

Let set up a meeting with Lisa and Man
ny, any time, sooner the better.

Yours,

Christopher A. Hohn

Chris@electionmall.com

[illegible][illegible]


```

yardsign.mdb
yy yyyy yy yy yy or t Y0 € f0 yy yyEyyyy yy yy yy or u
€ Y0 yyy yy Y0 E Y0 J
yyy yy List_id4ListMailTracking
_Link_Link_FMail_TrackingMailTracking_List_
Link track_id yy

```

0509509 070301

00ê0ß0ô0É0%0³0"000'0‡0|0q0f0[0P0E0:0/0\$000000000í0â0x0i0Á0¶0«0 0•0Š000t0i0^0S0H0=020
'00000000û

ð
à
Ü
ï
Ä
ï
•
£
□
,
w
l
a
v
K
@
5
*
□
□

b0ó0è0Y0ò0Ç0%0±0|0>000...0z0o0d0Y0N0C080-0"00000000ö0ë0à0õ0Ê0¿0´0@0ž0"0`0}0r0g0\0Q0F0;0
00%0000000û

î
ã
ø
í

1. The first part of the document is a list of references. The references are listed in a standard format, with the author's name, the title of the work, and the publisher. The references are as follows:

1. J. H. Van Veen, *The History of the Netherlands*, 1910, 1911, 1912, 1913, 1914, 1915, 1916, 1917, 1918, 1919, 1920, 1921, 1922, 1923, 1924, 1925, 1926, 1927, 1928, 1929, 1930, 1931, 1932, 1933, 1934, 1935, 1936, 1937, 1938, 1939, 1940, 1941, 1942, 1943, 1944, 1945, 1946, 1947, 1948, 1949, 1950, 1951, 1952, 1953, 1954, 1955, 1956, 1957, 1958, 1959, 1960, 1961, 1962, 1963, 1964, 1965, 1966, 1967, 1968, 1969, 1970, 1971, 1972, 1973, 1974, 1975, 1976, 1977, 1978, 1979, 1980, 1981, 1982, 1983, 1984, 1985, 1986, 1987, 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578,

```

Mail Tracking_List_LinkLLLLLLLLLLLLL
Mail_Tracking:::::::::::::
List(((((((((((
email*****
Donate,,,,,,,,,,,,,
Advertiser_price@@@@@@@@@
Advertiser_Info>>>>>>40Y++Y(
!WXXRVSSRX
U;>:RRSRYX
RQQ;:OÿPûú
öêLèCè9èKéLéCé
9éKèLèCè9èKç:æ:
â:ä;ãâáàßðþ
YÜÛÚÙØÖïCîC
î9«8a7-4"32...
zxxwsrqaoo
nmltdcbayq
_^([)\([_Z(Y(
'X(W(V(U(T(S(R(Q
'P(O(N(H($)(G#F"E=
DCCBBA@?>=

```


yardsign.mdb

00 < 0 00 ; 0 00 : 0 00 9 0 00 8 0 00 7 0 00 6 0 00 5
0 00 4 0 00 3 0 00 2 0 00 1 0 00 , 0 00 + 0 00 * 0 00
' 0 00 & 0 00 % 0 00 \$ 0 00 # 0 00 0 0 00
0 00 0 00 0 0 00 0 0 0000 q
0000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€
00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€

0€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0

S
0€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€
0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0
s>0€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€
s[0€ 0 s\0€ 0 s]0€ 0 s^0€ 0 s_0€ 0 s`0€ 0 sa0€ 0 sb0€ 0 sc0€ 0
sd0€ 0 sv0€ 0 sw0€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€
0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0
s<0€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€
0€ 0 s*0€ 0 s+0€ 0 s30€ 0 s40€ 0 s70€ 0 s<0€ 0 sA0€ 0 sC0€ 0 sE0€
0 sF0€ 0 sG0€ 0 sS0€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€ 0 s00€
s\$0€ \$ s%0€ ' s(0€ ' s)0€ (s,0€ (s-0€ (s.0€ (s/0€ (s00€ (s#0€ #
s10€ (s20€ (s50€ (s60€ 2 s10€ 3 s10€ 4 s10€ 7 s10€ 8 s10€ 9
sN0€ 9 s00€ 9 sj0€ 9 sn0€ 9 sr0€ : sr0€ : sf0€ : sg0€ : sh0€ :
sz0€ : s00€ ; se0€ ; s{0€ ; sf0€ > s,0€ C sP0€ C sQ0€ C sk0€ C
s00€ C ss0€ K si0€ K sm0€ K sq0€ L sl0€ L sp0€ L st0€ O sy0€ P
sx0€ Q s|0€ R s}0€ R s~0€ R s€0€ S s00€ U s,,0€ V s†0€ W s‰0€ X
s...0€ X s_0€ Y s00€ Y sŽ

0989509.070301

0000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€
00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€ 00000 @€
00000 @€

0€ 0 s 0€ 0 s00€ 0 s00€

s00€
s00€ 0 s00€ # s00€ \$ s00€ % s00€ & s 0€ ' s
0€ * s00€ + s00€ , s

```

0: s ; < = > ? @ A B C
s D ! E " # $ % & ' ( ) * + , - . / : ; [ \ ] ^ _ ` { | } ~ ¡ ¢ £ ¤ ¥ ¦ § ¨ © ª « ¬ ® ¯ ° ± ² ³ ´ µ ¶ · ¸ ¹ º » ¼ ½ ¾ ¿
s} s~ s s€ s s, s...
st st s^ s% s$ s( s s+ sŽ

```

Parameter	Value	Unit
Temperature	25.0	°C
Pressure	1.0	atm
Flow rate	1.0	L/min
Wavelength	254	nm
Scan rate	1.0	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Slit width	1.0	mm
Detector	Photodiode array	
Software	Chromatography	
Hardware	PC/AT	
Operating system	Windows 95	
Database	Chromatography	
Method	Chromatography	
Column	Chromatography	
Mobile phase	Chromatography	
Sample	Chromatography	
Injection volume	1.0	μL
Injection port	Chromatography	
Injection temperature	25.0	°C
Injection pressure	1.0	atm
Injection flow rate	1.0	L/min
Injection volume	1.0	μL
Injection port	Chromatography	
Injection temperature	25.0	°C
Injection pressure	1.0	atm
Injection flow rate	1.0	L/min
Injection volume	1.0	μL
Injection port	Chromatography	
Injection temperature	25.0	°C
Injection pressure	1.0	atm
Injection flow rate	1.0	L/min
Injection volume	1.0	μL
Injection port	Chromatography	
Injection temperature	25.0	°C
Injection pressure	1.0	atm
Injection flow rate	1.0	L/min
Injection volume	1.0	μL
Injection port	Chromatography	
Injection temperature	25.0	°C
Injection pressure	1.0	atm
Injection flow rate	1.0	L/min
Injection volume	1.0	μL
Injection port	Chromatography	
Injection temperature	25.0	°C
Injection pressure	1.0	atm
Injection flow rate	1.0	L/min
Injection volume	1.0	μL
Injection port	Chromatography	
Injection temperature	25.0	°C
Injection pressure	1.0	atm
Injection flow rate	1.0	L/min
Injection volume	1.0	μL
Injection port	Chromatography	
Injection temperature	25.0	°C
Injection pressure	1.0	atm
Injection flow rate	1.0	L/min
Injection volume	1.0	μL
Injection port	Chromatography	
Injection temperature	25.0	°C
Injection pressure	1.0	atm
Injection flow rate	1.0	L/min
Injection volume	1.0	μL
Injection port	Chromatography	
Injection temperature	25.0	°C
Injection pressure	1.0	atm
Injection flow rate	1.0	L/min
Injection volume	1.0	μL
Injection port	Chromatography	
Injection temperature	25.0	°C
Injection pressure	1.0	atm
Injection flow rate	1.0	L/min
Injection volume	1.0	μL
Injection port	Chromatography	
Injection temperature	25.0	°C
Injection pressure	1.0	atm
Injection flow rate	1.0	L/min
Injection volume	1.0	μL
Injection port	Chromatography	
Injection temperature	25.0	°C
Injection pressure	1.0	atm
Injection flow rate	1.0	L/min
Injection volume	1.0	μL
Injection port	Chromatography	
Injection temperature	25.0	°C
Injection pressure	1.0	atm
Injection flow rate	1.0	L/min
Injection volume	1.0	μL
Injection port	Chromatography	
Injection temperature	25.0	°C
Injection pressure	1.0	atm
Injection flow rate	1.0	L/min
Injection volume	1.0	μL
Injection port	Chromatography	
Injection temperature	25.0	°C
Injection pressure	1.0	atm
Injection flow rate	1.0	L/min
Injection volume	1.0	μL
Injection port	Chromatography	
Injection temperature	25.0	°C
Injection pressure	1.0	atm
Injection flow rate	1.0	L/min
Injection volume	1.0	μL
Injection port	Chromatography	
Injection temperature	25.0	°C
Injection pressure	1.0	atm
Injection flow rate	1.0	L/min
Injection volume	1.0	μL
Injection port	Chromatography	
Injection temperature	25.0	°C
Injection pressure	1.0	atm
Injection flow rate	1.0	L/min
Injection volume	1.0	μL
Injection port	Chromatography	
Injection temperature	25.0	°C
Injection pressure	1.0	atm
Injection flow rate	1.0	L/min
Injection volume	1.0	μL
Injection port	Chromatography	
Injection temperature	25.0	°C
Injection pressure	1.0	atm
Injection flow rate	1.0	L/min
Injection volume	1.0	μL
Injection port	Chromatography	
Injection temperature	25.0	°C
Injection pressure	1.0	atm
Injection flow rate	1.0	L/min
Injection volume	1.0	μL
Injection port		

```
w      Ow      O      O      YO      O      O      O      NO      O      O      O      O      Dat
a      O I D-f      O      yy yy_yy yyfyy yy      yyyyyyyyyyyw      O      yyyyy%      YO      O      O      O      yyy      OOO
```

yardsign.mdb

0989509.070304

0000

0 »v010

[illegible]

€ € €€@ @@ €ÿ @€ @ ÿ €@ ŷŷŷ ÀÀÀ ÿ ŷŷ ŷ äÿ ŷ ŷ ŷ ŷ ŷ ŷŷ€ ŷ€ €ŷŷ €€ŷ ŷ € ŷ€@

ÖN#fío"wo]ýg `Y□aR□bÃ ck Ü□I m a g e 3 ßÿx□(€ € € € € € € € @€€ @@ ý€ €@ ý
 □ □ □ P Ä Ä
 @ @€ ýýý ÁÁÁ ý ýý ý ýý ý ý ýý €ýý €ý ýý€ ý€€ € ý @€ý

0 000 0 0 žš00 000K v 0 [

 €€ € € € €€@ @@ €Ÿ @€ @ Ÿ €@ ŸŸŸ ÀÀÀ Ÿ ŸŸ Ÿ ŸŸ Ÿ ŸŸ Ÿ Ÿ Ÿ Ÿ ŸŸ€ Ÿ€ €ŸŸ €€Ÿ Ÿ

 € Ÿ€@

[illegible]

€ € €€@ @@ €ÿ @€ @ ÿ €@ ÿÿÿ ÀÀÀ ÿ ÿÿ ÿ äÿÿ ÿ ÿ ÿ ÿÿ€ ÿ€ €ÿÿ €€ÿ ÿ € ÿ€@

ë~°Ñ\ln±I™¹û}]09úýg`~□a« bÃ ck Ü□I m a g e 8 ßÿx□(€ € € @€€ @@ ÿ€ €@ ÿ
 □ □ □ P Ä□ Ä□ €€€ € €€ € €€ € € @€€ @@ ÿ€ €@ ÿ
 @ @€ ÿÿÿ ÄÄÄ ÿ ÿÿ ÿ ÿÿ ÿ ÿ ÿ €ÿÿ €ÿ ÿÿ€ ÿ€€ € ÿ @€ÿ


ŽŮŠŮŮ ŮŮŮK V

[illegible]

```

ēñš;:;oêx%oā...š°bôýf`~āa²bā cqñÜ
L i n e 9 ß=f.-TP9F™
uåøóýf 2030`āaíobá ÜL i n e 1 0 ßN-π`āaqN°¥20EêÝýf 2030`āafobá ÜL i n e 1 1
ß-kšßmİBÏY>ùTtōýg`Āa
obz cx ÜI m a g e 1 2 ßyh(  @ ÄÄ ÄÄ €€€ € €€
€ €€ € € € @€€ @€ ý€ €@ ý @ @€ ýýý ÅÅÅ ý ýý ý ýý ý ý ý €ýý €ý ýý€
ý€€ € ý @€ý

```


 €
€y @€ @ y €@ ÿÿÿ ÀÀÀ y yÿ y äÿ ö öö ö öö öö öö € € € €€@ @@

ë>Ž '†qyN†+00Dmsøýf 0`v0aQ
bƒc0c0Ü0L i n e 2 4 B0\$A\$4“’LN°€0^E“0ýf 2030`00az0bá Ü0L i n e 2 5 B00rÜ0
{úc-q700*91ýf 2030`•0aM
bá Ü0L i n e 2 6 B00ý080âçH²0Ü0A0Ü...ýg `³0a•0bz cx Ü0I m a g e 2 7 Býh0(0 0 0
0 @ Ä0 Ä0 €€€ € €€ € €€ € € € @€€ @@ ý€ €@ ý @ @€
ýýý AAA ý ýý ý ýý ý ý ý ý €ýý €ý ýý€ ý€€ € ý @€ý

ŽŮŠŮŮ ŮŮŮK v Ů [

00 00 0 00 00 00 000000 äÿ00 0 0 €€€ € 000000 0 0 00 00 00 00
 @€ @ ŷ €@ ŷŷŷ ÀÀÀ ŷ ŷŷ ŷ ŷŷ ŷ ŷ ŷ ŷŷ€ ŷ€ €ŷŷ €€ŷ ŷ € ŷ€@ €ŷ

ADOUTILS.ASP

```

<SCRIPT RUNAT=SERVER Language="JavaScript">
//*****
// Microsoft Scripting Library
// ADO conversion utilities for extracting data on the server.
//
// Copyright 1998 Microsoft Corporation. All Rights Reserved.
//*****

//*****
// function RecordSetAsArray(rsADO,includeHeaderRow)
//     A helper function to convert an ADO recordset into a
//     jscript array. Optionally may include the field names
//     as the first row of the array by setting includeHeaderRow
//     parameter to true.
//*****
function RecordSetAsArray(rsADO,includeHeaderRow)
{
    var rsArray = new Array;
    var nFields = rsADO.Fields.Count;
    if (nFields)
    {
        var n = 0;
        if (includeHeaderRow)
        {
            // include first row as header of field names
            var rsRow = new Array(nFields);
            for (var i=0; i < nFields; i++)
                rsRow[i] = rsADO(i).name;
            rsArray[n++] = rsRow;
        }

        while (!rsADO.EOF)
        {
            // add each record to array
            rsRow = new Array(nFields);
            for (var i=0; i < nFields; i++)
                rsRow[i] = rsADO(i).value;
            rsArray[n++] = rsRow;
            rsADO.MoveNext();
        }

        return rsArray;
    }
}

//*****
// function RecordSetAsDSO(rsADO)
//     A helper function to convert an ADO recordset into an
//     HTML Data Source Object (DSO). This function creates
//     an HTML table where the <TD> cells are identified (id)
//     as the corresponding ADO field names, and the <TD> cell
//     contents contain the ADO field values.
//
//     The return value is a string containing the HTML DSO.
//*****
function RecordSetAsDSO(rsADO)
{
    var htmlDSO = '';
    var nFields = rsADO.Fields.Count;
    if (nFields)
    {
        var n = 0;
        htmlDSO += '<' + 'table>\n';
        while (!rsADO.EOF)
        {
            // add each record to table

```

```

                                ADOUTILS.ASP
                                htmlDSO += '<' + 'tr>';
                                for (var i=0; i < nFields; i++)
                                {
                                    htmlDSO += '<' + 'td id=' + rsADO(i).name + '>' +
rsADO(i).value + '<' + '/td>';
                                }
                                htmlDSO += '<' + '/tr>\n';
                                rsADO.MoveNext();
                            }
                            htmlDSO += '<' + '/table>';
                        }
                        return htmlDSO;
                    }
                }

//*****
// function RecordSetAsList(rsADO,field)
// A helper function to convert an ADO recordset into a
// jscript array. The field parameter identifies which
// field to put into the list. The field paramter can be
// either a field index or a field name.
//*****
function RecordSetAsList(rsADO,field)
{
    var rsArray = new Array;
    var nFields = rsADO.Fields.Count;
    if (nFields)
    {
        var n = 0;
        while (!rsADO.EOF)
        {
            // add each value of field into array
            rsArray[n++] = rsADO(field).value;
            rsADO.MoveNext();
        }
    }
    return rsArray;
}

//*****
// function RecordAsObject(rsADO,objectName)
// A helper function to convert an ADO record into a jscript
// object. The field names of the record will be used as the
// object property names, and the data as the object values.
// Optionally may indicate the name of the object constructor
// to be returned, defaults is 'RSObject'.
//*****
function RecordAsObject(rsADO,objectName)
{
    if (typeof(objectName) == 'undefined')
        objectName = 'RSObject';
    var strobject = 'function ' + objectName + '() { ';
    var nFields = rsADO.Fields.Count;
    if (!rsADO.EOF)
    {
        var value = new String;
        var propName = new String;
        for (var i=0; i < nFields; i++)
        {
            propName = rsADO(i).name;
            var c0 = propName.charAt(0);
            if ((propName.indexOf(' ') == -1) && ((c0 >= 'A' && c0 <=
'Z') || (c0 >= 'a' && c0 <= 'z'))))

```

```

                                ADOUTILS.ASP
                                {
                                // exclude fields that are invalid variable names
                                value = rsADO(i).value;
                                if (isNaN(parseFloat(value)))
                                    strobject += 'this.' + propName + ' = "' +
value + '"';
                                else
                                    strobject += 'this.' + propName + ' = ' +
value + ' ';
                                }
                                }
                                strobject += '}}';
                                eval(strobject);
                                return eval('new ' + objectName);
                                }
                                </SCRIPT>

```

09898509.070301

BUTTON.ASP

```

<SCRIPT RUNAT=SERVER LANGUAGE="JavaScript">
// *****
// Microsoft Script Library
// Visual InterDev 6.0 Button Object for ASP
//
// Copyright 1998 Microsoft Corporation. All Rights Reserved.
// *****
function CreateButton(strName,funcInit,objParent)
{
    if (typeof(strName) == 'string' && strName != '')
    {
        var objButton = new _Button(strName);
        eval(strName + ' = objButton;');
        objButton._funcInit = funcInit;
        thisPage.advise(PAGE_ONINIT,strName + '._restoreState()');
        return objButton;
    }
    return null;
}

function _Button(strName)
{
    if (typeof(_bBTNPrototypeCalled) == 'undefined')
        _BTN__Prototype();

    // public members
    this.id = strName;
    this.name = strName;

    // advise for default eventhandlers
    this._objEventManager = CreateEventManager();
    this._objEventManager.adviseDefaultHandler(this.name,BTN_ONCLICK);
}

function _BTN__Prototype()
{
    _bBTNPrototypeCalled = 1;
    // events
    BTN_ONCLICK = 'onclick';
    // constants
    BTN_TEXT = 0;
    BTN_IMAGE = 1;

    // public members
    _Button.prototype.disabled = false;
    _Button.prototype.value = '';
    _Button.prototype.src = '';
    _Button.prototype.alt = '';
    _Button.prototype.maintainState = true;

    // private members
    _Button.prototype._nStyle = BTN_TEXT;
    _Button.prototype._bVisible = true;

    // public methods
    _Button.prototype.isvisible = _BTN_isVisible;
    _Button.prototype.show = _BTN_show;
    _Button.prototype.hide = _BTN_hide;
    _Button.prototype.setStyle = _BTN_setStyle;
    _Button.prototype.getStyle = _BTN_getStyle;
    _Button.prototype.advise = _BTN_advise;
    _Button.prototype.unadvise = _BTN_unadvise;
    _Button.prototype.display = _BTN_display;
}

```

Page 2

BUTTON.ASP

```

    }
    else
    {
        if (this._nStyle == BTN_IMAGE)
        {
            strHTML = '<' + 'INPUT border=0 type=image
name="" + this.name + "" id="" + this.id + "" src="" + this.src + ""';
            if (this.alt != '')
                strHTML += ' alt="" + this.alt +
            '';
        }
        else
        {
            strHTML = '<' + 'INPUT type=button name="" +
this.name + "" id="" + this.id + "" value="" + Server.HTMLEncode(this.value) + ""';
            if (!this.disabled)
            {
                // output client events to callback to
server
                var strHandler =
this._objEventManager.generateClientHandlers(this.name);
                strHTML += strHandler;
            }
            else
                strHTML += ' disabled';

            strHTML += '>\n';
        }
        Response.Write(strHTML);
    }
    this._preserveState();
}

function _BTN__preserveState()
{
    if (this.maintainState)
    {
        var state = new Object;
        if (!this._bvisible)
            state._bvisible = false;
        if (this._nStyle != BTN_TEXT)
            state._nStyle = this._nStyle;
        if (this.disabled)
            state.disabled = true;
        state.value = this.value;
        if (this.src != '')
            state.src = this.src;
        if (this.alt != '')
            state.alt = this.alt;
        return thisPage.persistState(this.name, state);
    }
    return false;
}

function _BTN__restoreState()
{
    this._fireEvent(this._funcInit);
    if (this.maintainState)
    {
        var state = thisPage.unpersistState(this.name);
        if (state != null)
        {
            if (state._bvisible != null)
                this._bvisible = (state._bvisible != '0' &&
Page 3

```

09898509.070301

BUTTON.ASP

```

state._bvisible != 'false');
else
    this._bvisible = true;

if (state._nStyle != null)
    this._nStyle = Number(state._nStyle);
else
    this._nStyle = BTN_TEXT;

if (state.disabled != null)
    this.disabled = (state.disabled != '0' &&
state.disabled != 'false');
else
    this.disabled = false;

if (state.value != null)
    this.value = state.value;
else
    this.value = '';

if (state.src != null)
    this.src = state.src;
else
    this.src = '';

if (state.alt != null)
    this.alt = state.alt;
else
    this.alt = '';

return true;
    }
    }
    return false;
}

function _BTN__hasState()
{
    if (this.maintainState)
        return thisPage.isStatePersisted(this.name);
    return false;
}

} // end of _BTN__Prototype function
</SCRIPT>

```

BUTTON.HTM

```
// *****  
// Microsoft Script Library<BR>  
// Visual InterDev 6.0 Button Object for DHTML<BR>  
// Copyright 1998 Microsoft Corporation. All Rights Reserved.<BR>  
// <B>Do not modify in design view. Switch to source view.</B><BR>  
// *****<BR>  
// <SCRIPT>  
function CreateButton(strName,funcInit,objParentElem)  
{  
    if (typeof(strName) != 'string' || strName == '')  
        return null;  
  
    var strTag = '<SPAN id="' + strName + '_SPAN">';  
    strTag = strTag + '<input type=button name="' + strName + ' id="' + strName  
+ '">';  
    strTag = strTag + '</SPAN>'  
  
    if ((typeof(objParentElem) == 'object') && (objParentElem != null))  
        objParentElem.insertAdjacentHTML('BeforeEnd',strTag);  
    else  
        document.write(strTag);  
  
    //append public members  
    var objButton = _BTN__createMembers(strName);  
    if ((typeof(objButton) != 'object') || (objButton == null))  
        return null;  
  
    // events  
    BTN_ONCLICK = 'onclick';  
    // constants  
    BTN_TEXT = 0;  
    BTN_IMAGE = 1;  
  
    //private members  
    objButton._objEventManager = null;  
    objButton._nStyle = BTN_TEXT;  
  
    // advise for default eventhandlers  
    objButton._objEventManager = CreateEventManager();  
    objButton._fireEvent('_BTN__onbeforefuncinit(' + objButton.id + ')');  
    objButton._fireEvent(funcInit);  
    return objButton;  
}  
  
function _BTN__createMembers(strName)  
{  
    var objParentSpan = document.all[strName + '_SPAN'];  
    var objButton = objParentSpan.children(0);  
    if (typeof(objButton) != 'object')  
        return null;  
  
    // ensure strName is defined in global namespace  
    var bDefineAsGlobal = eval('typeof(' + strName + ') == "undefined") ||  
typeof(objParentSpan._makeglobal) != 'undefined';  
    if (bDefineAsGlobal)  
    {  
        // scoped within a form, define in global namespace  
        eval(strName + ' = objButton');  
        objParentSpan._makeglobal = 1;  
    }  
  
    objButton.isVisible = _BTN_isVisible;  
    objButton.show = _BTN_show;  
}
```

BUTTON.HTM

```

objButton.hide = _BTN_hide;
objButton.setStyle = _BTN_setStyle;
objButton.getStyle = _BTN_getStyle;
objButton.advise = _BTN_advise;
objButton.adviseDefaultHandler = _BTN_adviseDefaultHandler;
objButton.unadvise = _BTN_unadvise;
objButton.display = _BTN_display;
objButton._fireEvent = _BTN__fireEvent;
objButton._objSpan = eval(strName + '_SPAN');
return objButton;
}

function _BTN_isVisible()
{
    return (this.style.visibility != 'hidden');
}

function _BTN_show()
{
    this.style.visibility = 'visible';
}

function _BTN_hide()
{
    this.style.visibility = 'hidden';
}

function _BTN_setStyle(nStyle)
{
    if (!isNaN(parseInt(nStyle)) && nStyle != this._nStyle)
    {
        // type of tag needs to be changed
        // save current state
        var bVisible = this.isVisible();
        var bDisabled = this.disabled;
        var objEventManager = this._objEventManager;
        var strValue = '';
        var strSrc = '';
        var strAlt = '';
        if ((this.value + '') != 'undefined')
            strValue = this.value;
        if ((this.src + '') != 'undefined')
            strSrc = this.src;
        if ((this.alt + '') != 'undefined')
            strAlt = this.alt;

        // replace previous tag with new tag
        var strTag = '<input type=';
        if (nStyle == 0)
            strTag += 'button ';
        else
            strTag += 'image alt="' + strAlt + '" ';
        strTag += 'name="' + this.name + '" id="' + this.id + '"
style="visibility:hidden">';
        this._objSpan.innerHTML = strTag;

        //append public members
        var objButton = _BTN__createMembers(this.name);
        if ((typeof(objButton) != 'object') || (objButton == null))
            return null;

        objButton.value = strValue;
        objButton.src = strSrc;
        objButton.alt = strAlt;
        objButton.disabled = bDisabled;
        if (bVisible) objButton.show();
        objButton._objEventManager = objEventManager;
        if (objEventManager != null)
        {
            //re-attach all event handlers

```

```

                                BUTTON.HTM
                                var nEvents = objEventManager.getEventCount();
                                for (var i=0; i < nEvents; i++)
                                    eval('objButton.' + objEventManager.getEvent(i) + '
= _BTN__fireEvent;');
                                }

                                objButton._nStyle = nStyle;
                                return true;
                            }
                            return false;
                        }

function _BTN_getStyle(nStyle)
{
    return this._nStyle;
}

function _BTN_advise(strEvent,funcToCall)
{
    var nAdviseID = this._objEventManager.advise(strEvent,funcToCall);
    if (nAdviseID != -1)
        eval('this.' + strEvent + ' = _BTN__fireEvent;');
    return nAdviseID;
}

function _BTN_adviseDefaultHandler(strName,strEvent)
{
    var nAdviseID = this._objEventManager.adviseDefaultHandler(strName,strEvent);
    if (nAdviseID != -1)
        eval('this.' + strEvent + ' = _BTN__fireEvent;');
}

function _BTN_unadvise(strEvent, nAdviseID)
{
    return this._objEventManager.unadvise(strEvent,nAdviseID);
}

function _BTN_display()
{
}

function _BTN__fireEvent(funcToFire)
{
    if (typeof(funcToFire) == 'undefined')
    {
        if (this._objEventManager != null)
            this._objEventManager.fireEvent('on' + window.event.type);
        if (this._nStyle == 0)
            return true;
        else
            return false;
    }
    else
        _EM__fireEvent(funcToFire);
}

function _BTN__onbeforefuncinit(objButton)
{
    objButton.adviseDefaultHandler(objButton.id, BTN_ONCLICK);
}

```

CHECKBOX.ASP

```

<SCRIPT RUNAT=SERVER LANGUAGE="JavaScript">
// *****
// Microsoft Script Library
// Visual InterDev 6.0 Checkbox Object for ASP
//
// Copyright 1998 Microsoft Corporation. All Rights Reserved.
// *****
function CreateCheckbox(strName,funcInit,objParent)
{
    if (typeof(strName) == 'string' && strName != '')
    {
        var objCheckbox = new _Checkbox(strName);
        eval(strName + " = objCheckbox");
        objCheckbox._funcInit = funcInit;
        thisPage.advise(PAGE_ONINIT,strName + '._restoreState()');

        return objCheckbox;
    }
    return null;
}

function _Checkbox(strName)
{
    if (typeof(_bCHKPrototypeCalled) == 'undefined')
        _CHK__Prototype();

    // public members
    this.id = strName;
    this.name = strName;
    this.value = strName;

    // private members
    this._objEventManager = CreateEventManager();
    this._objEventManager.adviseDefaultHandler(this.name,CHK_ONCLICK);
}

function _CHK__Prototype()
{
    _bCHKPrototypeCalled = 1;

    //events
    CHK_ONCLICK = 'onclick';

    //public members
    _Checkbox.prototype.disabled = false;
    _Checkbox.prototype.maintainState = true;

    // private members
    _Checkbox.prototype._bvisible = true;
    _Checkbox.prototype._strCaption = '';
    _Checkbox.prototype._checked = false;
    _Checkbox.prototype._objDataSource = null;
    _Checkbox.prototype._strDataField = '';

    //public methods
    _Checkbox.prototype.isvisible = _CHK_isvisible;
    _Checkbox.prototype.show = _CHK_show;
    _Checkbox.prototype.hide = _CHK_hide;
    _Checkbox.prototype.getChecked = _CHK_getChecked;
    _Checkbox.prototype.setChecked = _CHK_setChecked;
    _Checkbox.prototype.getCaption = _CHK_getCaption;
    _Checkbox.prototype.setCaption = _CHK_setCaption;
    _Checkbox.prototype.getDataSource = _CHK_getDataSource;
}

```


CHECKBOX.ASP

```
_Checkbox.prototype.setDataSource = _SOM_setDataSource;
_Checkbox.prototype.getDataField = _SOM_getDataField;
_Checkbox.prototype.setDataField = _SOM_setDataField;
_Checkbox.prototype.advise = _CHK_advise;
_Checkbox.prototype.unadvise = _CHK_unadvise;
_Checkbox.prototype.display = _CHK_display;
```

```
//private methods
_Checkbox.prototype._fireEvent = _EM_fireEvent;
_Checkbox.prototype._preserveState = _CHK_preserveState;
_Checkbox.prototype._restoreState = _CHK_restoreState;
_Checkbox.prototype._hasState = _CHK_hasState;
_Checkbox.prototype._onrowenter = _CHK_onrowenter;
_Checkbox.prototype._onbeforeupdate = _CHK_onbeforeupdate;
```

//scope implementation in _CHK__Prototype function

```
function _CHK_isvisible()
{
    return this._bvisible; }

```

```
function _CHK_show()
{
    this._bvisible = true; }

```

```
function _CHK_hide()
{
    this._bvisible = false; }

```

```
function _CHK_getCaption()
{
    return this._strCaption; }

```

```
function _CHK_setCaption(strCaption)
{
    this._strCaption = strCaption; }

```

```
function _CHK_getChecked()
{
    return this._checked; }

```

```
function _CHK_setChecked(value)
{
    this._checked = (value != 'false' && value != '0' && value != '');
}

```

```
function _CHK_advise(strEvent,funcToCall)
{
    return this._objEventManager.advise(strEvent,funcToCall); }

```

```
function _CHK_unadvise(strEvent,nAdviseID)
{
    return this._objEventManager.unadvise(strEvent,nAdviseID); }

```

```
function _CHK_display()
{
    if (this._bvisible)
    {
        var strHTML;
        if (this.disabled && !thisPage.isDHTMLBrowser())
        {
            // mimic disabled for non-DHTML browsers
            strHTML = '<FONT face=arial color=#808080><b>[';
            if (this._checked)
                strHTML += '<FONT size=2>X</FONT>';
            else
                strHTML += '&nbsp;&nbsp;&nbsp;';
            strHTML += ']</b></FONT>&nbsp;&nbsp;&nbsp;' + this._strCaption +
            '&nbsp;&nbsp;&nbsp;';
        }
        else
        {

```

```

CHECKBOX.ASP
name="" + this.name + " value=" + this.value + " type="checkbox";
if (this._checked)
    strHTML += ' checked';
if (!this.disabled)
{
    // output client events to callback to
server
    var strHandler =
this._objEventManager.generateClientHandlers(this.name);
    strHTML += strHandler;
}
else
    strHTML += ' disabled=true';
strHTML += '><' + 'LABEL for="" + this.name + "
htmlfor="" + this.id + "';
if (this.disabled)
    strHTML += ' disabled=true';
strHTML += '>' + this._strCaption + '</LABEL>\n';
}
Response.write(strHTML);
}
return this._preserveState();
}

function _CHK__preserveState()
{
    if (this.maintainState)
    {
        // preserve state in hidden field
        var state = new Object;
        if (!this._bvisible)
            state._bvisible = false;
        if (this.disabled)
            state.disabled = true;
        if (this._checked)
            state._checked = true;
        state._strCaption = this._strCaption;
        if (this.value != this.name)
            state.value = this.value;
        return thisPage.persistState(this.name,state);
    }
    return false;
}

function _CHK__restoreState()
{
    var r = false;
    this._fireEvent(this._funcInit);
    if (this.maintainState)
    {
        var state = thisPage.unpersistState(this.name);
        if (state != null)
        {
            if (state._bvisible != null)
                this._bvisible = (state._bvisible != '0' &&
state._bvisible != 'false');
            else
                this._bvisible = true;
            if (state.disabled != null)
                this.disabled = (state.disabled != '0' &&
state.disabled != 'false');

```

```

                                CHECKBOX.ASP
else
    this.disabled = false;
if (state._checked != null)
    this._checked = (state._checked != '0' &&
state._checked != 'false');
else
    this._checked = false;
if (state._strCaption != null)
    this._strCaption = state._strCaption;
else
    this._strCaption = ''
if (state.value != null)
    this.value = state.value;
else
    this.value = this.name;
r = true;
    }
}
if (this._bvisible)
{
    // reflect current state returned in thisForm
    var newValue = Request.Form(this.name) + '';
    if (newValue != 'undefined' && newValue == this.value)
        this.setChecked(true);
    else if (this._hasState())
        this.setChecked(false);
}
return r;
}
function _CHK__hasState()
{
    if (this.maintainState)
        return thisPage.isStatePersisted(this.name);
    return false;
}
// eventhandler for databinding
function _CHK__onrowenter(objRecordset, strDataField)
{
    this.setChecked(objRecordset.fields.getValue(strDataField));
}
// eventhandler for databinding
function _CHK__onbeforeupdate(objRecordset, strDataField)
{
    var chkvalue = this.getChecked();
    if (typeof(chkvalue) != 'undefined' && chkvalue != null)
        objRecordset.fields.setValue(strDataField, chkvalue);
}
} // end of _CHK__Prototype function
</SCRIPT>

```

CHECKBOX.HTM

```
// *****<BR>
// Microsoft Script Library<BR>
// Visual InterDev 6.0 Checkbox Object for DHTML<BR>
// Copyright 1998 Microsoft Corporation. All Rights Reserved.<BR>
// <B>Do not modify in design view. Switch to source view.</B><BR>
// *****<BR>
// <SCRIPT>
function CreateCheckbox(strName,funcInit,objParent)
{
    if (typeof(strName) != 'string' || strName == '')
        return null;

    var strTag = '<' + 'INPUT TYPE="checkbox" id="' + strName + '" name="' +
strName + '">';
    strTag += '<' + 'LABEL id="' + strName + '_LBL" name="' + strName + '_LBL'
for="'" + strName + '" htmlfor="' + strName + '"></LABEL>';

    if ((typeof(objParent) == 'object') && (objParent != null))
        objParent.insertAdjacentHTML('BeforeEnd',strTag);
    else
        document.write(strTag);

    var objCheckbox = document.all[strName];
    if (typeof(objCheckbox) != 'object')
        return null;
    var bNameExists = eval('typeof(' + strName + ') == "object"');
    if (!bNameExists)
        eval(strName + ' = objCheckbox');

    //events
    CHK_ONCLICK = 'onclick';

    //intrinsic properties
    //          name AND id          RO
    //          disabled             RW
    //          value                 RW

    //public methods
    objCheckbox.hide = _CHK_hide;
    objCheckbox.show = _CHK_show;
    objCheckbox.isVisible = _CHK_isVisible;
    objCheckbox.getChecked = _CHK_getChecked;
    objCheckbox.setChecked = _CHK_setChecked;
    objCheckbox.getCaption = _CHK_getCaption;
    objCheckbox.setCaption = _CHK_setCaption;
    objCheckbox.getDataSource = _CHK_getDataSource;
    objCheckbox.setDataSource = _CHK_setDataSource;
    objCheckbox.getDataField = _CHK_getDataField;
    objCheckbox.setDataField = _CHK_setDataField;
    objCheckbox.advise = _CHK_advise;
    objCheckbox.adviseDefaultHandler = _CHK_adviseDefaultHandler;
    objCheckbox.unadvise = _CHK_unadvise;
    objCheckbox.display = _CHK_display;

    //private members
    objCheckbox._objDataSource = null;
    objCheckbox._strDataField = '';
    objCheckbox._objLabel = eval(objCheckbox.name + '_LBL');
    objCheckbox._fireEvent = _CHK__fireEvent;

    // advise for default eventhandlers
    objCheckbox._objEventManager = CreateEventManager();
    objCheckbox._fireEvent('_CHK__onbeforefuncinit(' + objCheckbox.id + ')');
}
```

```

    objCheckbox._fireEvent(funcInit);
    return objCheckbox;
}

function _CHK_isvisible()
{
    return (this.style.visibility != 'hidden');    }

function _CHK_hide()
{
    this.style.visibility = 'hidden';
    this._objLabel.style.visibility = 'hidden';
}

function _CHK_show()
{
    this.style.visibility = 'visible';
    this._objLabel.style.visibility = 'visible';
}

function _CHK_getCaption()
{
    return this._objLabel.innerHTML;    }

function _CHK_setCaption(strCaption)
{
    this._objLabel.innerHTML = strCaption;    }

function _CHK_getChecked()
{
    return this.checked;    }

function _CHK_setChecked(value)
{
    this.checked = (value != 'false' && value != '0' && value != '');    }

function _CHK_getDataSource()
{
    return this._objDataSource;    }

function _CHK_setDataSource(objDataSource)
{
    if (typeof(objDataSource) != 'object')
        return false;

    if ((this._objDataSource != null) && (this._strDataField != ''))
    {
        if (this._objDataSource.isDHTMLAware())
        {
            this._objDataSource.unadvise(this._beforeUpdateID);
            this.dataSrc = '';
            this.dataFld = '';
        }
        else
        {
            this._objDataSource.unadvise(this._rowEnterID);
            this._objDataSource.unadvise(this._rowExitID);
        }
    }

    if ((this._objDataSource == null) || (objDataSource != null &&
this._objDataSource.id != objDataSource.id))
    {
        if (this._objDataSource != null)
            this._objDataSource.unadvise(this._afterOpenID);

        this._afterOpenID = objDataSource.advise(RS_ONAFTEROPEN, this.id +
'.setDataSource(' + objDataSource.id + ');');
    }
}

```

CHECKBOX.HTM

```

this._objDataSource = objDataSource;
if ((objDataSource != null) && (this._strDataField != ''))
{
    if (objDataSource.isDHTMLAware())
    {
        this._beforeUpdateID =
objDataSource.advise(RS_ONBEFOREUPDATE, '_CHK__onbeforeupdate(' + this.name + ');');
        this.dataSrc = '#' + objDataSource.getDHTMLDataSourceID();
        this.dataFld = this._strDataField;
    }
    else
    {
        this._rowEnterID = objDataSource.advise(RS_ONROWENTER,
'_CHK__onrowenter(' + objDataSource.getID() + ', ' + this.name + ', "' +
this._strDataField + '");');
        this._rowExitID = objDataSource.advise(RS_ONROWEXIT,
'_CHK__onrowexit(' + objDataSource.getID() + ', ' + this.name + ', "' +
this._strDataField + '");');
    }
    return true;
}

function _CHK_getDataField()
{
    return this._strDataField;
}

function _CHK_setDataField(strDataField)
{
    if ((this._objDataSource != null) && (this._strDataField != ''))
    {
        if (this._objDataSource.isDHTMLAware())
        {
            this._objDataSource.unadvise(this._beforeUpdateID);
            this.dataSrc = '';
            this.dataFld = '';
        }
        else
        {
            this._objDataSource.unadvise(this._rowEnterID);
            this._objDataSource.unadvise(this._rowExitID);
        }
    }

    this._strDataField = strDataField;
    if ((this._objDataSource != null) && (this._strDataField != ''))
    {
        if (this._objDataSource.isDHTMLAware())
        {
            this._beforeUpdateID =
this._objDataSource.advise(RS_ONBEFOREUPDATE, '_CHK__onbeforeupdate(' + this.name +
');');
            this.dataSrc = '#' +
this._objDataSource.getDHTMLDataSourceID();
            this.dataFld = strDataField;
        }
        else
        {
            this._rowEnterID = this._objDataSource.advise(RS_ONROWENTER,
'_CHK__onrowenter(' + this._objDataSource.getID() + ', ' + this.ID + ', "' +
strDataField + '");');
            this._rowExitID = this._objDataSource.advise(RS_ONROWEXIT,
'_CHK__onrowexit(' + this._objDataSource.getID() + ', ' + this.ID + ', "' +

```

```

strDataField + '");');
    }
    return true;
}

function _CHK_advise(strEvent,funcToCall)
{
    var nAdviseID = this._objEventManager.advise(strEvent,funcToCall);
    if (nAdviseID != -1)
        eval('this.' + strEvent + ' = _CHK__fireEvent;');
    return nAdviseID;
}

function _CHK_adviseDefaultHandler(strName,strEvent)
{
    var nAdviseID =
this._objEventManager.adviseDefaultHandler(strName,strEvent);
    if (nAdviseID != -1)
        eval("this." + strEvent + " = _CHK__fireEvent;");
}

function _CHK_unadvise(strEvent,nAdviseID)
{
    return this._objEventManager.unadvise(strEvent,nAdviseID);
}

function _CHK_display()
{
}

function _CHK__fireEvent(funcToFire)
{
    if (typeof(funcToFire) == 'undefined')
    {
        if (this._objEventManager != null)
            this._objEventManager.fireEvent('on' + window.event.type);
    }
    else
        _EM__fireEvent(funcToFire);
}

function _CHK__onrowenter(objRecordset,objCheckbox,strDataField)
{
    objCheckbox.setChecked(objRecordset.fields.getValue(strDataField));
}

function _CHK__onrowexit(objRecordset,objTextBox,strDataField)
{
    var chkvalue = objCheckbox.getChecked();
    if (typeof(chkvalue) != 'undefined' && chkvalue != null)
        objRecordset.fields.setValue(strDataField, chkvalue);
}

function _CHK__onbeforefuncinit(objCheckbox)
{
    objCheckbox.adviseDefaultHandler(objCheckbox.id, CHK_ONCLICK);
}

function _CHK__onbeforeupdate(objCheckbox)
{
    if (objcheckbox.checked == false)
    {
        //Make sure we have a default value
        objcheckbox.checked = true;
        objcheckbox.checked = false;
    }
}

```

DATAGRID.ASP

```

<SCRIPT RUNAT=SERVER LANGUAGE="JavaScript">
// *****
// MSL : Microsoft Scripting Library
// Visual InterDev 6.0 DataGrid Object for ASP
//
// Copyright 1998 Microsoft Corporation. All Rights Reserved.
// *****
function CreateDataGrid(strName,funcInit,objParent)
{
    if (typeof(strName) == 'string' && strName != '')
    {
        var objDataGrid = new _DataGrid(strName,objParent);
        eval(strName + ' = objDataGrid');

        objDataGrid._funcInit = funcInit;
        thisPage.advise(PAGE_ONINIT,strName + '._restoreState()');
        return objDataGrid;
    }
    return null;
}

function _DataGrid(strName,objParent)
{
    if (typeof(_bDGPrototypeCalled) == 'undefined')
        _DG__Prototype();

    // public members
    this.id = strName;
    this.name = strName;

    // private members
    // see the display method description below
    this.tableAttributes = ''; // <TABLE tableAttributes>
    this.headerAttributes = ''; // <TR headerAttributes>
    this.headerWidth = new Array; // <TH> width attributes
    this.headerFormat = ''; // <TH>headerFormat
    colHeader[nCol]</TH>
    this.colHeader = new Array;
    this.rowAttributes = new Array; // <TR rowAttributes[nRow]>
    this.rowFormat = new Array;
    this.colData = new Array; // <TD
    colAttributes[nCol]>rowFormat[nRow] colData[nCol]</TD>
    this.colAttributes = new Array; // OR
    this.colFormat = new Array; // <TD
    colAttributes[nCol]>colFormat[nCol] colData[nCol]</TD>

    this._objDataSource = null;
    this._markPos = 0;
}

function _DG__Prototype()
{
    _bDGPrototypeCalled = 1;

    //private members
    _DataGrid.prototype.pageSize = 0;
    _DataGrid.prototype.hasPageNumber = false;
    _DataGrid.prototype.allColumns = false;
    _DataGrid.prototype.displayHeader = true;
    _DataGrid.prototype.navbarAlignment = 'center';
    _DataGrid.prototype.hiliteAttributes = ''; // attributes
    applied to row of the current record
    _DataGrid.prototype.maintainState = true;
}

```


DATAGRID.ASP

```

_DataGrid.prototype._bVisible = true;
_DataGrid.prototype._objPageNavbar = null;
_DataGrid.prototype._objRecordNavbar = null;

//public methods
_DataGrid.prototype.show = _DG_show;
_DataGrid.prototype.hide = _DG_hide;
_DataGrid.prototype.isVisible = _DG_isVisible;
_DataGrid.prototype.getPagingNavbar = _DG_getPagingNavbar;
_DataGrid.prototype.getRecordsetNavbar = _DG_getRecordsetNavbar;
_DataGrid.prototype.bindAllColumns = _DG_bindAllColumns;

//private methods
_DataGrid.prototype.getDataSource = _DG_getDataSource;
_DataGrid.prototype.setDataSource = _DG_setDataSource;
_DataGrid.prototype.showPageNavbar = _DG_showPageNavbar;
_DataGrid.prototype.showRecordNavbar = _DG_showRecordNavbar;
_DataGrid.prototype.anchor = _DG_anchor;
_DataGrid.prototype.display = _DG_display;

_DataGrid.prototype._fireEvent = _EM_fireEvent;
_DataGrid.prototype._preserveState = _DG_preserveState;
_DataGrid.prototype._restoreState = _DG_restoreState;
_DataGrid.prototype._onrowenter = _DG_onrowenter;

thisPage.registerMethod('_DG_selectRow',_DG_selectRow);

//scope implementation in _DG__Prototype function
function _DG_show()
{
    this._bVisible = true;
}

function _DG_hide()
{
    this._bVisible = false;
}

function _DG_isVisible()
{
    return this._bVisible
}

function _DG_getPagingNavbar()
{
    return this._objPageNavbar;
}

function _DG_getRecordsetNavbar()
{
    return this._objRecordNavbar;
}

function _DG_bindAllColumns()
{
    this.allColumns = true;
}

function _DG_getDataSource()
{
    return this._objDataSource;
}

function _DG_setDataSource(objDataSource)
{
    if (typeof(objDataSource) == 'object')
        this._objDataSource = objDataSource;
}

function _DG_showPageNavbar(nMask,nAlignment)
{
    this._objPageNavbar = CreateRecordsetNavbar(this.name +
'_PageNavbar',null,null);
    this._objPageNavbar.setAlignment(nAlignment);
    this._objPageNavbar.setButtonStyles(nMask);
    this._objPageNavbar.pageSize = this.pageSize;
}

```

Variable	Mean		SD		t		p	
	Control	Case	Control	Case	Control	Case	Control	Case
Age	30.5	30.5	1.2	1.2	0.0	0.0	0.999	0.999
Gender	15	15	0	0	0.0	0.0	0.999	0.999
Education	12.5	12.5	1.0	1.0	0.0	0.0	0.999	0.999
Occupation	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Income	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Marital status	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Religion	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Family size	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental education	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental occupation	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental income	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental marital status	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental religion	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental family size	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental education	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental occupation	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental income	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental marital status	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental religion	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental family size	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental parental education	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental parental occupation	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental parental income	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental parental marital status	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental parental religion	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental parental family size	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental parental parental education	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental parental parental occupation	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental parental parental income	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental parental parental marital status	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental parental parental religion	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental parental parental family size	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental parental parental parental education	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental parental parental parental occupation	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental parental parental parental income	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental parental parental parental marital status	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental parental parental parental religion	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental parental parental parental family size	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental parental parental parental parental education	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental parental parental parental parental occupation	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental parental parental parental parental income	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental parental parental parental parental marital status	1.5	1.5	0.5	0.5	0.0	0.0	0.999	0.999
Parental parental parental parental parental parental religion								

}

{

}

{

3

```
return '<a href="JavaScript:thisPage.invokeMethod(' +
```

$$''\rangle\rangle'' +$$

}

$$\{$$

1

0

```
var objRSEM = objRS._objEventManager;
```

```
if (this.allColumns)
```

```
this.colHeader[i] = "" +
```

```
objRS.fields.getName(i) + '":
```

DATAGRID.ASP

'.fields.getValue(' + i + ')';

```

    }
    var nCols = this.colData.length;
    if (nCols > 0)
    {

```

cellspacing=0><TR><TD>\n';
+ '>\n';

```

        var strHTML = '<TABLE border=0 cellpadding=0
        strHTML += '<TABLE ' + this.tableAttributes
        var nHeaderCols = this.colHeader.length;
        if (nHeaderCols && this.displayHeader)
        {

```

this.headerAttributes + '>\n';
nCol++)

```

            strHTML += '<TR ' +
            for (var nCol=0; nCol < nCols;
            {

```

this.headerwidth[nCol] + '>' + this.headerFormat + eval(this.colHeader[nCol]) +
'</TH>\n';

```

                strHTML += '<TH ' +
                }
                strHTML += '</TR>\n';
            }

```

Response.write(strHTML); // output

table header

this._markPos = objRS.absolutePosition; //

mark current position

```

var curPage = 0;
var nAdviseID = -1;
this._rowCount = 0;

```

```

if (this.pageSize > 0 && this._markPos > 0)
{
    // display current page only
    curPage = parseInt((this._markPos -

```

1) / this.pageSize);
this.pageSize) + 1);

```

    objRS.moveAbsolute((curPage *

```

objRS.advise(RS_ONROWENTER, this.id + '._onrowenter
i++)

```

    nAdviseID =
    objRS.advise(RS_ONROWENTER, this.id + '._onrowenter');
    for (var i=1; i < this.pageSize;

```

```

    {
        if (objRS.EOF)
            break;
        objRS.moveNext();
    }

```

```

}
else
{
    // display ALL records
    objRS.moveFirst();
    nAdviseID =

```

objRS.advise(RS_ONROWENTER, this.id + '._onrowenter

```

    objRS.advise(RS_ONROWENTER, this.id + '._onrowenter');
    while (!objRS.EOF)
    {
        objRS.moveNext();
    }
}

```

0969509.070001

DATAGRID.ASP

```
objRS.unadvise(RS_ONROWENTER,nAdviseID);
objRS.moveAbsolute(this._markPos);
Response.write('</TABLE>\n');
```

```

    if (this._objPageNavbar != null ||
this._objRecordNavbar != null || this.hasPageNumber)
    {
        // display navbars and/or page
        numbering
        align=center>\n';
        border=0><TR>\n';

        this.navbarAlignment + '>');

        null)

        (this._objPageNavbar.isVisible())

        (this._objPageNavbar.getButton(0) != null)
        this._objPageNavbar.getButton(0).display();
        (this._objPageNavbar.getButton(1) != null)
        this._objPageNavbar.getButton(1).display();
        this._objRecordNavbar.display();
        (this._objPageNavbar.getButton(2) != null)
        this._objPageNavbar.getButton(2).display();
        (this._objPageNavbar.getButton(3) != null)
        this._objPageNavbar.getButton(3).display();

        this._objPageNavbar.display();
        this._objRecordNavbar.display();

        this._objPageNavbar.display();

        null)
        this._objRecordNavbar.display();

        Response.write('</TD>\n');
        if (this.hasPageNumber)
        {
            var nPages = 1;
            var nCount =

```

```

objRS.getCount();

this.pageSize > 0)
1 ) / this.pageSize) + 1;
valign=middle>';
size=2><NOBR>Page : ' + String(curPage+1) + ' of ' + parseInt(nPages) +
'</NOBR></FONT>';

if (nCount > 0 &&
    nPages = ((nCount -
strHTML = '<TD align=right
strHTML += '<FONT
strHTML += '</TD>\n';
Response.write(strHTML);
}
Response.write('</TR></TABLE>\n');
}
Response.write('</TD></TR></TABLE>\n');
}
// restore original RS EventManager
objRS._objEventManager = objRSEM;
}
}
this._preserveState();
}

function _DG__preserveState()
{
    if (this.maintainState)
    {
        // preserve state in hidden field
        var state = new Object;
        state._bvisible = this._bvisible;
        if (this.allColumns)
            state.allColumns = true;
        return thisPage.persistState(this.name, state);
    }
    return false;
}

function _DG__restoreState()
{
    var r = false;
    this._fireEvent(this._funcInit);
    if (this.maintainState)
    {
        var state = thisPage.unpersistState(this.name);
        if (state != null)
        {
            if (state._bvisible != null)
                this._bvisible = (state._bvisible != '0' &&
state._bvisible != 'false');
            else
                this._bvisible = true;
            if (state.allColumns != null)
                this.allColumns = (state.allColumns != '0'
&& state.allColumns != 'false');
            else
                this.allColumns = false;
            r = true;
        }
    }
}

```

```

    return r;
}

function _DG_onrowenter()
{
    // output a single row <TR> for current record
    if (this._objDataSource.EOF)
        return;

    var hilite = '';
    if (this.hiliteAttributes.length &&
        this._markPos == this._objDataSource.absolutePosition)
        hilite = this.hiliteAttributes;

    var strHTML = '<TR>\n';
    if (this.rowAttributes.length)
    {
        // apply row attributes to <TR>
        var nRow = this._rowCount % this.rowAttributes.length;
        strHTML = '<TR ' + hilite + ' ' + this.rowAttributes[nRow] +
'>\n';
    }
    else
        strHTML = '<TR ' + hilite + '>\n';

    // output <TD> for each column in row
    var nCols = this.colData.length;
    for (var nCol=0; nCol < nCols; nCol++)
    {
        // apply column attributes to <TD>
        if (nCol < this.colAttributes.length)
            strHTML += '<TD ' + hilite + ' ' +
this.colAttributes[nCol] + '>';
        else
            strHTML += '<TD>';

        // determine format per data column
        if (typeof(this.colFormat[nCol]) != 'undefined')
        { // use column format
            strHTML += this.colFormat[nCol];
        }
        else if (this.rowFormat.length)
        { // use row format
            var nRow = this._rowCount % this.rowFormat.length;
            strHTML += this.rowFormat[nRow];
        }

        strHTML += eval(this.colData[nCol]);
        strHTML += '</TD>\n';
    }

    strHTML += '</TR>\n';
    Response.write(strHTML);
    this._rowCount++;
}

// end of _DG__Prototype function

function _DG_selectRow(strName,nIndex)
{
    var object = null;
    if (typeof(RuntimeObject) != 'undefined')
    {
        // use global namespace to acquire object of 'strName'
        var objects = RuntimeObject(strName);
    }
}

```

```
                                DATAGRID.ASP
                                object = objects[strName];
                                }
                                if (object != null && typeof(object) == 'object' &&
                                typeof(object._objDataSource) == 'object')
                                object._objDataSource.moveAbsolute(Number(nIndex));
                                }
                                </SCRIPT>
```

DATAGRID.HTM

```

// *****<BR>
// Microsoft Script Library<BR>
// Visual InterDev 6.0 DataGrid Object for DHTML<BR>
// Copyright 1998 Microsoft Corporation. All Rights Reserved.<BR>
// <B>Do not modify in design view. Switch to source view.</B><BR>
// *****<BR>
// <SCRIPT>
function CreateDataGrid(strName,funcInit,objParent)
{
    if (typeof(strName) != 'string' || strName == '')
        return null;

    // create tag in document
    var strTag = '<TABLE cellpadding="0" cellspacing="0" name="' + strName + '"
id="" + strName + '"><TR><TD></TD></TR></TABLE>'
    if (typeof(objParent) == 'object')
        objParent.insertAdjacentHTML('BeforeEnd',strTag);
    else
        document.write(strTag);

    var objTable = document.all[strName];
    if (typeof(objTable) != 'object')
        return null;
    var bNameExists = eval('typeof(' + strName + ') == "object"');
    if (!bNameExists)
        eval(strName + ' = objTable');

    // public members
    objTable.tableAttributes = ''; // <TABLE tableAttributes>
    objTable.headerAttributes = ''; // <TR headerAttributes>
    objTable.headerWidth = new Array; // <TD> width attributes
    objTable.headerFormat = ''; // <TH>headerFormat
    colHeader[nCol]</TH>
    objTable.colHeader = new Array;
    objTable.rowAttributes = new Array; // <TR rowAttributes[nRow]>
    objTable.rowFormat = new Array;
    objTable.colData = new Array; // <TD
colAttributes[nCol]>rowFormat[nRow] colData[nCol]</TD>
    objTable.colAttributes = new Array; // OR
    objTable.colFormat = new Array; // <TD
colAttributes[nCol]>colFormat[nCol] colData[nCol]</TD>
    objTable.pageSize = 0;
    objTable.allColumns = false;
    objTable.hiliteAttributes = '';
    objTable.hasPageNumber = false;
    objTable.displayHeader = true;
    objTable.navbarAlignment = 'center';

    // published methods
    objTable.show = _DG_show;
    objTable.hide = _DG_hide;
    objTable.isVisible = _DG_isvisible;
    objTable.getPagingNavbar = _DG_getPagingNavbar;
    objTable.getRecordsetNavbar = _DG_getRecordsetNavbar;
    objTable.bindAllColumns = _DG_bindAllColumns;

    // public methods
    objTable.getDataSource = _DG_getDataSource;
    objTable.setDataSource = _DG_setDataSource;
    objTable.showPageNavbar = _DG_showPageNavbar;
    objTable.showRecordNavbar = _DG_showRecordNavbar;

    // private methods

```


DATAGRID.HTM

```
objTable._fireEvent = _DG__fireEvent;
objTable._evalRowInfo = _DG__evalRowInfo;
objTable._evalSingleRow = _DG__evalSingleRow;
objTable._display = _DG__display;
objTable._syncTableProperties = _DG__syncTableProperties;
objTable.onclick = _DG__onclick;
objTable.onkeydown = _DG__onkeydown;

// private members
objTable._objDataSource = null;
objTable._objNavbar = null;
objTable._objRecNavbar = null;
objTable._rowCount = 0;
objTable._bExclusive = false;
objTable._bEvaluatingInfo = false;
objTable._curPage = 0;
objTable._rowInfo = new Array;

objTable._objEventManager = CreateEventManager();
objTable._fireEvent(funcInit);
objTable._auxID = 'DataGrid';
if (document.body.onafterupdate == null)
{
    DG_ONAFTERUPDATE = 'datagridonafterupdate';
    document.body.onafterupdate = _DG__bodyonafterupdate;
}

return objTable;
}

function _DG_show()
{
    this.style.visibility = 'visible';
    this._display();
    this._syncTableProperties();
}

function _DG_hide()
{
    this.style.visibility = 'hidden';
}

function _DG_isVisible()
{
    return (this.style.visibility != 'hidden');
}

function _DG_getPagingNavbar()
{
    return document.all(this.id + '_PageNavbar');
}

function _DG_getRecordsetNavbar()
{
    return document.all(this.id + '_RecordNavbar');
}

function _DG_bindAllColumns()
{
    this.allColumns = true;
    this._curPage = -1;
    _DG__onrowenter(this);
}

function _DG_getDataSource()
{
    return this._objDataSource;
}

function _DG_setDataSource(objDataSource)
{
    if (typeof(objDataSource) != 'object')
        return false;
}
```

```

        if (this._objDataSource != null)
        {
            this._objDataSource.unadvise(RS_ONROWENTER, this._onrowenterID);
            this._objDataSource.unadvise(RS_ONAFTERUPDATE,
this._onafterupdateID);
            this._objDataSource.unadvise(DG_ONAFTERUPDATE,
this._dgonafterupdateID);
            this._objDataSource.unadvise(RS_ONDATASETCOMPLETE,
this._ondatasetcompleteID);
        }

        this._objDataSource = objDataSource;

        var objNavbar = this.getRecordsetNavbar();
        if (objNavbar != null)
            objNavbar.setDataSource(objDataSource);

        objNavbar = this.getPagingNavbar();
        if (objNavbar != null)
            objNavbar.setDataSource(objDataSource);

        if (this._objDataSource != null)
        {
            this._bExclusive = true;
            this._onrowenterID = objDataSource.advise(RS_ONROWENTER,
'_DG__onrowenter(' + this.name + ');');
            this._onafterupdateID = objDataSource.advise(RS_ONAFTERUPDATE,
'_DG__onafterupdate(' + this.name + ', true);');
            this._dgonafterupdateID = objDataSource.advise(DG_ONAFTERUPDATE,
'_DG__onafterupdate(' + this.name + ', false);');
            this._ondatasetcompleteID =
objDataSource.advise(RS_ONDATASETCOMPLETE, this.name + '._curPage =
-1;_DG__onrowenter(' + this.name + ');');
            this._bExclusive = false;
        }

        return true;
    }

    function _DG_showPageNavbar(nButtonMask,nAlignment)
    {
        var objNavbar = this.getPagingNavbar();

        if (objNavbar == null)
        {
            var objRecNavbar = this.getRecordsetNavbar();
            if (objRecNavbar == null)
            {
                this.insertRow().insertCell().innerHTML = '<TABLE navbar="1"
width=100% border=0><TR><TD align=' + this.navbarAlignment + '></TD><TD align=right
valign=middle></TD></TR></TABLE>';
                objNavbar = CreateRecordsetNavbar(this.name +
'_PageNavbar', null,
this.rows(1).cells(0).children(0).rows(0).cells(0));
            }
            else
            {
                var nPlace = (objRecNavbar.children.length -
(objRecNavbar.children.length % 2)) / 2;
                objNavbar = CreateRecordsetNavbar(this.name +
Page 3

```

09695509-070301

```

                                DATAGRID.HTM
'_PageNavbar', null, objRecNavbar.children(nPlace));
    }

    objNavbar.setAlignment(nAlignment);
    objNavbar.setButtonStyles(nButtonMask);
    objNavbar.updateOnMove = false;
    if (this._objDataSource != null)
        objNavbar.setDataSource(this._objDataSource);

    objNavbar.pageSize = this.pageSize;
}

return objNavbar;
}

function _DG_showRecordNavbar(nButtonMask,nAlignment)
{
    var objRecNavbar = this.getRecordsetNavbar();
    if (objRecNavbar == null)
    {
        var objNavbar = this.getPagingNavbar();
        if (objNavbar == null)
        {
            this.insertRow().insertCell().innerHTML = '<TABLE navbar="1"
width=100% border=0><TR><TD align=' + this.navbarAlignment + '></TD><TD align=right
valign=middle></TD></TR></TABLE>';
            objRecNavbar = CreateRecordsetNavbar(this.name +
'_RecordNavbar',
                                                    null,
this.rows(1).cells(0).children(0).rows(0).cells(0));
        }
        else
        {
            var nPlace = (objNavbar.children.length -
(objNavbar.children.length % 2)) / 2;
            objRecNavbar = CreateRecordsetNavbar(this.name +
'_RecordNavbar', null, objNavbar.children(nPlace));
        }

        objRecNavbar.setAlignment(nAlignment);
        objRecNavbar.setButtonStyles(nButtonMask);
        objRecNavbar.updateOnMove = false;
        if (this._objDataSource != null)
            objRecNavbar.setDataSource(this._objDataSource);
    }

    return objRecNavbar;
}

function _DG__fireEvent(funcToFire)
{
    if (typeof(funcToFire) == 'undefined')
    {
        if (this._objEventManager != null)
            this._objEventManager.fireEvent('on' + window.event.type);
    }
    else
        _EM__fireEvent(funcToFire);
}

function _DG_evalRowInfo()
{
    var objRS = this._objDataSource;

```

```

                                DATAGRID.HTM
    if (objRS.absolutePosition > (this.pageSize * this._curPage))
        this._rowInfo.length = objRS.absolutePosition - this.pageSize *
this._curPage - 1;
    else
        this._rowInfo.length = 0;

    if (this.allColumns)
    {
        // auto-generate data from recordset
        this.colHeader.length = 0;
        this.colData.length = 0;
        this.headerWidth.length = 0;
        var nCount = objRS.fields.getCount();
        for (var i=0; i < nCount; i++)
        {
            if (this.displayHeader)
            {
                this.colHeader[i] = '' + objRS.fields.getName(i) +
'';
                this.headerWidth[i] = '';
            }
            this.colData[i] = objRS.name + '.fields.getValue(' + i +
')';
        }
    }

    if (this.hasPageNumber)
    {
        var nPages = 1;
        var nCount = objRS.getCount();
        var strHTML = '';

        if (nCount > 0 && this.pageSize > 0)
            nPages = ((nCount - 1) / this.pageSize) + 1;
        strHTML += '<FONT size=2><NOBR>Page : ' + (this._curPage + 1) + ' of
' + parseInt(nPages) + '</NOBR></FONT>';
        this.rows(1).cells(0).children(0).rows(0).cells(1).innerHTML =
strHTML;
    }

    this._rowInfo[this._rowInfo.length] = this._evalSingleRow();
    this._bEvaluatingInfo = true;
    for (this._rowCount = this._rowInfo.length; (this._rowCount < this.pageSize
&& !objRS.EOF) || (this.pageSize == 0 && !objRS.EOF); ++ this._rowCount)
        objRS.moveNext();
    this._bEvaluatingInfo = false;

    this._rowCount = 0;
}

function _DG__evalSingleRow(hilite)
{
    if (this._objDataSource.EOF)
        return '';

    var strDetail = '';
    var nCols = this.colData.length;
    for (var nCol=0; nCol < nCols; nCol++)
    {
        // apply column attributes to <TD>
        strDetail += '<TD';
        if (typeof(hilite) != 'undefined')
            strDetail += ' ' + hilite;
    }
}

```

Variable	Mean	SD	Min	Max
Age	34.2	10.5	18	65
Gender	0.5	0.5	0	1
Marital status	0.6	0.5	0	1
Education	12.5	2.5	9	16
Income	15.2	8.5	5	35
Health status	0.8	0.4	0	1
Smoking status	0.3	0.5	0	1
Alcohol consumption	0.2	0.4	0	1
Exercise frequency	0.5	0.5	0	1
Stress level	3.5	1.5	1	5
Life satisfaction	4.2	1.2	1	5
Work satisfaction	3.8	1.5	1	5
Family satisfaction	4.5	1.0	1	5
Community satisfaction	4.0	1.2	1	5
Overall well-being	4.1	1.1	1	5

}

```
function _DG__display()
```

{

```

        strBody += '</TR>';
    }

    this._rowCount = 0;
    var objInnerTable = this.rows(0).cells(0);
    objInnerTable.innerHTML = strHeader + strBody + '</TABLE>';
    //fix scrollIntoView and hilite for TDs
    if (objInnerTable.children(0).rows(nRowToScroll) != null)
        objInnerTable.children(0).rows(nRowToScroll).scrollIntoView(true);
}

function _DG__syncTableProperties()
{
    var objInnerTable = this.rows(0).cells(0).children(0);
    this.align = objInnerTable.align;
    this.width = objInnerTable.width;
    objInnerTable.width = "100%";
    this.bgcolor = objInnerTable.bgcolor;
}

function _DG__onclick()
{
    var objDataGrid = event.srcElement;
    var bFound = false;
    var nIndexAux = 0;
    var nIndex = 0;

    if (document.selection.type != 'None')
        return;

    while ((!bFound) && (typeof(objDataGrid) != 'undefined') && (objDataGrid !=
null))
    {
        if (typeof(objDataGrid.navbar) == 'string')
            return;

        if (objDataGrid.tagName == 'TR')
        {
            nIndex = nIndexAux;
            nIndexAux = objDataGrid.rowIndex;
        }

        if ((typeof(objDataGrid._auxID) == 'string') && (objDataGrid._auxID
== 'DataGrid'))
            bFound = true;
        else
            objDataGrid = objDataGrid.parentElement;
    }

    if ((bFound) && (typeof(objDataGrid.hiliteAttributes) != 'undefined') &&
(objDataGrid.hiliteAttributes != null) && (objDataGrid.hiliteAttributes.length))
    {
        var objRS = objDataGrid._objDataSource;
        if ((typeof(objRS) != 'undefined') && (objRS != null))
        {
            var nPos = objRS.absolutePosition;
            var nOffset = objDataGrid.pageSize * objDataGrid._curPage;

            if ((this.colHeader.length == 0) || !this.displayHeader)
                ++nIndex;

            if (nIndex != 0)

```

DATAGRID.HTM
objRS.moveAbsolute(nOffset + nIndex);

objDataGrid.focus();

}

}

}

function _DG__onkeydown()

{

var objDataGrid = event.srcElement;

var bFound = false;

while ((!bFound) && (typeof(objDataGrid) != 'undefined') && (objDataGrid != null))

{

if ((typeof(objDataGrid._auxID) == 'string') && (objDataGrid._auxID == 'DataGrid'))

bFound = true;

else

objDataGrid = objDataGrid.parentElement;

}

if ((bFound) && (typeof(objDataGrid.hiliteAttributes) != 'undefined') && (objDataGrid.hiliteAttributes != null) && (objDataGrid.hiliteAttributes.length))

{

var objRS = objDataGrid._objDataSource;

if (objRS != null)

{

var nKey = window.event.keyCode;

if (nKey == 40) //down arrow

{

if (!objRS.EOF)

objRS.moveNext();

}

else if (nKey == 38) //up arrow

{

if (!objRS.BOF)

objRS.movePrevious();

}

else if (nKey == 34)

{

var nPos = objRS.absolutePosition +

objDataGrid.pageSize;

if (nPos > objRS.getCount())

objRS.moveLast();

else

objRS.moveAbsolute(nPos);

}

else if (nKey == 33)

{

var nPos = objRS.absolutePosition -

objDataGrid.pageSize;

if (nPos < 1)

objRS.moveFirst();

else

objRS.moveAbsolute(nPos);

}

else if (nKey == 36)

objRS.moveFirst();

else if (nKey == 35)

objRS.moveLast();

Page 8

```
else
    return;
```

```
}
```

```
}
```

```
function _DG__onrowenter(objDataGrid)
```

```
{
```

```
    if (! objDataGrid._bExclusive)
```

```
    {
```

```
        if (objDataGrid._bEvaluatingInfo)
```

```
            objDataGrid._rowInfo[objDataGrid._rowInfo.length] =
```

```
objDataGrid._evalSingleRow();
```

```
        else
```

```
        {
```

```
            var objRS = objDataGrid._objDataSource;
```

```
            var nPos = objRS.absolutePosition;
```

```
            if (nPos <= 0)
```

```
            {
```

```
                if ((nPos == 0) || (nPos == -1)) //Start, unknown or
```

```
empty recordset
```

```
                objDataGrid._rowInfo.length = 0;
```

```
            else
```

```
                return;
```

```
            }
```

```
        } else
```

```
        {
```

```
            var curPage;
```

```
            if (objDataGrid.pageSize > 0)
```

```
                curPage = ((nPos - 1) - ((nPos - 1) %
```

```
objDataGrid.pageSize)) / objDataGrid.pageSize;
```

```
            else
```

```
                curPage = 0;
```

```
            if (curPage != objDataGrid._curPage)
```

```
            {
```

```
                if (typeof(objRS._rsRDS.InternetTimeout) ==
```

```
'undefined')
```

```
                {            // RDS 1.5 does not allow cursor
```

```
movement in onrowenter handler
```

```
                if (window.event != null &&
```

```
window.event.type == 'rowenter')
```

```
                {            // defer movement until
```

```
after exiting onrowenter handler
```

```
window.setTimeout('_DG__onrowenter(' + objDataGrid.id + ')',0);
```

```
                return;
```

```
            }
```

```
        }
```

```
        objDataGrid._bExclusive = true;
```

```
        objRS.moveAbsolute((curPage *
```

```
objDataGrid.pageSize) + 1);
```

```
        objDataGrid._bExclusive = false;
```

```
        objDataGrid._curPage = curPage;
```

```
        objDataGrid._evalRowInfo();
```

```
        objDataGrid._bExclusive = true;
```

```
        objRS.moveAbsolute(nPos);
```

```
        objDataGrid._bExclusive = false;
```

```
    }
```



```

    }
    objDataGrid._display();
    objDataGrid._syncTableProperties();
  }
}

function _DG__onafterupdate(objDataGrid, bDisplay)
{
  var objRS = objDataGrid._objDataSource;
  var nPos = objRS.absolutePosition;

  if ((objDataGrid.pageSize == 0) || ((nPos > objDataGrid._curPage *
objDataGrid.pageSize) &&
    (nPos <= (objDataGrid._curPage + 1) * objDataGrid.pageSize)))
  {
    objDataGrid._evalRowInfo();

    objDataGrid._bExclusive = true;
    objRS.moveAbsolute(nPos);
    objDataGrid._bExclusive = false;
  }
  else if (nPos == 0)
    objDataGrid._rowInfo.length = 0;

  if (typeof(bDisplay) == 'boolean' && bDisplay == true)
  {
    objDataGrid._display();
    objDataGrid._syncTableProperties();
  }
}

function _DG__bodyonafterupdate()
{
  var objRS = _DG__findRecordSource(event.srcElement);

  if ((objRS != null) && (typeof(objRS._objEventManager) != 'undefined'))
    objRS._objEventManager.fireEvent(DG_ONAFTERUPDATE);
}

function _DG__findRecordSource(objSrcElement)
{
  var bFound = false;
  var objSrc = objSrcElement;

  while ((!bFound) && (typeof(objSrc) != 'undefined') && (objSrc != null))
  {
    if (typeof(objSrc.getDataSource) != 'undefined')
      bFound = true;
    else
      objSrc = objSrc.parentElement;
  }

  if (bFound)
    return objSrc.getDataSource();
  else
    return null;
}

```

EVENTMGR.ASP

```
<SCRIPT RUNAT=SERVER LANGUAGE="JavaScript">
// *****
// Microsoft Scripting Library
// Visual InterDev 6.0 EventManager Object for ASP
//
// Copyright 1998 Microsoft Corporation. All Rights Reserved.
// *****

// IMPLEMENTATION MERGED INTO PM.ASP
// THIS FILE IS NO LONGER INCLUDED BY DTCS.
</SCRIPT>
```

EVENTMGR.HTM

```

// *****<BR>
// Microsoft Script Library<BR>
// Visual InterDev 6.0 EventManager Object for DHTML<BR>
// Copyright 1998 Microsoft Corporation. All Rights Reserved.<BR>
// <B>Do not modify in design view. Switch to source view.</B><BR>
// *****<BR>
// <SCRIPT>
function CreateEventManager(strName)
{
    if (typeof(strName) == 'string')
    {
        if (eval('typeof(_EM_' + strName + ')') != 'object')
            eval('_EM_' + strName + ' = new _EventManager()');
        return eval('_EM_' + strName);
    }
    return new _EventManager();
}

function _EventManager()
{
    _EM_Prototype();
    this._events = new Array;
    this._nLastAdviseID = 0;
}

function _EM_Prototype()
{
    _EventManager.prototype.advise = _EM_advise;
    _EventManager.prototype.adviseDefaultHandler = _EM_adviseDefaultHandler;
    _EventManager.prototype.unadvise = _EM_unadvise;
    _EventManager.prototype.fireEvent = _EM_fireEvent;
    _EventManager.prototype.getEventCount = _EM_getEventCount;
    _EventManager.prototype.getEvent = _EM_getEvent;
}

function _EM_Advisor()
{
    this.funcToCall = 0;
    this.nAdviseID = 0;
}

function _EM_advise(strEvent, funcToCall)
{
    if ((typeof(strEvent) == 'string') &&
        (strEvent != '') &&
        (typeof(funcToCall) != 'undefined'))
    {
        if (typeof(this._events[strEvent]) == 'undefined')
            this._events[strEvent] = new Array;

        var adviseList = this._events[strEvent];
        var objAdvisor = new _EM_Advisor;
        objAdvisor.funcToCall = funcToCall;
        objAdvisor.nAdviseID = ++this._nLastAdviseID;
        adviseList[adviseList.length] = objAdvisor;
        return this._nLastAdviseID;
    }
    return -1;
}

function _EM_adviseDefaultHandler(strName, strEvent, bVirtualEvent)
{
    var nAdviseID = -1;

```

EVENTMGR.HTM

```

var strDefaultHandler = strName + '_' + strEvent;
// temporarily commandeer the onerror event to prevent
// error message for a known script engine 3.1 issue
// when using typeof on a non-javascript function
var fnUserErrorHandler = window.onerror;
window.onerror = _EM_suppressError;
// the 4.0 jscript engine will return 'unknown' for VBScript functions
// this mechanism is used to wire-up virtual events, but real HTML events
// are automatically fired by IE4 so real events should not be wired up or
// the eventhandler will be called twice
if (eval('typeof(' + strDefaultHandler + ')') == 'function' ||
    ((typeof(bVirtualEvent) != 'undefined') && bVirtualEvent &&
    eval('typeof(' + strDefaultHandler + ')') == 'unknown'))
    nAdviseID = this.advise(strEvent, strDefaultHandler + '()');
window.onerror = fnUserErrorHandler;
return nAdviseID;
}

function _EM_suppressError(msg,url,line)
{
    // used to suppress harmless error message in 3.1 scripting engines
    window.event.returnValue = true;
}

function _EM_unadvise(strEvent,nAdviseID)
{
    if ((typeof(strEvent) != 'undefined') &&
        (nAdviseID != 'undefined') &&
        (typeof(this._events[strEvent]) != 'undefined'))
    {
        var adviseList = this._events[strEvent];
        var nLen = adviseList.length
        for (var i=0; i < nLen; i++)
        {
            if (adviseList[i].nAdviseID == nAdviseID)
            {
                for (var j = Number(i); j < nLen - 1; j++)
                    adviseList[j] = adviseList[j+1];
                adviseList.length -= 1;
                return true;
            }
        }
    }
    return false;
}

function _EM_fireEvent(strEvent)
{
    if (typeof(this._events[strEvent]) != 'undefined')
    {
        var bReturn = true;
        var adviseList = this._events[strEvent];
        for (var i=0; i < adviseList.length; i++)
            _EM_fireEvent(adviseList[i].funcToCall);
    }
}

function _EM_getEventCount()
{
    var nLength = 0;
    for (var event in this._events)
        nLength++;
    return nLength;
}

```

```

function _EM_getEvent(nIndex)
{
    var i = 0;
    for (var event in this._events)
    {
        if (nIndex == i)
            return event;
        i++;
    }
    return '';
}

function _EM__fireEvent(funcToFire)
{
    if (document.readyState != 'complete')
    {
        if (typeof(_EM__EventManager) == 'undefined' || _EM__EventManager ==
null)
        {
            _EM__EventManager = new _EventManager();
            document.onreadystatechange = _EM__fireInit;
        }
        _EM__EventManager.advise('oninit', funcToFire);
        return;
    }

    if (typeof(funcToFire) == 'string')
        eval(funcToFire);
    else if (typeof(funcToFire) == 'function')
        funcToFire();
}

function _EM__fireInit()
{
    if (document.readyState == 'complete')
    {
        _EM__EventManager.fireEvent('oninit');
        _EM__EventManager = null;
    }
}

function encodeHTMLQuotes(strIn)
{
    var strOut;
    while (strOut != strIn)
    {
        strOut = strIn;
        strIn = strIn.replace('"', '"');
    }

    return strOut;
}

```

LABEL.ASP

```

<SCRIPT RUNAT=SERVER LANGUAGE="JavaScript">
// *****
// Microsoft Script Library
// Visual InterDev 6.0 Label Object for ASP
//
// Copyright 1998 Microsoft Corporation. All Rights Reserved.
// *****
function CreateLabel(strName,funcInit,objParent)
{
    if (typeof(strName) == 'string' && strName != '')
    {
        var objLabel = new _Label(strName);
        eval(strName + ' = objLabel');
        objLabel._funcInit = funcInit;
        thisPage.advise(PAGE_ONINIT,strName + '._restoreState()');
        return objLabel;
    }
    return null;
}

function _Label(strName)
{
    if (typeof(_bLBLPrototypeCalled) == 'undefined')
        _LBL__Prototype();

    //public members
    this.id = strName;
    this.name = strName;
}

function _LBL__Prototype()
{
    _bLBLPrototypeCalled = 1;

    //public members
    _Label.prototype.maintainState = true;

    //private members
    _Label.prototype._bvisible = true;
    _Label.prototype._objDataSource = null;
    _Label.prototype._strDataField = '';
    _Label.prototype._strCaption = '';
    _Label.prototype._dataFormatAs = 'text';

    //public methods
    _Label.prototype.isvisible = _LBL_isvisible;
    _Label.prototype.show = _LBL_show;
    _Label.prototype.hide = _LBL_hide;
    _Label.prototype.getCaption = _LBL_getCaption;
    _Label.prototype.setCaption = _LBL_setCaption;
    _Label.prototype.getDataFormatAs = _LBL_getDataFormatAs;
    _Label.prototype.setDataFormatAs = _LBL_setDataFormatAs;
    _Label.prototype.getDataSource = _LBL_getDataSource;
    _Label.prototype.setDataSource = _LBL_setDataSource;
    _Label.prototype.getDataField = _LBL_getDataField;
    _Label.prototype.setDataField = _LBL_setDataField;
    _Label.prototype.display = _LBL_display;

    //private methods
    _Label.prototype._fireEvent = _EM_fireEvent;
    _Label.prototype._preserveState = _LBL_preserveState;
    _Label.prototype._restoreState = _LBL_restoreState;
    _Label.prototype._hasState = _LBL_hasState;
}

```

```

_Label.prototype._onrowenter = _LBL__onrowenter;

//scope implementation in _LBL__Prototype function

function _LBL_isVisible()
{
    return this._bVisible; }

function _LBL_show()
{
    this._bVisible = true; }

function _LBL_hide()
{
    this._bVisible = false; }

function _LBL_getCaption()
{
    return this._strCaption; }

function _LBL_setCaption(strCaption)
{
    this._strCaption = strCaption; }

function _LBL_getDataFormatAs()
{
    return this._dataFormatAs; }

function _LBL_setDataFormatAs(strValue)
{
    var strFormat = String(strValue);
    strFormat = strFormat.toLowerCase();
    if (strFormat == 'text' || strFormat == 'html')
    {
        this._dataFormatAs = strFormat;
        return true;
    }
    return false;
}

function _LBL_getDataSource()
{
    return this._objDataSource; }

function _LBL_setDataSource(objDataSource)
{
    if (typeof(objDataSource) != 'object')
        return false;
    if ((this._objDataSource != null) && (this._strDataField != ''))
        this._objDataSource.unadvise(this._rowEnterID);
    this._objDataSource = objDataSource;
    if ((this._objDataSource != null) && (this._strDataField != ''))
        this._rowEnterID = this._objDataSource.advise(RS_ONROWENTER,
this.id + '._onrowenter(' + this._objDataSource.id + ', "' + this._strDataField +
'"');');
    return true;
}

function _LBL_getDataField()
{
    return this._strDataField; }

function _LBL_setDataField(strDataField)
{
    if ((this._objDataSource != null) && (this._strDataField != ''))
        this._objDataSource.unadvise(this._rowEnterID);
    this._strDataField = strDataField;
    if ((this._objDataSource != null) && (this._strDataField != ''))
        this._rowEnterID = this._objDataSource.advise(RS_ONROWENTER,
this.id + '._onrowenter(' + this._objDataSource.id + ', "' + this._strDataField +
'"');');
}

```

```

    return true;
}

function _LBL_display()
{
    if (this._bvisible)
    {
        var strHTML = this._strCaption;
        if (this._dataFormatAs == 'text')
            strHTML = Server.HtmlEncode(strHTML);
        Response.write(strHTML);
    }
    return this._preserveState();
}

function _LBL__preserveState()
{
    if (this.maintainState)
    {
        // preserve state in hidden field
        var state = new Object;
        if (!this._bvisible)
            state._bvisible = false;
        if (this._dataFormatAs != 'text')
            state._dataFormatAs = this._dataFormatAs;
        state._strCaption = this._strCaption;
        return thisPage.persistState(this.name, state);
    }
    return false;
}

function _LBL__restoreState()
{
    this._fireEvent(this._funcInit);
    if (this.maintainState)
    {
        var state = thisPage.unpersistState(this.name);
        if (state != null)
        {
            if (state._bvisible != null)
                this._bvisible = (state._bvisible != '0' &&
state._bvisible != 'false');
            else
                this._bvisible = true;

            if (state._dataFormatAs != null)
                this._dataFormatAs = state._dataFormatAs;
            else
                this._dataFormatAs = 'text';

            this._strCaption = state._strCaption;
            return true;
        }
    }
    return false;
}

function _LBL__hasState()
{
    if (this.maintainState)
        return thisPage.isStatePersisted(this.name);
    return false;
}

```



```
                                LABEL.ASP
// eventhandler for databinding
function _LBL__onrowenter(objRecordset,strDataField)
{
    this.setCaption(objRecordset.fields.getValue(strDataField) + '');
}
} // end of _LBL__Prototype function

</SCRIPT>
```

LABEL.HTM

```
// *****<BR>
// Microsoft Script Library<BR>
// Visual InterDev 6.0 Label Object for DHTML<BR>
// Copyright 1998 Microsoft Corporation. All Rights Reserved.<BR>
// <B>Do not modify in design view. Switch to source view.</B><BR>
// *****<BR>
// <SCRIPT>
function CreateLabel(strName,funcInit,objParent)
{
    if (typeof(strName) != 'string' || strName == '')
        return null;

    var strTag = '<SPAN id="' + strName + '" name="' + strName + '"></SPAN>';

    if ((typeof(objParent) == 'object') && (objParent != null))
        objParent.insertAdjacentHTML('BeforeEnd',strTag);
    else
        document.write(strTag);

    var objLabel = eval(strName);
    if (typeof(objLabel) != 'object')
        return null;

    objLabel.hide = _LBL_hide;
    objLabel.show = _LBL_show;
    objLabel.isVisible = _LBL_isVisible;
    objLabel.getCaption = _LBL_getCaption;
    objLabel.setCaption = _LBL_setCaption;
    objLabel.getDataFormatAs = _LBL_getDataFormatAs;
    objLabel.setDataFormatAs = _LBL_setDataFormatAs;
    objLabel.getDataSource = _LBL_getDataSource;
    objLabel.setDataSource = _LBL_setDataSource;
    objLabel.getDataField = _LBL_getDataField;
    objLabel.setDataField = _LBL_setDataField;
    objLabel.advise = _LBL_advise;
    objLabel.unadvise = _LBL_unadvise;
    objLabel.display = _LBL_display;

    //private members
    objLabel._objEventManager = null;
    objLabel._objDataSource = null;
    objLabel._strDataField = '';
    objLabel._dataFormatAs = 'text';
    objLabel._fireEvent = _LBL__fireEvent;

    objLabel._fireEvent(funcInit);
    return objLabel;
}

function _LBL_isVisible()
{
    return (this.style.visibility != 'hidden');    }

function _LBL_hide()
{
    this.style.visibility = 'hidden';    }

function _LBL_show()
{
    this.style.visibility = 'visible';    }

function _LBL_getCaption()
{
    if (this._dataFormatAs == 'html')
        return this.innerHTML;
    else
```

```

    return this.innerText;
}

function _LBL_setCaption(strCaption)
{
    if (this._dataFormatAs == 'html')
        this.innerHTML = strCaption;
    else
        this.innerText = strCaption;
}

function _LBL_getDataFormatAs()
{
    return this._dataFormatAs;
}

function _LBL_setDataFormatAs(strValue)
{
    var strFormat = String(strValue);
    strFormat = strFormat.toLowerCase();
    if (strFormat == 'text' || strFormat == 'html')
    {
        var strCaption = this.getCaption();
        this._dataFormatAs = strFormat;
        this.setCaption(strCaption);
        if (this._objDataSource != null && this._strDataField != '')
            this.dataFormatAs = this._dataFormatAs;
        return true;
    }
    return false;
}

function _LBL_getDataSource()
{
    return this._objDataSource;
}

function _LBL_setDataSource(objDataSource)
{
    if (typeof(objDataSource) != 'object')
        return false;

    if ((this._objDataSource != null) && (this._strDataField != ''))
    {
        if (this._objDataSource.isDHTMLAware())
        {
            this.dataSrc = '';
            this.dataFld = '';
        }
        else
            this._objDataSource.unadvise(this._rowEnterID);
    }

    if ((this._objDataSource == null) || (objDataSource != null &&
this._objDataSource.id != objDataSource.id))
    {
        if (this._objDataSource != null)
            this._objDataSource.unadvise(this._afterOpenID);

        this._afterOpenID = objDataSource.advise(RS_ONAFTEROPEN, this.id +
'.setDataSource(' + objDataSource.id + ');');
    }

    this._objDataSource = objDataSource;
    if ((objDataSource != null) && (this._strDataField != ''))
    {
        if (objDataSource.isDHTMLAware())

```

LABEL.HTM

```

    {
        this.dataSrc = '#' + objDataSource.getDHTMLDataSourceID();
        this.dataFld = this._strDataField;
        this.dataFormatAs = this._dataFormatAs;
    }
    else
        this._rowEnterID = objDataSource.advise(RS_ONROWENTER,
'_LBL__onrowenter(' + objDataSource.id + ', ' + this.id + ', "' + this._strDataField
+ '");');
    }
    return true;
}

function _LBL_getDataField()
{
    return this._strDataField;
}

function _LBL_setDataField(strDataField)
{
    if ((this._objDataSource != null) && (this._strDataField != ''))
    {
        if (this._objDataSource.isDHTMLAware())
        {
            this.dataSrc = '';
            this.dataFld = '';
        }
        else
            this._objDataSource.unadvise(this._rowEnterID);
    }
    this._strDataField = strDataField;
    if ((this._objDataSource != null) && (this._strDataField != ''))
    {
        if (this._objDataSource.isDHTMLAware())
        {
            this.dataSrc = '#' +
this._objDataSource.getDHTMLDataSourceID();
            this.dataFld = strDataField;
            this.dataFormatAs = this._dataFormatAs;
        }
        else
            this._rowEnterID = this._objDataSource.advise(RS_ONROWENTER,
'_LBL__onrowenter(' + this._objDataSource.id + ', ' + this.id + ', "' + strDataField
+ '");');
    }
    return true;
}

function _LBL_advise(strEvent,funcToCall)
{
    if (this._objEventManager == null)
        this._objEventManager = CreateEventManager();
    var nAdviseID = this._objEventManager.advise(strEvent,funcToCall);
    if (nAdviseID != -1)
        eval('this.' + strEvent + ' = _LBL__fireEvent;');
    return nAdviseID;
}

function _LBL_unadvise(strEvent,nAdviseID)
{
    if (this._objEventManager != null)
        return this._objEventManager.unadvise(strEvent,nAdviseID);
    return false;
}

```

```
function _LBL_display()
{
}

function _LBL__fireEvent(funcToFire)
{
    if (typeof(funcToFire) == 'undefined')
    {
        if (this._objEventManager != null)
            this._objEventManager.fireEvent('on' + window.event.type);
    }
    else
        _EM__fireEvent(funcToFire);
}

function _LBL__onrowenter(objRecordset,objLabel,strDataField)
{
    objLabel.setCaption(objRecordset.fields.getValue(strDataField) + '');
}
}
```

09585850 073020" 60585850

LISTBOX.ASP

```

<SCRIPT RUNAT=SERVER LANGUAGE="JavaScript">
// *****
// Microsoft Script Library
// Visual InterDev 6.0 Listbox Object for ASP
//
// Copyright 1998 Microsoft Corporation. All Rights Reserved.
// *****
function CreateListbox(strName,funcInit,objParent)
{
    if (typeof(strName) == 'string' && strName != '')
    {
        var objListbox = new _Listbox(strName,objParent);
        eval(strName + ' = objListbox');

        objListbox._funcInit = funcInit;
        thisPage.advise(PAGE_ONINIT,strName + '._restoreState()');
        return objListbox;
    }
    return null;
}

function _Listbox(strName,objParent)
{
    if (typeof(_bLBPrototypeCalled) == 'undefined')
        _LB__Prototype();

    // public members
    this.id = strName;
    this.name = strName;

    // private members
    this._options = new Array;
    this._objEventManager = CreateEventManager();
    this._objEventManager.adviseDefaultHandler(this.name, LB_ONCHANGE);
}

function _LB__Prototype()
{
    _bLBPrototypeCalled = 1;
    //events
    LB_ONCHANGE = 'onchange';

    // public members
    _Listbox.prototype.disabled = false;
    _Listbox.prototype.size = 1;
    _Listbox.prototype.selectedIndex = -1;
    _Listbox.prototype.maintainState = true;

    // private members
    _Listbox.prototype._bvisible = true;
    _Listbox.prototype._objRowSource = null;
    _Listbox.prototype._objDataSource = null;
    _Listbox.prototype._strDataField = '';

    //public methods
    _Listbox.prototype.isvisible = _LB_isVisible;
    _Listbox.prototype.show = _LB_show;
    _Listbox.prototype.hide = _LB_hide;
    _Listbox.prototype.addItem = _LB_addItem;
    _Listbox.prototype.removeItem = _LB_removeItem;
    _Listbox.prototype.clear = _LB_clear;
    _Listbox.prototype.getCount = _LB_getCount;
    _Listbox.prototype.getValue = _LB_getValue;

```

LISTBOX.ASP

```

_Listbox.prototype.setValue = _LB_setValue;
_Listbox.prototype.getText = _LB_getText;
_Listbox.prototype.setText = _LB_setText;
_Listbox.prototype.selectByValue = _LB_selectByValue;
_Listbox.prototype.selectByText = _LB_selectByText;
_Listbox.prototype.getRowSource = _LB_getRowSource;
_Listbox.prototype.setRowSource = _LB_setRowSource;
_Listbox.prototype.getDataSource = _SOM_getDataSource;
_Listbox.prototype.setDataSource = _SOM_setDataSource;
_Listbox.prototype.getDataField = _SOM_getDataField;
_Listbox.prototype.setDataField = _SOM_setDataField;
_Listbox.prototype.advise = _LB_advise;
_Listbox.prototype.unadvise = _LB_unadvise;
_Listbox.prototype.display = _LB_display;

//private methods
_Listbox.prototype._fireEvent = _EM_fireEvent;
_Listbox.prototype._preserveState = _LB_preserveState;
_Listbox.prototype._restoreState = _LB_restoreState;
_Listbox.prototype._hasState = _LB_hasState;
_Listbox.prototype._onrowenter = _LB_onrowenter;
_Listbox.prototype._onbeforeupdate = _LB_onbeforeupdate;

//scope implementation in _LB__Prototype function
function _LB__Option()
{
    this.text = '';
    this.value = '';
}

function _LB_isvisible()
{
    return this._bvisible; }

function _LB_show()
{
    this._bvisible = true; }

function _LB_hide()
{
    this._bvisible = false; }

function _LB_addItem(strText,value,nIndex)
{
    var nCount = this.getCount();
    if (typeof(value) == 'undefined')
        value = strText;
    if (typeof(nIndex) == 'undefined')
        nIndex = nCount;
    if (!isNaN(parseInt(nIndex)))
    {
        // add item at given nIndex
        var opt = new _LB__Option;
        opt.text = String(strText);
        opt.value = value;
        if (nIndex < 0)           // add as first item in list
            nIndex = 0;
        if (nIndex < nCount)
        {
            // insert item at given index
            var aTemp = this._options.slice(nIndex);
            this._options.length = nIndex;
            this._options[Number(nIndex)] = opt;
            this._options = this._options.concat(aTemp);
            return nIndex;
        }
    }
}

```

LISTBOX.ASP

```

        else
        {
            // add item to end of list
            this._options[nCount] = opt;
            return nCount;
        }
    }
    return -1;    // failed to add item
}

function _LB_removeItem(nIndex)
{
    if (typeof(nIndex) == 'undefined')
        nIndex = this.selectedIndex;
    if (!isNaN(parseInt(nIndex)) && nIndex >= 0 && nIndex <
this.getCount())
    {
        // remove item at nIndex
        var aTemp = this._options.slice(Number(nIndex)+1);
        this._options.length = nIndex;
        this._options = this._options.concat(aTemp);
        return true;
    }
    return false;
}

function _LB_clear()
{
    this.selectedIndex = -1;
    this._options.length = 0;
}

function _LB_getCount()
{
    return this._options.length;
}

function _LB_getValue(nIndex)
{
    if (typeof(nIndex) == 'undefined')
        nIndex = this.selectedIndex;
    if (!isNaN(parseInt(nIndex)) && nIndex >= 0 && nIndex <
this.getCount())
        return this._options[nIndex].value;
    return '';
}

function _LB_setValue(value,nIndex)
{
    if (typeof(nIndex) == 'undefined')
        nIndex = this.selectedIndex;
    if (!isNaN(parseInt(nIndex)) && nIndex >= 0 && nIndex <
this.getCount())
    {
        this._options[nIndex].value = value;
        return true;
    }
    return false;
}

function _LB_getText(nIndex)
{
    if (typeof(nIndex) == 'undefined')
        nIndex = this.selectedIndex;
    if (!isNaN(parseInt(nIndex)) && nIndex >= 0 && nIndex <
this.getCount())
        return this._options[nIndex].text;
}

```



```

    return '';
}

function _LB_setText(strText,nIndex)
{
    if (typeof(nIndex) == 'undefined')
        nIndex = this.selectedIndex;
    if (!isNaN(parseInt(nIndex)) && nIndex >= 0 && nIndex <
this.getCount())
    {
        this._options[nIndex].text = String(strText);
        return true;
    }
    return false;
}

function _LB_selectByText(strText)
{
    // check for match in _options array
    for (var i=0; i < this._options.length; i++)
    {
        if (String(strText) == this._options[i].text)
        {
            this.selectedIndex = i;
            return i;
        }
    }
    return -1;
}

function _LB_selectByValue(value)
{
    // check for match in _options array
    for (var i=0; i < this._options.length; i++)
    {
        if (value == this._options[i].value)
        {
            this.selectedIndex = i;
            return i;
        }
    }
    return -1;
}

function _LB_getRowSource()
{
    return this._objRowSource;
}

function _LB_setRowSource(objRecordset,listField,boundField)
{
    if (typeof(objRecordset) == 'object' && this.getCount() == 0)
    {
        var nPos = objRecordset.absolutePosition;
        this._objRowSource = objRecordset;
        objRecordset.moveFirst();
        while (!objRecordset.EOF)
        {
            this.addItem(objRecordset.fields.getValue(listField),objRecordset.fields.getValue(boundField));
            objRecordset.moveNext();
        }
        objRecordset.moveAbsolute(nPos);
        return true;
    }
    return false;
}

```

server

```

LISTBOX.ASP
    strHTML += strHandler;
}
else
    strHTML += ' disabled';
strHTML += '>\n';
for (var i=0; i < this._options.length; i++)
{
    // generate _options
    strHTML += '<' + 'OPTION ' ;
    if (this.selectedIndex == i)
        strHTML += 'selected ' ;
    strHTML += 'value="' +
Server.HTMLEncode(this._options[i].value) + '">' +
Server.HTMLEncode(this._options[i].text) + '</OPTION>\n';
}
strHTML += '</SELECT>\n';
}
Response.write(strHTML);
}
this._preserveState();
}

function _LB__preserveState()
{
    if (this.maintainState)
    {
        // preserve state in hidden field
        var state = new Object;
        if (!this._bvisible)
            state._bvisible = false;
        if (this.disabled)
            state.disabled = true;
        if (this.size != 1)
            state.size = this.size;
        state.selectedIndex = this.selectedIndex;
        state._nCount = this._options.length;
        for (var i=0; i < this._options.length; i++)
        {
            state['t' + i] = this._options[i].text;
            if (this._options[i].value != this._options[i].text)
                state['v' + i] = this._options[i].value;
        }
        return thisPage.persistState(this.name,state);
    }
    return false;
}

function _LB__restoreState()
{
    var r = false;
    this._fireEvent(this._funcInit);
    if (this.maintainState)
    {
        // attempt to restore previous state
        var state = thisPage.unpersistState(this.name);
        if (state != null)
        {
            // restore previous state
            this.clear();
            for (var i=0; i < state._nCount; i++)
                this.addItem(state['t' + i],state['v' + i]);
            if (state._bvisible != null)
                this._bvisible = (state._bvisible != '0' &&
state._bvisible != 'false');
            else
                this._bvisible = true;
        }
    }
}

```

09898509.070301

```
LISTBOX.ASP
state.disabled != 'false');
    if (state.disabled != null)
        this.disabled = (state.disabled != '0' &&
    else
        this.disabled = false;
    if (state.size != null)
        this.size = Number(state.size);
    else
        this.size = 1;
    this.selectedIndex = Number(state.selectedIndex);
    r = true;
}
}
var newState = Request.Form(this.name) + '';
if (newState != 'undefined')
    this.selectByValue(newState);
return r;
}
function _LB__hasState()
{
    if (this.maintainState)
        return this.Page.isStatePersisted(this.name);
    return false;
}
// eventhandler for databinding
function _LB__onrowenter(objRecordset,dataField)
{
    this.selectByValue(objRecordset.fields.getValue(dataField) + '');
    return true;
}
// eventhandler for databinding
function _LB__onbeforeupdate(objRecordset,dataField)
{
    objRecordset.fields.setValue(dataField,this.getValue());
    return true;
}
} // end of _LB__Prototype function
</SCRIPT>
```

LISTBOX.HTM

```

// *****<BR>
// Microsoft Script Library<BR>
// Visual InterDev 6.0 Listbox Object for DHTML<BR>
// Copyright 1998 Microsoft Corporation. All Rights Reserved.<BR>
// <B>Do not modify in design view. Switch to source view.</B><BR>
// *****<BR>
// <SCRIPT>
function CreateListbox(strName,funcInit,objParent)
{
    if (typeof(strName) != 'string' || strName == '')
        return null;

    // create SELECT tag in document
    var strTag = '<SELECT name="' + strName + '" id="' + strName + '"
size=1></SELECT>'
    if ((typeof(objParent) == 'object') && (objParent != null))
        objParent.insertAdjacentHTML('BeforeEnd',strTag);
    else
        document.write(strTag);

    var objSelect = document.all[strName];
    if (typeof(objSelect) != 'object')
        return null;
    var bNameExists = eval('typeof(' + strName + ') == "object"');
    if (!bNameExists)
        eval(strName + ' = objSelect');

    //events
    LB_ONCHANGE = 'onchange';

    // intrinsic properties
    //      name AND id      RO
    //      disabled        RW
    //      size             RW
    //      selectedIndex    RW

    // extended methods
    objSelect.isVisible = _LB_isVisible;
    objSelect.show = _LB_show;
    objSelect.hide = _LB_hide;
    objSelect.addItem = _LB_addItem;
    objSelect.removeItem = _LB_removeItem;
    objSelect.clear = _LB_clear;
    objSelect.getCount = _LB_getCount;
    objSelect.getValue = _LB_getValue;
    objSelect.setValue = _LB_setValue;
    objSelect.getText = _LB_getText;
    objSelect.setText = _LB_setText;
    objSelect.selectByValue = _LB_selectByValue;
    objSelect.selectByText = _LB_selectByText;
    objSelect.getRowSource = _LB_getRowSource;
    objSelect.setRowSource = _LB_setRowSource;
    objSelect.getDataSource = _LB_getDataSource;
    objSelect.setDataSource = _LB_setDataSource;
    objSelect.getDataField = _LB_getDataField;
    objSelect.setDataField = _LB_setDataField;
    objSelect.advise = _LB_advise;
    objSelect.adviseDefaultHandler = _LB_adviseDefaultHandler;
    objSelect.unadvise = _LB_unadvise;
    objSelect.display = _LB_display;

```

//private members

Variable	Mean	SD	Min	Max
Age	34.5	10.2	21	55
Gender	0.5	0.5	0	1
Marital status	0.6	0.5	0	1
Education	12.5	1.5	9	16
Income	15.2	5.8	10	25
Health status	0.7	0.4	0	1
Stress level	3.2	1.1	1	5
Life satisfaction	4.1	0.8	3	5
Work engagement	3.8	0.9	2	5
Organizational commitment	4.2	0.7	3	5
Job satisfaction	4.0	0.8	3	5
Turnover intention	1.5	0.6	1	3
Organizational citizenship behavior	3.5	0.9	2	5
Employee well-being	3.9	0.8	2	5
Work-life balance	3.7	0.9	2	5
Job autonomy	3.6	0.8	2	5
Supervisor support	3.8	0.7	2	5
Team cohesion	3.9	0.8	2	5
Organizational culture	3.7	0.9	2	5
Employee engagement	3.8	0.8	2	5
Job design	3.6	0.9	2	5
Organizational climate	3.7	0.8	2	5
Employee turnover	1.2	0.5	1	3
Organizational performance	4.1	0.7	3	5
Customer satisfaction	4.2	0.6	3	5
Employee productivity	4.0	0.8	3	5
Organizational innovation	3.9	0.7	2	5
Employee loyalty	4.1	0.6	3	5
Organizational reputation	4.0	0.7	3	5
Employee commitment	4.2	0.5	3	5
Organizational success	4.1	0.6	3	5
Employee well-being	3.9	0.8	2	5
Work-life balance	3.7	0.9	2	5
Job autonomy	3.6	0.8	2	5
Supervisor support	3.8	0.7	2	5
Team cohesion	3.9	0.8	2	5
Organizational culture	3.7	0.9	2	5
Employee engagement	3.8	0.8	2	5
Job design	3.6	0.9	2	5
Organizational climate	3.7	0.8	2	5
Employee turnover	1.2	0.5	1	3
Organizational performance	4.1	0.7	3	5
Customer satisfaction	4.2	0.6	3	5
Employee productivity	4.0	0.8	3	5
Organizational innovation	3.9	0.7	2	5
Employee loyalty	4.1	0.6	3	5
Organizational reputation	4.0	0.7	3	5
Employee commitment	4.2	0.5	3	5
Organizational success	4.1	0.6	3	5

}

$$\{$$
 $\{$ $\{$

3

}

```

function _LB_getCount()
{
    return this.options.length;
}

function _LB_getValue(nIndex)
{
    if (typeof(nIndex) == 'undefined')
        nIndex = this.selectedIndex;
    if (!isNaN(parseInt(nIndex)) && nIndex >= 0 && nIndex < this.getCount())
        return this.item(Number(nIndex)).value;
    return '';
}

function _LB_setValue(value,nIndex)
{
    if (typeof(nIndex) == 'undefined')
        nIndex = this.selectedIndex;
    if (!isNaN(parseInt(nIndex)) && nIndex >= 0 && nIndex < this.getCount())
    {
        this.item(Number(nIndex)).value = value;
        return true;
    }
    return false;
}

function _LB_getText(nIndex)
{
    if (typeof(nIndex) == 'undefined')
        nIndex = this.selectedIndex;
    if (!isNaN(parseInt(nIndex)) && nIndex >= 0 && nIndex < this.getCount())
        return this.item(Number(nIndex)).text;
    return '';
}

function _LB_setText(strText,nIndex)
{
    if (typeof(nIndex) == 'undefined')
        nIndex = this.selectedIndex;
    if (!isNaN(parseInt(nIndex)) && nIndex >= 0 && nIndex < this.getCount())
    {
        this.item(Number(nIndex)).text = String(strText);
        return true;
    }
    return false;
}

function _LB_selectByValue(value)
{
    for (var i=0; i < this.getCount(); i++)
    {
        if (value == this.options(i).value)
        {
            this.selectedIndex = i;
            return i;
        }
    }
    return -1;
}

function _LB_selectByText(strText)
{
    for (var i=0; i < this.getCount(); i++)
    {

```

LISTBOX.HTM

```

        if (strText == this.options(i).text)
        {
            this.selectedIndex = i;
            return i;
        }
    }
    return -1;
}

function _LB_getRowSource()
{
    return this._objRowSource;
}

function _LB_setRowSource(objRecordset, listField, boundField)
{
    if (typeof(objRecordset) == 'object' && this.getCount() == 0)
    {
        // only allow setting one lookup source to be consistent with server
        var nPos = objRecordset.absolutePosition;
        this._objRowSource = objRecordset;
        objRecordset.moveFirst();
        while (!objRecordset.EOF)
        {
            var objFields = objRecordset.fields;

            this.addItem(objFields.getValue(listField), objFields.getValue(boundField));
            objRecordset.moveNext();
        }
        objRecordset.moveAbsolute(nPos);
        return true;
    }
    return false;
}

function _LB_getDataSource()
{
    return this._objDataSource;
}

function _LB_setDataSource(objDataSource)
{
    if (typeof(objDataSource) != 'object')
        return false;

    if ((this._objDataSource != null) && (this._dataField != ''))
    {
        if (this._objDataSource.isDHTMLAware())
        {
            this.dataSrc = '';
            this.dataFld = '';
        }
        else
        {
            this._objDataSource.unadvise(this._rowEnterID);
            this._objDataSource.unadvise(this._rowExitID);
        }
    }

    if ((this._objDataSource == null) || (objDataSource != null &&
this._objDataSource.id != objDataSource.id))
    {
        if (this._objDataSource != null)
            this._objDataSource.unadvise(this._afterOpenID);

        this._afterOpenID = objDataSource.advise(RS_ONAFTEROPEN, this.id +
'.setDataSource(' + objDataSource.id + ');');
    }
}

```


LISTBOX.HTM

```

this._objDataSource = objDataSource;
if ((objDataSource != null) && (this._dataField != ''))
{
    if (objDataSource.isDHTMLAware())
    {
        this.dataSrc = '#' + objDataSource.getDHTMLDataSourceID();
        this.dataFld = this._dataField;
    }
    else
    {
        this._rowEnterID = objDataSource.advise(RS_ONROWENTER,
'_LB__onrowenter(' + objDataSource.id + ', ' + this.name + ', "' + this._dataField +
'"');');
        this._rowExitID = objDataSource.advise(RS_ONROWEXIT,
'_LB__onrowexit(' + objDataSource.id + ', ' + this.name + ', "' + this._dataField +
'"');');
    }
}
return true;
}

function _LB_getDataField()
{
    return this._dataField;
}

function _LB_setDataField(dataField)
{
    if ((this._objDataSource != null) && (this._dataField != ''))
    {
        if (this._objDataSource.isDHTMLAware())
        {
            this.dataSrc = '';
            this.dataFld = '';
        }
        else
        {
            this._objDataSource.unadvise(this._rowEnterID);
            this._objDataSource.unadvise(this._rowExitID);
        }
    }

    this._dataField = dataField;
    if ((this._objDataSource != null) && (this._dataField != ''))
    {
        if (this._objDataSource.isDHTMLAware())
        {
            this.dataSrc = '#' +
this._objDataSource.getDHTMLDataSourceID();
            this.dataFld = dataField;
        }
        else
        {
            this._rowEnterID = this._objDataSource.advise(RS_ONROWENTER,
'_LB__onrowenter(' + this._objDataSource.id + ', ' + this.name + ', "' + dataField +
'"');');
            this._rowExitID = this._objDataSource.advise(RS_ONROWEXIT,
'_LB__onrowexit(' + this._objDataSource.id + ', ' + this.name + ', "' + dataField +
'"');');
        }
    }
    return true;
}

```

```

function _LB_advise(strEvent,funcToCall)
{
    var nAdviseID = this._objEventManager.advise(strEvent,funcToCall);
    if (nAdviseID != -1)
        eval('this.' + strEvent + ' = _LB__fireEvent;');
}

function _LB_adviseDefaultHandler(strName,strEvent)
{
    var nAdviseID =
this._objEventManager.adviseDefaultHandler(strName,strEvent);
    if (nAdviseID != -1)
        eval("this." + strEvent + " = _LB__fireEvent;");
}

function _LB_unadvise(strEvent,nAdviseID)
{
    return this._objEventManager.unadvise(strEvent,nAdviseID);
}

function _LB_display()           // do nothing for DHTML case
{
}

function _LB__fireEvent(funcToFire)
{
    if (typeof(funcToFire) == 'undefined')
    {
        if (this._objEventManager != null)
            this._objEventManager.fireEvent('on' + window.event.type);
    }
    else
        _EM__fireEvent(funcToFire);
}

function _LB__onrowenter(objRecordset,objListbox,dataField)
{
    objListbox.select(objRecordset.fields.getValue(dataField) + '');
    return true;
}

function _LB__onrowexit(objRecordset,objListbox,dataField)
{
    var selValue = objListbox.getValue();
    if (selValue != null && selValue != 'undefined')
        objRecordset.fields.setValue(selValue);
    return true;
}

function _LB__onbeforefuncinit(objListbox)
{
    objListbox.adviseDefaultHandler(objListbox.id, LB_ONCHANGE);    }

```

MISCUTILS.HTM

```

// *****<BR>
// Microsoft Script Library<BR>
// Visual InterDev 6.0 Miscellaneous utility functions for DHTML<BR>
// Copyright 1998 Microsoft Corporation. All Rights Reserved.<BR>
// <B>Do not modify in design view. Switch to source view.</B><BR>
// *****<BR>
// <SCRIPT>
// *****
// function closure(obj,method)
//
//     Creates a closure object for encapsulating a function of an
//     object instance.
// *****
function closure(obj,method)
{
    return function()
    {
        var params = ""; var i;
        for (i = 0; i < (arguments.length - 1); i++)
        {
            params += arguments[i] + ","
        }

        if (i < arguments.length)
        {
            params += arguments[i];
        }

        with (obj)
            return eval(method + "(" + params + ")");
    }
}

// *****
// function TypeOf(x)
//
//     Returns a string indicating the type of given variable x.
//     This is a specialized implementation of the native typeof
//     function which differentiates date and array objects.
//
//     Returns "undefined","function","string","boolean",
//     "number", "object", "array", or "date"
// *****
function TypeOf(x)
{
    var t = typeof(x);
    if (t == "object" && x != null)
    {
        if (typeof(x.constructor) != "undefined")
        {
            var ctor = new String(x.constructor);
            var chStart = ctor.indexOf("function");
            var chEnd = ctor.indexOf("(");
            if (chStart != -1 && chEnd != -1)
            {
                ctor = ctor.substring(chStart+9,chEnd);
                if (ctor == "Array" || ctor == "Date" || ctor ==
"String" || ctor == "Number" || ctor == "Boolean")
                    t = ctor.toLowerCase();
            }
        }
    }
    return t;
}

// *****

```

```
// function QuickDictionary()
//
//      A quick and dirty implementation of a dictionary.
// *****
function QuickDictionary()
{
    this.dict = new Object;
    this.items = new Array;
    this.count = 0;
    this.Add = new Function("key","item","this.dict[key] = this.count;
this.items[this.count] = item; this.count++;");
    this.Exists = new Function("key","return (typeof(this.dict[key]) !=
\"undefined\")");
    this.Item = new Function("key","return this.items[this.dict[key]]");
    this.RemoveAll = new Function("","this.dict = new Object; this.items.length
= 0; this.count = 0;");
}
```

OPTIONGRP.ASP

```

<SCRIPT RUNAT=SERVER LANGUAGE="JavaScript">
// *****
// Microsoft Script Library
// Visual InterDev 6.0 OptionGroup Object for ASP
//
// Copyright 1998 Microsoft Corporation. All Rights Reserved.
// *****
function CreateOptionGroup(strName,funcInit,objParent)
{
    if (typeof(strName) == 'string' && strName != '')
    {
        var objOptionGroup = new _OptionGroup(strName);
        eval(strName + " = objOptionGroup;");
        objOptionGroup._funcInit = funcInit;
        thisPage.advise(PAGE_ONINIT,strName + '._restoreState()');
        return objOptionGroup;
    }
    return null;
}

function _OptionGroup(strName)
{
    if (typeof(_bOPTPrototypeCalled) == 'undefined')
        _OPT__Prototype();

    // public members
    this.id = strName;
    this.name = strName;

    // private members
    this._options = new Array();
    this._objEventManager = CreateEventManager();
    this._objEventManager.adviseDefaultHandler(this.name,OPT_ONCHANGE);
}

function _OPT__Prototype()
{
    _bOPTPrototypeCalled = 1;

    //events
    OPT_ONCHANGE = 'onchange';

    // public members
    _OptionGroup.prototype.maintainState = true;

    // private members
    _OptionGroup.prototype._bvisible = true;
    _OptionGroup.prototype._nBorder = 0;
    _OptionGroup.prototype._nAlignment = 0;
    _OptionGroup.prototype._selectedIndex = 0;
    _OptionGroup.prototype._objDataSource = null;
    _OptionGroup.prototype._strDataField = '';

    //public methods
    _OptionGroup.prototype.isvisible = _OPT_isvisible;
    _OptionGroup.prototype.show = _OPT_show;
    _OptionGroup.prototype.hide = _OPT_hide;
    _OptionGroup.prototype.getBorder = _OPT_getBorder;
    _OptionGroup.prototype.setBorder = _OPT_setBorder;
    _OptionGroup.prototype.getAlignment = _OPT_getAlignment;
    _OptionGroup.prototype.setAlignment = _OPT_setAlignment;
    _OptionGroup.prototype.getButton = _OPT_getButton;
    _OptionGroup.prototype.addItem = _OPT_addItem;
}

```

OPTIONGRP.ASP

```

_OptionGroup.prototype.removeItem = _OPT_removeItem;
_OptionGroup.prototype.clear = _OPT_clear;
_OptionGroup.prototype.getCount = _OPT_getCount;
_OptionGroup.prototype.getValue = _OPT_getValue;
_OptionGroup.prototype.setValue = _OPT_setValue;
_OptionGroup.prototype.getCaption = _OPT_getCaption;
_OptionGroup.prototype.setCaption = _OPT_setCaption;
_OptionGroup.prototype.selectByValue = _OPT_selectByValue;
_OptionGroup.prototype.selectByCaption = _OPT_selectByCaption;
_OptionGroup.prototype.selectByIndex = _OPT_selectByIndex;
_OptionGroup.prototype.getSelectedIndex = _OPT_getSelectedIndex;
_OptionGroup.prototype.getRowSource = _OPT_getRowSource;
_OptionGroup.prototype.setRowSource = _OPT_setRowSource;
_OptionGroup.prototype.getDataSource = _SOM_getDataSource;
_OptionGroup.prototype.setDataSource = _SOM_setDataSource;
_OptionGroup.prototype.getDataField = _SOM_getDataField;
_OptionGroup.prototype.setDataField = _SOM_setDataField;
_OptionGroup.prototype.advise = _OPT_advise;
_OptionGroup.prototype.unadvise = _OPT_unadvise;
_OptionGroup.prototype.display = _OPT_display;

```

//private methods

```

_OptionGroup.prototype._fireEvent = _EM_fireEvent;
_OptionGroup.prototype._preserveState = _OPT__preserveState;
_OptionGroup.prototype._restoreState = _OPT__restoreState;
_OptionGroup.prototype._hasState = _OPT__hasState;
_OptionGroup.prototype._onrowenter = _OPT__onrowenter;
_OptionGroup.prototype._onbeforeupdate = _OPT__onbeforeupdate;

```

//scope implementation in _OPT__Prototype function

function _OPT__Option()

```

{
    this.text = '';
    this.value = '';
    this.disabled = false;
}

```

```

function _OPT_isvisible()
{
    return this._bvisible; }

```

```

function _OPT_show()
{
    this._bvisible = true; }

```

```

function _OPT_hide()
{
    this._bvisible = false; }

```

```

function _OPT_getBorder()
{
    return this._nBorder; }

```

```

function _OPT_setBorder(nBorder)
{
    this._nBorder = nBorder; }

```

```

function _OPT_getAlignment()
{
    return this._nAlignment; }

```

```

function _OPT_setAlignment(nAlignment)
{
    if (typeof(nAlignment) != 'undefined')
    {
        if (nAlignment == '0')
            this._nAlignment = 0;
        else

```

```

OPTIONGRP.ASP
        this._nAlignment = 1;
        return true;
    }
    return false;
}

function _OPT_getButton(nIndex)
{
    if (!isNaN(parseInt(nIndex)) && nIndex >= 0 && nIndex <
this.getCount())
        return this._options[Number(nIndex)];
}

function _OPT_addItem(strText,value,nIndex)
{
    var nCount = this.getCount();
    if (typeof(nIndex) == 'undefined')
        nIndex = nCount;
    if (typeof(value) == 'undefined')
        value = strText;
    if (!isNaN(parseInt(nIndex)))
    {
        // add item at given nIndex
        var opt = new _OPT__Option;
        opt.text = String(strText);
        opt.value = value;
        if (nIndex < 0)           // add as first item in list
            nIndex = 0;
        if (nIndex < nCount)
        {
            // insert item at given index
            var aTemp = this._options.slice(nIndex);
            this._options.length = nIndex;
            this._options[Number(nIndex)] = opt;
            this._options = this._options.concat(aTemp);
            return nIndex;
        }
        else
        {
            // add item to end of list
            this._options[nCount] = opt;
            return nCount;
        }
    }
    return -1;    // failed to add item
}

function _OPT_removeItem(nIndex)
{
    if (typeof(nIndex) == 'undefined')
        nIndex = this._selectedIndex;
    if (!isNaN(parseInt(nIndex)) && nIndex >= 0 && nIndex <
this.getCount())
    {
        // remove item at nIndex
        var aTemp = this._options.slice(Number(nIndex)+1);
        this._options.length = nIndex;
        this._options = this._options.concat(aTemp);
        return true;
    }
    return false;
}

function _OPT_clear()
{
    this._options.length = 0;
}

function _OPT_getCount()

```

```

{
    return this._options.length;
}

function _OPT_getValue(nIndex)
{
    if (typeof(nIndex) == 'undefined')
        nIndex = this._selectedIndex;
    if (!isNaN(parseInt(nIndex)) && nIndex >= 0 && nIndex <
this.getCount())
        return this._options[nIndex].value;
    return '';
}

function _OPT_setValue(value, nIndex)
{
    if (typeof(nIndex) == 'undefined')
        nIndex = this._selectedIndex;
    if (!isNaN(parseInt(nIndex)) && nIndex >= 0 && nIndex <
this.getCount())
    {
        this._options[nIndex].value = value;
        return true;
    }
    return false;
}

function _OPT_getCaption(nIndex)
{
    if (typeof(nIndex) == 'undefined')
        nIndex = this._selectedIndex;
    if (!isNaN(parseInt(nIndex)) && nIndex >= 0 && nIndex <
this.getCount())
        return this._options[nIndex].text;
    return '';
}

function _OPT_setCaption(strCaption, nIndex)
{
    if (typeof(nIndex) == 'undefined')
        nIndex = this._selectedIndex;
    if (!isNaN(parseInt(nIndex)) && nIndex >= 0 && nIndex <
this.getCount())
    {
        this._options[nIndex].text = String(strCaption);
        return true;
    }
    return false;
}

function _OPT_selectByValue(value)
{
    // check for match in _options array
    for (var i=0; i < this._options.length; i++)
    {
        if (value == this._options[i].value)
        {
            this._selectedIndex = i;
            return i;
        }
    }
    return -1;
}

function _OPT_selectByCaption(strCaption)

```



```

{
    // check for match in _options array
    for (var i=0; i < this._options.length; i++)
    {
        if (String(strCaption) == this._options[i].text)
        {
            this._selectedIndex = i;
            return i;
        }
    }
    return -1;
}

function _OPT_selectByIndex(nIndex)
{
    if (!isNaN(parseInt(nIndex)))
    {
        this._selectedIndex = nIndex;
        return nIndex;
    }
    return -1;
}

function _OPT_getSelectedIndex()
{
    return this._selectedIndex;
}

function _OPT_getRowSource()
{
    return this._objRowSource;
}

function _OPT_setRowSource(objRecordset, listField, boundField)
{
    if (typeof(objRecordset) == 'object' && this.getCount() == 0)
    {
        var nPos = objRecordset.absolutePosition;
        objRecordset.moveFirst();
        while (!objRecordset.EOF)
        {
            objFields = objRecordset.fields;
            this.addItem(objFields.getValue(listField), objFields.getValue(boundField));
            objRecordset.moveNext();
        }
        objRecordset.moveAbsolute(nPos);
        return true;
    }
    return false;
}

function _OPT_advise(strEvent, funcToCall)
{
    return this._objEventManager.advise(strEvent, funcToCall);
}

function _OPT_unadvise(strEvent, nAdviseID)
{
    return this._objEventManager.unadvise(strEvent, nAdviseID);
}

function _OPT_display()
{
    if (this._bvisible)
    {
        var strHTML = '<' + 'TABLE border=' + this._nBorder + '
cellpadding=0 cellspacing=0><TR><TD>\n';
        strHTML += '<' + 'TABLE id="' + this.id + '" name="' +
this.name + '" border=0 cellpadding=2 cellspacing=2>\n';
        if (this._nAlignment != '0')

```

09898509.070301

```
OPTIONGRP.ASP
strHTML += '<TR>';

for (var i = 0; i < this._options.length; i++)
{
    if (this._nAlignment == '0')
        strHTML += '<TR>';
    strHTML += '<TD>';

    if (this._options[i].disabled &&
!thisPage.isDHTMLBrowser())
    {
        // mimic disabled for non-DHTML browsers
        strHTML += '<FONT face=arial size=2>(';
        if (this._selectedIndex == i)
            strHTML += '<FONT face=arial
size=3><b>o</b></FONT>';
        else
            strHTML += '&nbsp;&nbsp;&nbsp;';
        strHTML += ') </FONT>' +
this._options[i].text + '&nbsp;&nbsp;&nbsp;\n';
    }
    else
    {
        strHTML += '<' + 'INPUT name=' + this.id + '
value="' + Server.HtmlEncode(this._options[i].value) + '" type="radio" ';
        if (this._selectedIndex == i)
            strHTML += 'checked ';
        if (!this._options[i].disabled)
        {
            // output client events to callback
            var strHandler =
this._objEventManager.generateClientHandlers(this.name);
            strHTML += strHandler;
        }
        else
            strHTML += ' disabled';
        strHTML += '><' + 'LABEL for="' + this.id +
strHTML += '">' + this._options[i].text +

    }

    strHTML += '</TD>';
    if (this._nAlignment == '0')
        strHTML += '</TR>\n';
}

if (this._nAlignment != '0')
    strHTML += '</TR>\n';
strHTML += '</TABLE></TD></TR></TABLE>\n';
Response.write(strHTML);
}
return this._preserveState();
}

function _OPT__preserveState()
{
    if (this.maintainState)
    {
        // preserve state in hidden field
        var state = new Object;
        if (this._nBorder != 0)
            state._nBorder = this._nBorder;
        if (!this._bVisible)
            Page 6
    }
}
```

```

OPTIONGRP.ASP
    state._bVisible = false;
    if (this._nAlignment != 0)
        state._nAlignment = this._nAlignment;
    state._selectedIndex = this._selectedIndex;
    state._nCount = this._options.length;
    for (var i=0; i < this._options.length; i++)
    {
        state['t' + i] = this._options[i].text;
        if (this._options[i].value != this._options[i].text)
            state['v' + i] = this._options[i].value;
        if (this._options[i].disabled)
            state['d' + i] = true;
    }

    return thisPage.persistState(this.name, state);
}
return false;
}

function _OPT__restoreState()
{
    var r = false;
    this._fireEvent(this._funcInit);
    if (this.maintainState)
    {
        // attempt to restore previous state
        var state = thisPage.unpersistState(this.name);
        if (state != null)
        {
            this.clear();
            for (var i=0; i < state._nCount; i++)
            {
                this.addItem(state['t' + i], state['v' + i]);
                if (state['d' + i] != null)
                    this._options[i].disabled =
(state['d' + i] != '0' && state['d' + i] != 'false');
            }
            this._selectedIndex = Number(state._selectedIndex);
            if (state._nBorder != null)
                this._nBorder = state._nBorder;
            else
                this._nBorder = 0;

            if (state._bVisible != null)
                this._bVisible = (state._bVisible != '0' &&
state._bVisible != 'false');
            else
                this._bVisible = true;

            if (state._nAlignment != null)
                this._nAlignment =
Number(state._nAlignment);
            else
                this._nAlignment = 0;

            r = true;
        }
    }
    var newValue = Request.Form(this.name) + '';
    if (newValue != 'undefined')
        this.selectByValue(newValue);
    return r;
}

```

```
function _OPT__hasState()
{
    if (this.maintainState)
        return thisPage.isStatePersisted(this.name);
    return false;
}

// eventhandler for databinding
function _OPT__onrowenter(objRecordset,strDataField)
{
    this.selectByValue(objRecordset.fields.getValue(strDataField) + '');
}

// eventhandler for databinding
function _OPT__onbeforeupdate(objRecordset,strDataField)
{
    var value = this.getValue();
    if (typeof(value) != 'undefined' && value != null)
        objRecordset.fields.setValue(strDataField, value);
}

} // end of _OPT__Prototype function

</SCRIPT>
```

OPTIONGRP.HTM

```

// *****<BR>
// Microsoft Script Library<BR>
// Visual InterDev 6.0 OptionGroup Object for DHTML<BR>
// Copyright 1998 Microsoft Corporation. All Rights Reserved.<BR>
// <B>Do not modify in design view. Switch to source view.</B><BR>
// *****<BR>
// <SCRIPT>
function CreateOptionGroup(strName,funcInit,objParent)
{
    if (typeof(strName) != 'string' || strName == '')
        return null;

    var strTag = '<' + 'TABLE border=0 cellpadding=0 cellspacing=0 id="' +
strName + '_BORDER"><TR><TD><TABLE border=0 name="' + strName + '" id="' + strName +
'"></TABLE></TD></TR></TABLE>';

    if ((typeof(objParent) == 'object') && (objParent != null))
        objParent.insertAdjacentHTML('BeforeEnd',strTag);
    else
        document.write(strTag);

    var objOptionGroup = eval(strName);
    if (typeof(objOptionGroup) != 'object')
        return null;
    objOptionGroup._objBorder = eval(strName + '_BORDER');

    //events
    OPT_ONCHANGE = 'onchange';

    // intrinsic members
    id & name : RO

    //private members
    objOptionGroup._nAlignment = 0;
    objOptionGroup._nMaxID = 0;
    objOptionGroup._objRowSource = null;
    objOptionGroup._objDataSource = null;
    objOptionGroup._strDataField = '';

    // public methods
    objOptionGroup.isVisible = _OPT_isVisible;
    objOptionGroup.hide = _OPT_hide;
    objOptionGroup.show = _OPT_show;
    objOptionGroup.setBorder = _OPT_setBorder;
    objOptionGroup.getBorder = _OPT_getBorder;
    objOptionGroup.setAlignment = _OPT_setAlignment;
    objOptionGroup.getAlignment = _OPT_getAlignment;
    objOptionGroup.getButton = _OPT_getButton;
    objOptionGroup.addItem = _OPT_addItem;
    objOptionGroup.removeItem = _OPT_removeItem;
    objOptionGroup.clear = _OPT_clear;
    objOptionGroup.getCount = _OPT_getCount;
    objOptionGroup.getValue = _OPT_getValue;
    objOptionGroup.setValue = _OPT_setValue;
    objOptionGroup.getCaption = _OPT_getCaption;
    objOptionGroup.setCaption = _OPT_setCaption;
    objOptionGroup.selectByValue = _OPT_selectByValue;
    objOptionGroup.selectByCaption = _OPT_selectByCaption;
    objOptionGroup.selectByIndex = _OPT_selectByIndex;
    objOptionGroup.getSelectedIndex = _OPT_getSelectedIndex;
    objOptionGroup.getRowSource = _OPT_getRowSource;
    objOptionGroup.setRowSource = _OPT_setRowSource;
    objOptionGroup.getDataSource = _OPT_getDataSource;

```

OPTIONGRP.HTM

```

objOptionGroup.setDataSource = _OPT_setDataSource;
objOptionGroup.getDataField = _OPT_getDataField;
objOptionGroup.setDataField = _OPT_setDataField;
objOptionGroup.advise = _OPT_advise;
objOptionGroup.adviseDefaultHandler = _OPT_adviseDefaultHandler;
objOptionGroup.unadvise = _OPT_unadvise;
objOptionGroup.display = _OPT_display;

```

// private methods

```

objOptionGroup._getTags = __OPT_getTags;
objOptionGroup._setBindings = __OPT_setBindings;
objOptionGroup._setSingleBind = __OPT_setSingleBind ;
objOptionGroup._fireEvent = _OPT__fireEvent;

```

// advise for default eventhandlers

```

objOptionGroup._objEventManager = CreateEventManager();
objOptionGroup._fireEvent('_OPT__onbeforefuncinit(' + objOptionGroup.id +

```

')));

```

objOptionGroup._fireEvent(funcInit);
return objOptionGroup;

```

}

```

function _OPT_isvisible()
{
    return (this._objBorder.style.visibility != 'hidden'); }

```

```

function _OPT_hide()
{
    this._objBorder.style.visibility = 'hidden'; }

```

```

function _OPT_show()
{
    this._objBorder.style.visibility = 'visible'; }

```

```

function _OPT_getBorder()
{
    return this._objBorder.border; }

```

```

function _OPT_setBorder(nBorder)
{
    this._objBorder.border = nBorder; }

```

```

function _OPT_getAlignment()
{
    return this._nAlignment; }

```

```

function _OPT_setAlignment(nAlignment)
{
    if (typeof(nAlignment) != 'undefined' && (nAlignment == '0' || nAlignment ==
'1'))

```

```

    {
        if (nAlignment != this._nAlignment)
        {
            this._nAlignment = Number(nAlignment);
            if (nAlignment == 1)
            {
                var nLen = this.rows.length
                var objRow = this.insertRow();
                for (var i = 0; i < nLen; i++)
                {
                    objRow.insertCell().innerHTML =
this.rows(0).cells(0).innerHTML;
                    this.deleteRow(0);
                }
            }
        }
    }

```

```

    }
    else
    {

```

```

        var nLen = this.rows(0).cells.length;
        for (var i = 1; i < nLen; i++)

```

```

    {
        this.insertRow().insertCell().innerHTML =
        this.rows(0).deleteCell(1);
    }
    }
    return true;
}
return false;
}

function _OPT_getButton(nIndex)
{
    var objCell = this._getTags(nIndex);
    if (objCell != null)
        return objCell.children(0);
    return null;
}

function _OPT_addItem(strText,value,nIndex)
{
    var objCell;
    if (typeof(value) == 'undefined')
        value = strText;

    if (this._nAlignment == '0')
    {
        if ((typeof(nIndex) == 'number') && (nIndex >= 0) && (nIndex <
this.rows.length))
            objCell = this.insertRow(nIndex).insertCell();
        else
            objCell = this.insertRow().insertCell();
    }
    else
    {
        if ((typeof(nIndex) == 'number') && (nIndex >= 0) && (nIndex <
this.rows(0).cells.length))
            objCell = this.rows(0).insertCell(nIndex);
        else
            objCell = this.rows(0).insertCell();
    }

    if (typeof(value) == 'string')
        value = encodeHTMLQuotes(value);

    var strTag = '<' + 'INPUT type="radio" id="' + this.id + this._nMaxID + '"
name="' + this.id + '_value" value="' + value + '"
onchange="JavaScript:_OPT__fireEvent()">';
    strTag += '<' + 'LABEL for="' + this.id + this._nMaxID + '" htmlfor="' +
this.id + this._nMaxID + '" id="' + this.id + this._nMaxID + '_LBL">';
    strTag += strText + '</LABEL>';

    objCell.innerHTML = strTag;
    if (this._objDataSource != null && this._objDataSource.isDHTMLAware() &&
this._strDataField != '')
    {
        this._setSingleBind(objCell,true);
    }
    this._nMaxID++;
}

function _OPT_removeItem(nIndex)

```

```

{
    if (typeof(nIndex) == 'undefined')
        nIndex = this.getSelectedIndex();

    if (!isNaN(parseInt(nIndex)) && nIndex >= 0 && nIndex < this.getCount())
    {
        if (this._nAlignment == 0)
            this.deleteRow(Number(nIndex));
        else
            this.rows(0).deleteCell(Number(nIndex))
        return true;
    }
    return false;
}

function _OPT_clear()
{
    if (this._nAlignment == 0)
    {
        var nLen = this.rows.length;
        for (var i = 0; i < nLen; i++)
            this.deleteRow(0);
    }
    else
    {
        var nLen = this.rows(0).cells.length;
        for (var i = 0; i < nLen; i++)
            this.rows(0).deleteCell(0);
    }

    this._nMaxID = 0;
    return true;
}

function _OPT_getCount()
{
    if (this._nAlignment == 0)
        return this.rows.length;
    else
        return this.rows(0).cells.length;
}

function _OPT_getValue(nIndex)
{
    var objCell = this._getTags(nIndex);
    if (objCell != null)
        return objCell.children(0).value;
    return '';
}

function _OPT_setValue(value, nIndex)
{
    var objCell = this._getTags(nIndex);
    if (objCell != null)
    {
        objCell.children(0).value = value;
        return true;
    }
    return false;
}

function _OPT_getCaption(nIndex)
{

```



```

var objCell = this._getTags(nIndex);
if (objCell != null)
    return objCell.children(1).innerHTML;
return '';
}

function _OPT_setCaption(strCaption,nIndex)
{
    var objCell = this._getTags(nIndex);
    if (objCell != null)
    {
        objCell.children(1).innerHTML = String(strCaption);
        return true;
    }
    return false;
}

function _OPT_selectByValue(value)
{
    // check for match in table
    var objCell = null;
    var nLen = this.getCount();
    for (var i=0; i < nLen; i++)
    {
        if (this._nAlignment == 0)
            objCell = this.rows(i).cells(0);
        else
            objCell = this.rows(0).cells(i);

        if (value == objCell.children(0).value)
        {
            objCell.children(0).checked = true;
            return i;
        }
    }

    return -1;
}

function _OPT_selectByCaption(strCaption)
{
    // check for match in table
    var objCell = null;
    var nLen = this.getCount();
    for (var i=0; i < nLen; i++)
    {
        if (this._nAlignment == 0)
            objCell = this.rows(i).cells(0);
        else
            objCell = this.rows(0).cells(i);

        if (String(strCaption) == objCell.children(1).innerHTML)
        {
            objCell.children(0).checked = true;
            return i;
        }
    }
    return -1;
}

function _OPT_selectByIndex(nIndex)
{
    if (!isNaN(parseInt(nIndex)))
    {

```

```

        if (nIndex >= 0 && nIndex < this.getCount())
        {
            var objCell = null;
            if (this._nAlignment == 0)
                objCell = this.rows(nIndex).cells(0);
            else
                objCell = this.rows(0).cells(nIndex);
            objCell.children(0).checked = true;
            return nIndex;
        }
    }
    return -1;
}

function _OPT_getSelectedIndex()
{
    // find index of checked item
    var objCell = null;
    var nLen = this.getCount();
    for (var i=0; i < nLen; i++)
    {
        if (this._nAlignment == 0)
            objCell = this.rows(i).cells(0);
        else
            objCell = this.rows(0).cells(i);

        if (objCell.children(0).checked == true)
            return i;
    }
    return -1;
}

function _OPT_getRowSource()
{
    return this._objRowSource;
}

function _OPT_setRowSource(objRecordset, listField, boundField)
{
    if (typeof(objRecordset) == 'object' && this.getCount() == 0)
    {
        // only allow setting one lookup source to be consistent with server
        var nPos = objRecordset.absolutePosition;
        this._objRowSource = objRecordset;
        objRecordset.moveFirst();
        while (!objRecordset.EOF)
        {
            var objFields = objRecordset.fields;

            this.addItem(objFields.getValue(listField), objFields.getValue(boundField));
            objRecordset.moveNext();
        }
        objRecordset.moveAbsolute(nPos);
        return true;
    }
    return false;
}

function _OPT_getDataSource()
{
    return this._objDataSource;
}

function _OPT_setDataSource(objDataSource)
{
    if (typeof(objDataSource) != 'object')
        return false;

    if ((this._objDataSource != null) && (this._strDataField != ''))

```

OPTIONGRP.HTM

```

{
    if (this._objDataSource.isDHTMLAware())
    {
        this._setBindings(false);
    }
    else
    {
        this._objDataSource.unadvise(this._rowEnterID);
        this._objDataSource.unadvise(this._rowExitID);
    }
}

if ((this._objDataSource == null) || (objDataSource != null &&
this._objDataSource.id != objDataSource.id))
{
    if (this._objDataSource != null)
        this._objDataSource.unadvise(this._afterOpenID);

    this._afterOpenID = objDataSource.advise(RS_ONAFTEROPEN, this.id +
'.setDataSource(' + objDataSource.id + ');');
}

this._objDataSource = objDataSource;
if ((objDataSource != null) && (this._strDataField != ''))
{
    if (objDataSource.isDHTMLAware())
    {
        this._setBindings(true);
    }
    else
    {
        this._rowEnterID = objDataSource.advise(RS_ONROWENTER,
'_OPT__onrowenter(' + objDataSource.getID() + ', ' + this.name + ', "' +
this._strDataField + '");');
        this._rowExitID = objDataSource.advise(RS_ONROWEXIT,
'_OPT_onrowexit(' + objDataSource.getID() + ', ' + this.name + ', "' +
this._strDataField + '");');
    }
}
return true;
}

function _OPT_getDataField()
{
    return this._strDataField;
}

function _OPT_setDataField(strDataField)
{
    if ((this._objDataSource != null) && (this._strDataField != ''))
    {
        if (this._objDataSource.isDHTMLAware())
        {
            this._setBindings(false);
        }
        else
        {
            this._objDataSource.unadvise(this._rowEnterID);
            this._objDataSource.unadvise(this._rowExitID);
        }
    }

    this._strDataField = strDataField;
    if ((this._objDataSource != null) && (this._strDataField != ''))
    {

```

```

        if (this._objDataSource.isDHTMLAware())
        {
            this._setBindings(true);
        }
        else
        {
            this._rowEnterID = this._objDataSource.advise(RS_ONROWENTER,
'_OPT__onrowenter(' + this._objDataSource.getID() + ', ' + this.ID + ', "' +
strDataField + '");');
            this._rowExitID = this._objDataSource.advise(RS_ONROWEXIT,
'_OPT__onrowexit(' + this._objDataSource.getID() + ', ' + this.ID + ', "' +
strDataField + '");');
        }
        return true;
    }

function _OPT_display()
{
}

function _OPT_advise(strEvent,funcToCall)
{
    var nAdviseID = this._objEventManager.advise(strEvent,funcToCall);
    if (nAdviseID != -1)
        eval('this.' + strEvent + ' = _OPT__fireEvent;');

    return nAdviseID;
}

function _OPT_adviseDefaultHandler(strName,strEvent)
{
    var nAdviseID =
this._objEventManager.adviseDefaultHandler(strName,strEvent);
    if (nAdviseID != -1)
        eval("this." + strEvent + " = _OPT__fireEvent;");
}

function _OPT_unadvise(strEvent,nAdviseID)
{
    return this._objEventManager.unadvise(strEvent,nAdviseID);
}

function __OPT_getTags(nIndex)
{
    if (typeof(nIndex) == 'undefined')
        nIndex = this.getSelectedIndex();

    var objCell = null;
    if (!isNaN(parseInt(nIndex)) && nIndex >= 0 && nIndex < this.getCount())
    {
        if (this._nAlignment == 0)
            objCell = this.rows(Number(nIndex)).cells(0);
        else
            objCell = this.rows(0).cells(Number(nIndex));
    }
    return objCell;
}

function __OPT_setBindings(bBind)
{
    var nLen = this.getCount();
    if (this._nAlignment == 0)
    {

```

```

    for (var i=0; i < nLen; i++)
    {
        var objCell = this.rows(i).cells(0);
        this._setSingleBind(objCell,bBind);
    }
}
else
{
    for (var i=0; i < nLen; i++)
    {
        var objCell = this.rows(0).cells(i);
        this._setSingleBind(objCell, bBind);
    }
}

}

function __OPT_setSingleBind(objCell,bBind)
{
    if (objCell != null)
    {
        if (bBind)
        {
            objCell.children(0).dataSrc = '#' +
this._objDataSource.getHTMLDataSourceID();
            objCell.children(0).dataFld = this._strDataField;
        }
        else
        {
            objCell.children(0).dataSrc = '';
            objCell.children(0).dataFld = '';
        }
    }
}

function __OPT__fireEvent(funcToFire)
{
    if (typeof(funcToFire) == 'undefined')
    {
        var stroptionGroup = window.event.srcElement.name;
        stroptionGroup =
stroptionGroup.substring(0,stroptionGroup.length-6);
        var objOptionGroup = eval(stroptionGroup);
        if (typeof(objOptionGroup) == 'object' &&
objOptionGroup._objEventManager != null)
            objOptionGroup._objEventManager.fireEvent('on' +
window.event.type);
        else
            __EM__fireEvent(funcToFire);
    }
}

function __OPT__onrowenter(objRecordset,objOptionGroup,strDataField)
{
    objOptionGroup.selectByValue(objRecordset.fields.getValue(strDataField) +
    ');
}

function __OPT__onrowexit(objRecordset,objOptionGroup,strDataField)
{
    var value = objOptionGroup.getValue();
    if (typeof(value) != 'undefined' && value != null)
        objRecordset.fields.setValue(strDataField, value);
}

```

OPTIONGRP.HTM

```
function _OPT__onbeforefuncinit(objOptionGroup)
{
    objOptionGroup.adviseDefaultHandler(objOptionGroup.id,OPT_ONCHANGE);
}
```

Parameter	Unit	Value
Initial concentration	mg/L	100
Final concentration	mg/L	10
Volume of solution	L	1
Volume of adsorbent	g	1
Temperature	°C	25
Time	h	24
pH		7
Shaking speed	rpm	150
Batch size	g	10
Adsorbent type		Activated carbon
Adsorbent surface area	m ² /g	1000
Adsorbent pore volume	cm ³ /g	0.5
Adsorbent density	g/cm ³	1.2
Adsorbent particle size	μm	100
Adsorbent surface functional groups		Carboxylic, Hydroxyl, Amino
Adsorbent surface chemistry		Physisorption, Chemisorption
Adsorbent surface morphology		Amorphous, Crystalline
Adsorbent surface texture		Smooth, Rough
Adsorbent surface composition		Carbon, Oxygen, Hydrogen
Adsorbent surface structure		Disordered, Ordered
Adsorbent surface properties		Hydrophilic, Hydrophobic
Adsorbent surface characteristics		High surface area, Low surface area
Adsorbent surface features		Large pores, Small pores
Adsorbent surface attributes		High adsorption capacity, Low adsorption capacity
Adsorbent surface qualities		High selectivity, Low selectivity
Adsorbent surface traits		High stability, Low stability
Adsorbent surface characteristics		High efficiency, Low efficiency
Adsorbent surface features		High performance, Low performance
Adsorbent surface attributes		High quality, Low quality
Adsorbent surface qualities		High quantity, Low quantity
Adsorbent surface traits		High value, Low value
Adsorbent surface characteristics		High level, Low level
Adsorbent surface features		High degree, Low degree
Adsorbent surface attributes		High amount, Low amount
Adsorbent surface qualities		High number, Low number
Adsorbent surface traits		High rate, Low rate
Adsorbent surface characteristics		High speed, Low speed
Adsorbent surface features		High time, Low time
Adsorbent surface attributes		High cost, Low cost
Adsorbent surface qualities		High price, Low price
Adsorbent surface traits		High weight, Low weight
Adsorbent surface characteristics		High length, Low length
Adsorbent surface features		High width, Low width
Adsorbent surface attributes		High height, Low height
Adsorbent surface qualities		High depth, Low depth
Adsorbent surface traits		High area, Low area
Adsorbent surface characteristics		High volume, Low volume
Adsorbent surface features		High mass, Low mass
Adsorbent surface attributes		High energy, Low energy
Adsorbent surface qualities		High power, Low power
Adsorbent surface traits		High force, Low force
Adsorbent surface characteristics		High pressure, Low pressure
Adsorbent surface features		High temperature, Low temperature
Adsorbent surface attributes		High humidity, Low humidity
Adsorbent surface qualities		High wind speed, Low wind speed
Adsorbent surface traits		High precipitation, Low precipitation
Adsorbent surface characteristics		High cloud cover, Low cloud cover
Adsorbent surface features		High visibility, Low visibility
Adsorbent surface attributes		High air quality, Low air quality
Adsorbent surface qualities		High water quality, Low water quality
Adsorbent surface traits		High soil quality, Low soil quality
Adsorbent surface characteristics		High plant quality, Low plant quality
Adsorbent surface features		High animal quality, Low animal quality
Adsorbent surface attributes		High human quality, Low human quality
Adsorbent surface qualities		High environmental quality, Low environmental quality
Adsorbent surface traits		High social quality, Low social quality
Adsorbent surface characteristics		High economic quality, Low economic quality
Adsorbent surface features		High cultural quality, Low cultural quality
Adsorbent surface attributes		High scientific quality, Low scientific quality
Adsorbent surface qualities		High artistic quality, Low artistic quality
Adsorbent surface traits		High literary quality, Low literary quality
Adsorbent surface characteristics		High historical quality, Low historical quality
Adsorbent surface features		High geographical quality, Low geographical quality
Adsorbent surface attributes		High astronomical quality, Low astronomical quality
Adsorbent surface qualities		High biological quality, Low biological quality
Adsorbent surface traits		High chemical quality, Low chemical quality
Adsorbent surface characteristics		High physical quality, Low physical quality
Adsorbent surface features		High mathematical quality, Low mathematical quality
Adsorbent surface attributes		High medical quality, Low medical quality
Adsorbent surface qualities		High legal quality, Low legal quality
Adsorbent surface traits		High political quality, Low political quality
Adsorbent surface characteristics		High religious quality, Low religious quality
Adsorbent surface features		High philosophical quality, Low philosophical quality
Adsorbent surface attributes		High ethical quality, Low ethical quality
Adsorbent surface qualities		High aesthetic quality, Low aesthetic quality
Adsorbent surface traits		High moral quality, Low moral quality
Adsorbent surface characteristics		High spiritual quality, Low spiritual quality
Adsorbent surface features		High intellectual quality, Low intellectual quality
Adsorbent surface attributes		High emotional quality, Low emotional quality
Adsorbent surface qualities		High mental quality, Low mental quality
Adsorbent surface traits		High physical quality, Low physical quality
Adsorbent surface characteristics		High social quality, Low social quality
Adsorbent surface features		High cultural quality, Low cultural quality
Adsorbent surface attributes		High scientific quality, Low scientific quality
Adsorbent surface qualities		High artistic quality, Low artistic quality
Adsorbent surface traits		High literary quality, Low literary quality
Adsorbent surface characteristics		High historical quality, Low historical quality
Adsorbent surface features		High geographical quality, Low geographical quality
Adsorbent surface attributes		High astronomical quality, Low astronomical quality
Adsorbent surface qualities		High biological quality, Low biological quality
Adsorbent surface traits		High chemical quality, Low chemical quality
Adsorbent surface characteristics		High physical quality, Low physical quality
Adsorbent surface features		High mathematical quality, Low mathematical quality
Adsorbent surface attributes		High medical quality, Low medical quality
Adsorbent surface qualities		High legal quality, Low legal quality
Adsorbent surface traits		High political quality, Low political quality
Adsorbent surface characteristics		High religious quality, Low religious quality
Adsorbent surface features		High philosophical quality, Low philosophical quality
Adsorbent surface attributes		High ethical quality, Low ethical quality
Adsorbent surface qualities		High aesthetic quality, Low aesthetic quality
Adsorbent surface traits		High moral quality, Low moral quality
Adsorbent surface characteristics		High spiritual quality, Low spiritual quality
Adsorbent surface features		High intellectual quality, Low intellectual quality
Adsorbent surface attributes		High emotional quality, Low emotional quality
Adsorbent surface qualities		High mental quality, Low mental quality
Adsorbent surface traits		

```

// *****
// function EndPageProcessing()
//     This is the method which ends page processing.
//     The following sequence of events will occur :
//         1. if execute method was invoked, do nothing
//         2. fire 'onexit' events

```

3. invoke all destructors on the page (xxx_dtor methods)
4. if redirect defined, invoke redirect, otherwise
 1. persist state in hidden field

```

//*****
function EndPageProcessing()
{
    if (typeof(thisPage) == 'object' && !thisPage._bExecuteMethodInvoked)
    {
        if (thisPage._objEventManager != null)
            thisPage._objEventManager.fireEvent(PAGE_ONEXIT);

        var dtors = RuntimeObject('*_dtor');
        for (var name in dtors)
        {
            // invoke all destructor functions ( xxx_dtor functions )
            if (typeof(dtors[name]) == 'function')
                dtors[name]();
        }

        if (thisPage._redirect != '')
            Response.redirect(thisPage._redirect);

        thisPage._generateHiddenFields();
    }
}

```

```

//*****
// function _SOMObject()
//     Constructor function for the 'thisPage' object.
//     This object provides the programming model services for the
//     page and is instantiated as the 'thisPage' object.
//*****

```

```

function _SOMObject()
{
    //events
    PAGE_ONINIT = 'oninit';
    PAGE_ONENTER = 'onenter';
    PAGE_ONSHOW = 'onshow';
    PAGE_ONEXIT = 'onexit';

    //constants
    PAGE_NAVIGATE = 'navigate';
    PAGE_EXECUTE = 'execute';

    //public members
    this.createDE = _SOM_createDE;
    this.dispatch = _SOM_dispatch;
    this.invokeMethod = _SOM_invokeMethod;
    this.navigateURL = _SOM_navigateURL;
    this.registerMethod = _SOM_registerMethod;
    this.registerVTable = _SOM_registerVTable;
    this.setState = _SOM_setState;
    this.getState = _SOM_getState;
    this.persistState = _SOM_persistState;
    this.unpersistState = _SOM_unpersistState;
    this.isStatePersisted = _SOM_isStatePersisted;
    this.advise = _SOM_advise;
    this.unadvise = _SOM_unadvise;
    this.startPageContent = _SOM_startPageContent;
    this.endPageContent = _SOM_endPageContent;
    this.isDHTMLBrowser = _SOM_isDHTMLBrowser;
    this.firstEntered = (Request.Form('_method').Item == null);
}

```



```

//private members
this._dispatchGET = _SOM_dispatchGET;
this._dispatchPOST = _SOM_dispatchPOST;
this._buildURL = _SOM_buildURL;
this._extractValue = _SOM_extractValue;
this._generateHiddenFields = _SOM_generateHiddenFields;
this._bDECreated = false;
this._bPageContentStarted = false;
this._bEndPageProcessing = false;
this._bExecuteMethodInvoked = false;
this._vtableNavigate = null;
this._vtableExecute = null;
this._objState = this.unpersistState('thisPage');
if (this._objState == null)
    this._objState = new Object;
this._objStateObjects = null;
this._location = escape(Request.ServerVariables('SCRIPT_NAME'));
this._redirect = '';
this._objEventManager = CreateEventManager();
this._objEventManager.adviseDefaultHandler('thisPage', PAGE_ONENTER);
this._objEventManager.adviseDefaultHandler('thisPage', PAGE_ONSHOW);
this._objEventManager.adviseDefaultHandler('thisPage', PAGE_ONEXIT);
this.registerMethod('_EM_onclientevent', _EM_onclientevent);

//scope implementation to _SOMObject constructor function
//*****
// function _SOM_createDE()
// Create the data environment object as DE
//*****
function _SOM_createDE()
{
    if (!this._bDECreated)
    {
        DE = Server.CreateObject('DERuntime.DERuntime');
        DE.Init(Application('DE'));
        this._bDECreated = true;
    }
}

//*****
// function _SOM_dispatch()
// This function dispatches to the method indicated by the URL.
//*****
function _SOM_dispatch()
{
    var bDispatched = false;
    var requestMethod = Request.ServerVariables('REQUEST_METHOD').Item;
    if (requestMethod == 'GET')
        bDispatched = this._dispatchGET();
    else if (requestMethod == 'POST')
        bDispatched = this._dispatchPOST();

    // output client-side thisPage when navigating within this ASP
    if (!this._bExecuteMethodInvoked && this._redirect == '')
        this.startPageContent(0);
    return bDispatched;
}

//*****
// function _SOM_invokeMethod(url,method,args)
// This function navigates to the method indicated.

```

```

//*****
function _SOM_invokeMethod(url,method,args)
{
    this.navigateURL(this._buildURL(url,method,args));
}

//*****
// function _SOM_navigateURL(url)
//     This function navigates to the URL indicated.
//*****
function _SOM_navigateURL(url)
{
    // optimize to dispatch when URL is this file
    this._redirect = url;
    EndPageProcessing();
}

//*****
// function _SOM_registerMethod(strName,fPtr,mType)
//     Register the given name/function as an exported server method.
//     The mType should indicate either PAGE_NAVIGATE or PAGE_EXECUTE
//*****
function _SOM_registerMethod(strName,fPtr,mType)
{
    // default mType = PAGE_NAVIGATE if not provided
    if (typeof(strName) == 'string' && typeof(fPtr) == 'function')
    {
        if (mType == PAGE_EXECUTE)
        {
            if (this._vtableExecute == null)
                this._vtableExecute = new Object;
            this._vtableExecute[strName] = fPtr;
            return true;
        }
        if (mType == PAGE_NAVIGATE || mType == null)
        {
            if (this._vtableNavigate == null)
                this._vtableNavigate = new Object;
            this._vtableNavigate[strName] = fPtr;
            return true;
        }
    }
    return false;
}

//*****
// function _SOM_registerVTable(objVTable,mType)
//     Register the given object of function ptrs as exported methods.
//     The mType should indicate either PAGE_NAVIGATE or PAGE_EXECUTE
//*****
function _SOM_registerVTable(objVTable,mType)
{
    // default mType = PAGE_NAVIGATE if not provided
    if (typeof(objVTable) == 'object')
    {
        if (mType == PAGE_EXECUTE)
        {
            if (this._vtableExecute == null)
                this._vtableExecute = new Object;
            for (var name in objVTable)
            {
                if (typeof(objVTable[name]) == 'function')
                    this._vtableExecute[name] =
objVTable[name];
            }
            return true;
        }
    }
}

```

```

    }
    if (mType == PAGE_NAVIGATE || mType == null)
    {
        if (this._vtableNavigate == null)
            this._vtableNavigate = new Object;
        for (var name in objVTable)
        {
            if (typeof(objVTable[name]) == 'function')
                this._vtableNavigate[name] =
objVTable[name];
        }
        return true;
    }
    return false;
}

//*****
// function _SOM_setState(strName,value)
//     Stores the given value as state using the given name as a key.
//*****
function _SOM_setState(strName,value)
{
    if (this._objState == null)
        this._objState = new Object;
    this._objState[strName] = value;
}

//*****
// function _SOM_getState(strName)
//     Retrieves the given value for the state of given name.
//*****
function _SOM_getState(strName)
{
    if (this._objState == null)
        return null;

    if (this._objState[strName] == null)
        return null;

    return this._objState[strName];
}

//*****
// function _SOM_persistState(strName,objState)
//     Persists the given object as state using the given name as key.
//     Current implementation will persist state in a hidden field at
//     the end of the file via the _generateHiddenFields method.
//*****
function _SOM_persistState(strName,objState)
{
    if (typeof(strName) == 'string' && typeof(objState) == 'object' &&
        strName != '' && objState != null)
    {
        if (this._objStateObjects == null)
            this._objStateObjects = new Object;

        this._objStateObjects[strName] = objState;
        return true;
    }
    return false;
}

```

PM.ASP

```

//*****
// function _SOM_unpersistState(strName)
//     Retrieves a state object using the given name as a key.
//     Current implementation retrieves state from a hidden field.
//*****
function _SOM_unpersistState(strName)
{
    if (typeof(strName) == 'string' && strName != '')
    {
        var strState = Request.Form('_' + strName + '_state').Item;
        if (strState != '' && strState != null)
        {
            var state = new Object;
            var nEq, nAmp, name, value;
            while (strState.length > 0)
            {
                nEq = strState.indexOf('=');
                nAmp = strState.indexOf('&');
                if (nAmp == -1)
                    nAmp = strState.length + 1;
                name = strState.substring(0,nEq);
                value = strState.substring(nEq+1,nAmp);
                state[name] = unescape(value);
                strState =
strState.substring(nAmp+1,strState.length);
            }
            return state;
        }
    }
    return null;
}

```

```

//*****
// function _SOM_isStatePersisted(strName)
//     Returns TRUE if there exists a state for the given key name.
//*****
function _SOM_isStatePersisted(strName)
{
    if (typeof(strName) == 'string' && strName != '')
    {
        var strState = Request.Form('_' + strName + '_state').Item;
        if (strState != '' && strState != null)
            return true;
    }
    return false;
}

```

```

//*****
// function _SOM_advise()
//     Allows others to advise for MSPM events.
//*****
function _SOM_advise(strEvent,funcToCall,nPriority)
{
    return this._objEventManager.advise(strEvent,funcToCall,nPriority);
}

```

```

//*****
// function _SOM_unadvise()
//     Allows others to unadvise for MSPM events.
//*****
function _SOM_unadvise(strEvent,nAdviseID)
{
    return this._objEventManager.unadvise(strEvent,nAdviseID);
}

```

```

}

//*****
// function _SOM_startPageContent(bFormType)
//   Output client-side MSPM and thisForm if requested.
//   0 : NO FORM
//   'undefined' or 1 : FORM method=POST
//   2 : FORM
//*****
function _SOM_startPageContent(bFormType)
{
    if (!this._bPageContentStarted)
    {
        this._bPageContentStarted = true;
        var secondSlash;
        var webRoot = String(this._location);
        if ((secondSlash = webRoot.indexOf('/',1)) != -1)
            webRoot = webRoot.substring(0,secondSlash);
        else
            webRoot = '';
        var strHTML = '<' + 'SCRIPT LANGUAGE=JavaScript SRC="' +
webRoot + '/_ScriptLibrary/pm.js"><' + '/SCRIPT>\n';
        strHTML += '<' + 'SCRIPT
LANGUAGE=JavaScript>thisPage._location = "' + this._location + '";<' + '/SCRIPT>\n';

        if (typeof(bFormType) == 'undefined' || bFormType == 1)
            strHTML += '<FORM name=thisForm method=POST>' +
'\n';
        //strHTML += '<FORM name=thisForm method=POST
language=JAVASCRIPT onsubmit="return thisPage.formIsValid;">' + '\n';
        else if (bFormType == 2)
            strHTML += '<FORM name=thisForm language=JAVASCRIPT
onsubmit="return false;">' + '\n';
        Response.Write(strHTML);
    }
}

//*****
// function _SOM_endPageContent()
//   Provided for user methods to end page processing and
//   cancel processing of the 'show' part of the page.
//*****
function _SOM_endPageContent()
{
    this._bEndPageProcessing = true;
}

//*****
// function _SOM_isDHTMLBrowser()
//   Return TRUE for those browsers which support DHTML.
//   Currently this method looks for MSIE 4.x and 5.x.
//*****
function _SOM_isDHTMLBrowser()
{
    if (typeof(this._isDHTMLBrowser) == 'undefined')
    {
        this._isDHTMLBrowser = false;
        var userAgent =
String(Request.ServerVariables('HTTP_USER_AGENT'));
        if (userAgent.indexOf('MSIE 4.') != -1 ||
            userAgent.indexOf('MSIE 5.') != -1)
            this._isDHTMLBrowser = true;
    }
    return this._isDHTMLBrowser;
}

```

```

//*****
// function _SOM_dispatchGET()
//     Dispatches methods invoked via an HTTP GET request.
//*****
function _SOM_dispatchGET()
{
    var methodname = Request.QueryString('_method').Item;

    var methodtype = Request.QueryString('_mtype').Item;
    if (methodtype == PAGE_EXECUTE)
    {
        // return if methodname is not provided
        if (methodname == '' || methodname == null)
            return false;
        if (this._vtableExecute != null && typeof(RSDispatch) ==
'function')
        {
            this._bExecuteMethodInvoked =
RSDispatch(this._vtableExecute,methodname);
            this._bEndPageProcessing =
this._bExecuteMethodInvoked;
            return this._bExecuteMethodInvoked;
        }
        return false;
    }
    // default to show if methodname is not provided
    if (methodname == '' || methodname == null)
        methodname = 'show';
    // default to navigate if methodtype is not provided
    if (methodtype != '' && methodtype != null && methodtype !=
PAGE_NAVIGATE)
        return false;
    if (this._vtableNavigate != null &&
typeof(this._vtableNavigate[methodname]) == 'function')
    {
        // validate that function is part of this._vtableNavigate
        description
        // extract parameters and dispatch to
        this._vtableNavigate.methodname
        var params = '';
        var pcount = Request.QueryString('pcount').Item;
        if (pcount == '' || pcount == null) pcount = 0;
        // extract parameter values
        for (var i=0; i < pcount; i++)
        {
            var param = Request.QueryString('p'+i).Item;
            if (param == null)
                params += 'null';
            else
                params += 'Request.QueryString("p" + i +
'").Item';
            if (i < pcount-1)
                params += ',';
        }
        var dispatch = 'this._vtableNavigate.' + methodname + '(' +
params + ')';
        // validated against this._vtableNavigate, safe to eval on
        the server
        eval(dispatch);
        return true;
    }
    if (methodname == 'show')
        return true;
}

```

```

    return false;
}

//*****
// function _SOM_dispatchPOST()
//     Dispatches methods invoked via an HTTP POST request.
//*****
function _SOM_dispatchPOST()
{
    var queryString = Request.Form('_method').Item;
    if (queryString == '' || queryString == null)
        return false;

    if (queryString.indexOf(this._location) != 0)
    {
        // redirect to another page
        this._redirect = queryString;
        this._bEndPageProcessing = true;
        return true;
    }

    queryString += '&';
    var methodname = this._extractValue(queryString, '?_method');
    if (methodname == null)
        methodname = 'show';
    if (this._vtableNavigate != null &&
typeof(this._vtableNavigate[methodname]) == 'function')
    {
        // validate that function is part of this._vtableNavigate
        description
        // extract parameters and dispatch to
        thisPage.Navigate.methodname
        var params = '';
        var pcount = this._extractValue(queryString, 'pcount');
        if (pcount == null) pcount = 0;
        // extract parameter values
        for (var i=0; i < pcount; i++)
        {
            var param = this._extractValue(queryString, 'p'+i);
            if (param == null)
                params += 'null';
            else
                params +=
'unescape(this._extractValue(queryString, "p' + i + '"))';
            if (i < pcount-1)
                params += ',';
        }

        var dispatch = 'this._vtableNavigate.' + methodname + '(' +
params + ')';
        // validated against this._vtableNavigate, safe to eval on
        the server
        eval(dispatch);
        return true;
    }
    if (methodname == 'show')
        return true;
    return false;
}

//*****
// function _SOM_buildURL(url,method,args)
//     PRIVATE HELPER FUNCTION
//     Create URL which represents call to given method.
//*****

```

```
function _SOM_buildURL(url,method,args)
```

```
{
    if (typeof(method) == 'string')
    {
        url += '?_method=' + method
        var params = '&pcount=0';
        if (typeof(args) != 'undefined' && args.length)
        {
            // add parameters
            params = '&pcount=' + args.length
            for (var i = 0; i < args.length; i++)
            {
                var arg = args[i];
                params += '&p' + i + '=' + escape(arg);
            }
            url += params;
        }
    }
    return url;
}
```

```
//*****
// function _SOM_extractValue(s,name)
// PRIVATE HELPER FUNCTION
// Extracts the value of a name/value pair from the given string,
// if it conforms to the following format: 'name=value&'
//*****
```

```
function _SOM_extractValue(s,name)
{
    var chStart = s.indexOf(name + '=');
    if (chStart != -1)
    {
        chStart += name.length + 1;
        var chEnd = s.indexOf('&',chStart);
        if (chEnd == -1)
            chEnd = s.length + 1;
        return s.substring(chStart,chEnd);
    }
    return null;
}
```

```
//*****
// function _SOM_generateHiddenFields()
// PRIVATE HELPER FUNCTION
// Generates hidden fields for _method and all state that needs
// to be round-tripped to/from the client.
//*****
```

```
function _SOM_generateHiddenFields()
{
    var strHTML = '\n<' + 'INPUT type=hidden name="_method">\n';

    this.persistState('thisPage',this._objState);
    if (this._objStateObjects != null)
    {
        // output a hidden field for each state object
        for (var hiddenName in this._objStateObjects)
        {
            var objState = this._objStateObjects[hiddenName];
            var strState = '';
            for (var name in objState)
            {
                if (objState[name] != null)
                {
                    if (strState != '') strState += '&';
                    strState += name + '=' +

```



```

escape(objState[name]);
    }
    }
    strHTML += '<' + 'INPUT type=hidden name="_' +
hiddenName + '_state" value="' + strState + '">\n';
    }
    Response.Write(strHTML);
}

// end of _SOM_Object constructor function

// shared functions for handling databinding
function _SOM_getDataSource()
{
    return this._objDataSource;
}

function _SOM_setDataSource(objDataSource)
{
    if (typeof(objDataSource) != 'object')
        return false;

    if ((this._objDataSource != null) && (this._strDataField != ''))
    {
        this._objDataSource.unadvise(this._rowEnterID);
        this._objDataSource.unadvise(this._beforeUpdateID);
    }
    this._objDataSource = objDataSource;
    if ((this._objDataSource != null) && (this._strDataField != ''))
    {
        this._rowEnterID = this._objDataSource.advise(RS_ONROWENTER, this.id
+ '_onrowenter(' + this._objDataSource.id + ', "' + this._strDataField + '");');
        this._beforeUpdateID = this._objDataSource.advise(RS_ONBEFOREUPDATE,
this.id + '_onbeforeupdate(' + this._objDataSource.id + ', "' + this._strDataField
+ '");');
    }
    return true;
}

function _SOM_getDataField()
{
    return this._strDataField;
}

function _SOM_setDataField(strDataField)
{
    if ((this._objDataSource != null) && (this._strDataField != ''))
    {
        this._objDataSource.unadvise(this._rowEnterID);
        this._objDataSource.unadvise(this._beforeUpdateID);
    }
    this._strDataField = strDataField;
    if ((this._objDataSource != null) && (this._strDataField != ''))
    {
        this._rowEnterID = this._objDataSource.advise(RS_ONROWENTER, this.id
+ '_onrowenter(' + this._objDataSource.id + ', "' + this._strDataField + '");');
        this._beforeUpdateID = this._objDataSource.advise(RS_ONBEFOREUPDATE,
this.id + '_onbeforeupdate(' + this._objDataSource.id + ', "' + this._strDataField
+ '");');
    }
    return true;
}

// *****
// Microsoft Scripting Library
// Visual InterDev 6.0 EventManager Object for ASP
Page 11

```

09898509.070301

```

// Copyright 1998 Microsoft Corporation. All Rights Reserved.
// *****
function CreateEventManager()
{
    return new _EventManager();
}

function _EventManager()
{
    if (typeof(_bEMPrototypeCalled) == 'undefined')
        _EM_Prototype();
    this._events = new Array;
    this._nLastAdviseID = 0;
}

function _EM_Prototype()
{
    // public
    _EventManager.prototype.advise = _EM_advise;
    _EventManager.prototype.adviseDefaultHandler = _EM_adviseDefaultHandler;
    _EventManager.prototype.unadvise = _EM_unadvise;
    _EventManager.prototype.fireEvent = _EM_fireEvent;
    _EventManager.prototype.getEventCount = _EM_getEventCount;
    _EventManager.prototype.getEvent = _EM_getEvent;
    _EventManager.prototype.generateClientHandler = _EM_generateClientHandler;
    _EventManager.prototype.generateClientHandlers = _EM_generateClientHandlers;

    _bEMPrototypeCalled = 1;
    //scope implementation to _EM_Prototype function
    function _EM_Advisor()
    {
        this.funcToCall = 0;
        this.nAdviseID = 0;
        this.nPriority = 0;
    }

    function _EM_advise(strEvent, funcToCall, nPriority)
    {
        if ((typeof(strEvent) == 'string') && (strEvent != '') &&
            (typeof(funcToCall) != 'undefined'))
        {
            if (typeof(this._events[strEvent]) == 'undefined')
                this._events[strEvent] = new Array;

            var adviseList = this._events[strEvent];
            var objAdvisor = new _EM_Advisor;
            var nLen = adviseList.length;
            objAdvisor.funcToCall = funcToCall;
            objAdvisor.nAdviseID = ++this._nLastAdviseID;

            // maintain list sorted in descending priority
            if (typeof(nPriority) == 'number')
                objAdvisor.nPriority = nPriority;

            if (nLen == 0 || objAdvisor.nPriority <=
adviseList[nLen-1].nPriority)
            {
                // same or lower priority as last item, append to
end
                adviseList[nLen] = objAdvisor;
            }
            else

```

```

                                PM.ASP
priority order      {      // higher priority than last item, insert in
                                for (var i=0; i < nLen; i++)
                                {
                                if (objAdvisor.nPriority >
adviseList[i].nPriority)
                                                break;
                                }
                                // insert item at priority ordered index
                                var aTemp = adviseList.slice(i);
                                adviseList.length = i;
                                adviseList[i] = objAdvisor;
                                this._events[strEvent] = adviseList.concat(aTemp);
                                }
                                return this._nLastAdviseID;
                                }
                                return -1;
                                }

                                function _EM_adviseDefaultHandler(strName, strEvent)
                                {
                                var strDefaultHandler = strName + '_' + strEvent;
                                if (eval('typeof(' + strDefaultHandler + ')') == 'function' ||
                                    eval('typeof(' + strDefaultHandler + ')') == 'unknown')
                                    return this.advise(strEvent, strDefaultHandler + '()');
                                return -1;
                                }

                                function _EM_unadvise(strEvent, nAdviseID)
                                {
                                if ((typeof(strEvent) != 'undefined') &&
                                    (nAdviseID != 'undefined') &&
                                    (typeof(this._events[strEvent]) != 'undefined'))
                                {
                                var adviseList = this._events[strEvent];
                                var nLen = adviseList.length
                                for (var i=0; i < nLen; i++)
                                {
                                if (adviseList[i].nAdviseID == nAdviseID)
                                {
                                var aTemp = adviseList.slice(i+1);
                                adviseList.length = i;
                                this._events[strEvent] =
adviseList.concat(aTemp);
                                return true;
                                }
                                }
                                }
                                return false;
                                }

                                function _EM_fireEvent(strEvent)
                                {
                                if (typeof(this._events[strEvent]) != 'undefined')
                                {
                                var bReturn = true;
                                for (var i=0; i < this._events[strEvent].length; i++)
                                _EM__fireEvent(this._events[strEvent][i].funcToCall);
                                }
                                }

```

```

function _EM_getEventCount()
{
    var nLength = 0;
    for (var event in this._events)
        nLength++;
    return nLength;
}

function _EM_getEvent(nIndex)
{
    var i = 0;
    for (var event in this._events)
    {
        if (nIndex == i)
            return event;
    }
    return '';
}

function _EM_generateClientHandler(strName,strEvent)
{
    return "thisPage._fireEvent('" + strName + "', '" + strEvent + "');"
}

function _EM_generateClientHandlers(strName)
{
    var strHandlers = '';
    for (var event in this._events)
        strHandlers += ',' + event + '=' +
this.generateClientHandler(strName,event) + ' return false;';
    return strHandlers;
}

} // end of _EM_Prototype function

// shared function for firing events, used by other script components
function _EM_fireEvent(funcToFire)
{
    if (typeof(funcToFire) == 'string')
        eval(funcToFire);
    else if (typeof(funcToFire) == 'function')
        funcToFire();
}

// shared function for mapping client events to server eventhandlers
function _EM_onclientevent(strName,strEvent)
{
    // validate strName is an existing object
    var object = null;
    if (typeof(RuntimeObject) != 'undefined')
    {
        // use global namespace to acquire object of 'strName'
        var objects = RuntimeObject(strName);
        object = objects[strName];
    }

    if (object != null && typeof(object) == 'object' &&
typeof(object._objEventManager) == 'object')
        object._objEventManager.fireEvent(strEvent);
}

</SCRIPT>

```

```

// *****<BR>
// Microsoft Script Library<BR>
// Visual InterDev 6.0 Scripting Object Model framework for client<BR>
// Copyright 1998 Microsoft Corporation. All Rights Reserved.<BR>
// <B>Do not modify in design view. Switch to source view.</B><BR>
// *****<BR>
// <SCRIPT>
var thisPage = new _SOMObject;
function _SOMObject()
{
    //public members
    this.invokeMethod = _SOM_invokeMethod;
    this.navigateURL = _SOM_navigateURL;
    this.setState = _SOM_setState;
    this.getState = _SOM_getState;
    this.advise = _SOM_advise;
    this.unadvise = _SOM_unadvise;
    this.cancelEvent = false;
    this.navigateTarget = window;

    //events
    PAGE_ONBEFORESERVEREVENT = 'onbeforeserverevent';

    //private members
    this._fireEvent = _SOM__fireEvent;
    this._buildURL = _SOM__buildURL;
    this._extractValue = _SOM__extractValue;
    this._insertValue = _SOM__insertValue;
    this._adviseList = null;
    this._nLastAdviseID = 0;
}

function _SOM_invokeMethod(url,method,args)
{
    if (url == '') url = this._location;
    this.navigateURL(this._buildURL(url,method,args));
}

function _SOM_navigateURL(url)
{
    // if navigating to another frame, change a relative url to an absolute url.
    if (this.navigateTarget != window)
    {
        if (url.indexOf("/") == 0)
            url = window.location.protocol + "://" +
window.location.hostname + url;
        else
        {
            var nProtocol = url.indexOf("://");
            var nParameters = url.indexOf("?");

            if (nProtocol == -1 || (nParameters != -1 && nParameters <
nProtocol))
            {
                var thisURL = window.location.href;
                if (thisURL.substring(thisURL.length, -1) != "/")
                    thisURL = thisURL.substring(0,
thisURL.lastIndexOf("/") + 1);

                url = thisURL + url;
            }
        }
    }
}

```

```

        if (typeof(this.navigateTarget.document.thisForm) == 'object' &&
typeof(this.navigateTarget.document.thisForm._method) == 'object')
        {
            // use form submit to POST state back to server
            this.navigateTarget.document.thisForm.action =
this.navigateTarget.location.href;
            this.navigateTarget.document.thisForm._method.value = url;
            this.navigateTarget.document.thisForm.submit();
        }
        else
            this.navigateTarget.location.href = url;
    }

function _SOM_setState(strName,value)
{
    if (typeof(document.thisForm) == 'object' &&
typeof(document.thisForm._thisPage_state) == 'object')
    {
        // insert state into hidden field
        return
this._insertValue(document.thisForm._thisPage_state,strName,value);
    }
    return false;
}

function _SOM_getState(strName)
{
    if (typeof(document.thisForm) == 'object' &&
typeof(document.thisForm._thisPage_state) == 'object')
    {
        // extract state from hidden field
        var strState = document.thisForm._thisPage_state.value;
        return this._extractValue(strState,strName);
    }
    return null;
}

function _SOM_advise(strEvent,funcToCall)
{
    if ((typeof(strEvent) == 'string') &&
        (strEvent == PAGE_ONBEFORESERVEREVENT) &&
        (funcToCall != null))
    {
        if (this._adviseList == null)
            this._adviseList = new Object;
        this._adviseList[++this._nLastAdviseID] = funcToCall;
        return this._nLastAdviseID;
    }
    return -1;
}

function _SOM_unadvise(strEvent,nAdviseID)
{
    if (this._adviseList != null &&
        (typeof(strEvent) == 'string') &&
        (strEvent == PAGE_ONBEFORESERVEREVENT) &&
        (nAdviseID != null))
    {
        if (this._adviseList[nAdviseID] != null)
        {
            this._adviseList[nAdviseID] = null;
            return true;
        }
    }
    return false;
}

```

```

}

function _SOM__fireEvent(strName,strEvent)
{
    // fire client-side onbeforeserverevent hook
    if (typeof(thisPage_onbeforeserverevent) == 'function')
    {
        // fire default onbeforeserverevent handler
        thisPage_onbeforeserverevent(strName,strEvent);
    }
    if (this._adviseList != null)
    {
        // fire handlers in advise list
        for (var i = 1; i <= this._nLastAdviseID; i++)
        {
            var adviseType = typeof(this._adviseList[i]);
            if (adviseType == 'function')
                this._adviseList[i](strName,strEvent);
            else if (adviseType == 'string')
                eval(this._adviseList[i]);
        }
    }

    // propagate event to server if not cancelled
    if (this.cancelEvent == '0' || this.cancelEvent == 'false')
    {
        //alert('_fireEvent(' + strName + ',' + strEvent + ')');
        thisPage.invokeMethod('','_EM__onclientevent',new
Array(strName,strEvent));
    }
    this.cancelEvent = false;
}

function _SOM__escapePlus(value)
{
    for (var i = 0, newValue = ''; i < value.length; i++)
        newValue += (value.charAt(i) == '+' ? '%2B' : value.charAt(i));
    return newValue;
}

function _SOM__buildURL(url,method,args)
{
    if (typeof(method) == 'string')
    {
        url += '?_method=' + method
        var params = '&pcount=0';
        if (args != null && args.length)
        {
            // add parameters
            params = '&pcount=' + args.length
            for (var i = 0; i < args.length; i++)
            {
                var arg = args[i];
                if (arg != null)
                    params += '&p' + i + '=' +
_SOM__escapePlus(escape(arg));
            }
            url += params;
        }
        return url;
    }
}

function _SOM__extractValue(s,name)
{
    var chStart = s.indexOf(name + '=');

```

```

    if (chStart != -1)
    {
        chStart += name.length + 1;
        var chEnd = s.indexOf('&',chStart);
        if (chEnd == -1)
            chEnd = s.length + 1;
        return unescape(s.substring(chStart,chEnd));
    }
    return null;
}

function __SOM__insertValue(sPtr,name,value)
{
    var s = sPtr.value;
    var chStart = s.indexOf(name + '=');
    if (chStart == -1)
    {
        if (value != null)
        {
            if (s.length > 0)
                s += '&';
            s += name + '=' + value;
        }
    }
    else
    {
        chStart += name.length + 1;
        var chEnd = s.indexOf('&',chStart);
        if (chEnd == -1)
            chEnd = s.length + 1;
        if (value == null)
            s = s.substring(0,chStart-name.length-1) +
s.substring(chEnd,s.length+1);
        else
            s = s.substring(0,chStart-1) + '=' + escape(value) +
s.substring(chEnd,s.length+1);
        sPtr.value = s;
        return true;
    }
}

function __Function()
{
    // required to support JavaScript 1.0 ( IE3 )
    var args = __Function.arguments;
    var nargs = args.length - 1;
    var params = '';
    for (var i=0; i < nargs; i++)
    {
        // extract expected arguments
        if (i != 0) params += ',';
        params += args[i];
    }
    for (var i=0; i < 16; i++)
    {
        // support upto 16 optional arguments
        if (i != 0 || nargs != 0) params += ',';
        params += '_tp' + i;
    }
    return eval('function t(' + params + ') {' + args[nargs] + '} t');
}
// define Function routine for JavaScript 1.0 ( IE3 )
if (typeof(Function) != 'function')
    Function = __Function;

```


Figure 1 consists of 12 bar charts, labeled (a) through (l), each representing a different demographic or attitudinal variable. Each chart has two bars: a solid black bar representing the percentage of respondents in the sample and a white bar with a black outline representing the percentage of the total population. The y-axis for all charts is labeled 'Percentage' and ranges from 0 to 100. The x-axis for each chart is labeled with the variable name. The variables are: (a) Age, (b) Sex, (c) Education, (d) Income, (e) Employment, (f) Home ownership, (g) Political affiliation, (h) Party affiliation, (i) Party identification, (j) Party loyalty, (k) Party support, and (l) Party preference. In most cases, the respondent percentages are very close to the population percentages, indicating a representative sample.

```
<SCRIPT RUNAT=SERVER LANGUAGE="JavaScript">
// *****
// MSL : Microsoft Scripting Library
// Visual InterDev 6.0 Recordset Object for ASP
//
// Copyright 1998 Microsoft Corporation. All Rights Reserved.
// *****
function CreateRecordset(strName,funcInit,objParent)
{
    if (typeof(strName) != 'string' || strName == '')
        return null;

    var objRecordset = new _Recordset(strName);
    eval(strName + ' = objRecordset');
    // always fire init for recordset
    objRecordset._funcInit = funcInit;
    thisPage.advise(PAGE_ONINIT,strName + '._restoreState()',10);
    return objRecordset;
}

function _Recordset(strName)
{
    if (typeof(_bRSPrototypeCalled) == 'undefined')
        _RS__Prototype();

    // public members
    this.id = strName;
    this.name = strName;
    this.fields = null;
    this.absolutePosition = 0;
    this.BOF = true;
    this.EOF = true;
    this.maintainState = true;

    // private members
    this._rsADO = null;
    this._count = -1;
    this._allowUpdate = false;
    this._objDBConn = null;
    this._bookmark = 0;
    this._params = null;
    this._bCancelUpdate = false;
    this._bFiringOnBeforeUpdate = false;
    this._bAddNew = false;
    this._bAddNewImmediate = false;
    this._bExecuted = false;
    this._strSQL = '';

    // advise for default eventhandlers
    this._objEventManager = CreateEventManager();
    this._objEventManager.adviseDefaultHandler(this.name,RS_ONBEFOREOPEN);
    // set default handlers AFTER all other controls are initialized
    thisPage.advise(PAGE_ONINIT,this.name + '._adviseDefaultHandler("' +
this.name + '" ,RS_ONROWENTER)',-10);
    thisPage.advise(PAGE_ONINIT,this.name + '._adviseDefaultHandler("' +
this.name + '" ,RS_ONDATASETCHANGED)',-10);
    thisPage.advise(PAGE_ONINIT,this.name + '._adviseDefaultHandler("' +
this.name + '" ,RS_ONDATASETCOMPLETE)',-10);
    thisPage.advise(PAGE_ONINIT,this.name + '._adviseDefaultHandler("' +
this.name + '" ,RS_ONROWEXIT)',-10);
    thisPage.advise(PAGE_ONINIT,this.name + '._adviseDefaultHandler("' +
this.name + '" ,RS_ONBEFOREUPDATE)',-10);
    thisPage.advise(PAGE_ONINIT,this.name + '._adviseDefaultHandler("' +
    Page 1

```

```
this.name + '",RS_ONAFTERUPDATE)',-10);
}
```

```
function _RS__Prototype()
{
```

```
    //public members
```

```
    _Recordset.prototype.getCount = _RS_getCount;
    _Recordset.prototype.moveNext = _RS_moveNext;
    _Recordset.prototype.movePrevious = _RS_movePrevious;
    _Recordset.prototype.moveFirst = _RS_moveFirst;
    _Recordset.prototype.moveLast = _RS_moveLast;
    _Recordset.prototype.moveAbsolute = _RS_moveAbsolute;
    _Recordset.prototype.move = _RS_move;
    _Recordset.prototype.updateRecord = _RS_updateRecord;
    _Recordset.prototype.cancelUpdate = _RS_cancelUpdate;
    _Recordset.prototype.addRecord = _RS_addRecord;
    _Recordset.prototype.addImmediate = _RS_addImmediate;
    _Recordset.prototype.deleteRecord = _RS_deleteRecord;
    _Recordset.prototype.advise = _RS_advise;
    _Recordset.prototype.unadvise = _RS_unadvise;
    _Recordset.prototype.adviseDefaultHandler = _RS_adviseDefaultHandler;
```

```
    _Recordset.prototype.getRecordSource = _RS_getRecordSource;
    _Recordset.prototype.setRecordSource = _RS_setRecordSource;
    _Recordset.prototype.open = _RS_open;
    _Recordset.prototype.isOpen = _RS_isOpen;
    _Recordset.prototype.close = _RS_close;
    _Recordset.prototype.getConnectionString = _RS_getConnectionString;
    _Recordset.prototype.getSQLText = _RS_getSQLText;
    _Recordset.prototype.setSQLText = _RS_setSQLText;
    _Recordset.prototype.requery = _RS_requery;
    _Recordset.prototype.setBookmark = _RS_setBookmark;
    _Recordset.prototype.getBookmark = _RS_getBookmark;
    _Recordset.prototype.setParameter = _RS_setParameter;
    _Recordset.prototype.getParameter = _RS_getParameter;
    _Recordset.prototype.isDHTMLAware = _RS_isDHTMLAware;
    _Recordset.prototype.getDHTMLDataSourceID = _RS_getDHTMLDataSourceID;
```

```
    //events
```

```
    RS_ONBEFOREOPEN = 'onbeforeopen';
    RS_ONROWENTER = 'onrowenter';
    RS_ONROWEXIT = 'onrowexit';
    RS_ONDATASETCHANGED = 'ondatasetchanged';
    RS_ONDATASETCOMPLETE = 'ondatasetcomplete';
    RS_ONBEFOREUPDATE = 'onbeforeupdate';
    RS_ONAFTERUPDATE = 'onafterupdate';
```

```
    //private members
```

```
    _Recordset.prototype._syncBOFandEOF = _RS__syncBOFandEOF;
    _Recordset.prototype._fireEvent = _EM__fireEvent;
    _Recordset.prototype._preserveState = _RS__preserveState;
    _Recordset.prototype._restoreState = _RS__restoreState;
    _Recordset.prototype._hasState = _RS__hasState;
    _Recordset.prototype._isEmpty = _RS__isEmpty;
    _Recordset.prototype._resetMembers = _RS__resetMembers;
    _bRSPrototypeCalled = 1;
```

```
    //scope implementation to _RS__Prototype function
```

```
function _RS_getCount()
{
    if (this._count < 0)
    {
```

RECORDSET.ASP

```

if (this.isOpen())
{
    if (!this.BOF || !this.EOF)
    {
        this._count = this._rsADO.RecordCount;
        if (this._count <= 0)
        {
            var curPos =
this._rsADO.AbsolutePosition;
            if (curPos > 0)
            {
                this._count = 0;
                this._rsADO.MoveFirst();
                while (!this._rsADO.EOF)
                {
                    this._count++;
                }
            }
            this._rsADO.AbsolutePosition
= curPos;
        }
    }
    else
        this._count = 0;
    return this._count;
}
return 0;
}
return this._count;
}

function _RS_moveNext(nDirection)
{
    if (typeof(nDirection) == 'undefined')
        nDirection = 1;

    if (!this._isEmpty())
    {
        this._objEventManager.fireEvent(RS_ONROWEXIT);
        this._rsADO.Move(nDirection);
        this._syncBOFandEOF();
        if (this.EOF || this.BOF)
            return false;
        this.fields._reset(this._rsADO);
        this._objEventManager.fireEvent(RS_ONROWENTER);
        return true;
    }
    return false;
}

function _RS_movePrevious()
{
    return this.moveNext(-1);
}

function _RS_moveLast(bReverse)
{
    if (!this._isEmpty())
    {
        this._objEventManager.fireEvent(RS_ONROWEXIT);
        if ((bReverse + '') == 'true')

```

```

        RECORDSET.ASP
        this._rsADO.MoveFirst();
    else
        this._rsADO.MoveLast();

    this._syncBOFandEOF();
    this.fields._reset(this._rsADO);
    this._objEventManager.fireEvent(RS_ONROWENTER);
    return true;
}
return false;
}

function _RS_moveFirst()
{
    return this.moveLast(true);
}

function _RS_moveAbsolute(nIndex)
{
    if (!this._isEmpty() &&
        typeof(nIndex) == 'number')
    {
        this._objEventManager.fireEvent(RS_ONROWEXIT);
        this._rsADO.AbsolutePosition = nIndex;
        this._syncBOFandEOF();
        this.fields._reset(this._rsADO);
        this._objEventManager.fireEvent(RS_ONROWENTER);
        return true;
    }
    return false;
}

function _RS_move(nIndex)
{
    // move relative to current record
    if (!this._isEmpty() &&
        typeof(nIndex) == 'number')
    {
        this._objEventManager.fireEvent(RS_ONROWEXIT);
        this._rsADO.Move(nIndex);
        this._syncBOFandEOF();
        this.fields._reset(this._rsADO);
        this._objEventManager.fireEvent(RS_ONROWENTER);
        return true;
    }
    return false;
}

function _RS_updateRecord()
{
    //bFiringOnBeforeUpdate: If the user is calling this function from
    //the OnBeforeUpdate, the call should be rejected.
    if (this._allowUpdate && (!this._isEmpty() ||
this._bAddNewImmediate) && !this._bFiringOnBeforeUpdate)
    {
        if (this._bAddNewImmediate)
        {
            if (this._count >= 0)
                ++this._count;
            this._rsADO.AddNew();
            this.fields._isValid = true;
        }

        this._bFiringOnBeforeUpdate = true;
        this._objEventManager.fireEvent(RS_ONBEFOREUPDATE);
    }
}

```

```

RECORDSET.ASP
this._bFiringOnBeforeUpdate = false;
if (!this._bCancelUpdate)
{
    this._rsADO.Update();
    if (this._rsADO.LockType == 4)
        this._rsADO.UpdateBatch();

    if (this._bAddNewImmediate)
        this._syncBOFandEOF();

    this._bAddNewImmediate = false;
    this._objEventManager.fireEvent(RS_ONAFTERUPDATE);
    return true;
}
else
    this._bCancelUpdate = false;
}
return false;
}

```

```

function _RS_cancelUpdate()
{
    if (this._allowUpdate && this.isOpen())
    {
        //adEditAdd = 2
        if (this._rsADO.EditMode == 2)
        {
            if (this._bAddNewImmediate)
            {
                if (this._count >= 0)
                    --this._count;
            }
            if (!this._isEmpty())
            {
                this._rsADO.CancelUpdate();
                this._syncBOFandEOF();
                this.fields._reset(this._rsADO);
            }
            else
                //ADO doesn't support CancelUpdate with empty
                this.fields._isvalid = false;
        }

        //adEditInProgress = 1
        if (this._rsADO.EditMode == 1)
            this._rsADO.CancelUpdate();

        this._bAddNewImmediate = false;
        this._bCancelUpdate = true;
        this._objEventManager.fireEvent(RS_ONROWENTER);
        return true;
    }
    else
        return false;
}

```

```

function _RS_addRecord()
{
    //bFiringOnBeforeUpdate: If the user is calling this function from
    //the OnBeforeUpdate, the call should be rejected.
    if (this._allowUpdate && this.isOpen() &&
!this._bFiringOnBeforeUpdate)

```

RECORDSET.ASP

```

{
    this._bAddNewImmediate = false;
    this._objEventManager.fireEvent(RS_ONROWEXIT);
    // set flag to indicate new record for subsequent update
    this._bAddNew = true;
    this.fields._reset(this._rsADO);
    this.fields._newRecord = true;
    this._objEventManager.fireEvent(RS_ONROWENTER);
    return true;
}
return false;
}

function _RS_addImmediate(fieldList, fieldValues)
{
    if (this._allowUpdate && this.isOpen() &&
!this._bFiringOnBeforeUpdate)
    {
        this._bAddNewImmediate = false;
        this._objEventManager.fireEvent(RS_ONROWEXIT);
        this._rsADO.AddNew(fieldList, fieldValues);
        if (this._rsADO.LockType == 4)
            this._rsADO.UpdateBatch();
        this._syncBOFandEOF();
        if (this._count >= 0)
            ++this._count;
        this.fields._reset(this._rsADO);
        this._objEventManager.fireEvent(RS_ONROWENTER);
        return true;
    }
    return false;
}

function _RS_deleteRecord()
{
    if (this._allowUpdate && !this._isEmpty())
    {
        this._bAddNewImmediate = false;
        this._objEventManager.fireEvent(RS_ONROWEXIT);
        this._rsADO.Delete();
        if (this._rsADO.LockType == 4)
            this._rsADO.UpdateBatch();
        this._rsADO.moveNext();
        if (this._rsADO.EOF)
            this._rsADO.movePrevious();

        this._syncBOFandEOF();
        if (this._count >= 0)
            --this._count;
        this.fields._reset(this._rsADO);
        this._objEventManager.fireEvent(RS_ONROWENTER);

        return true;
    }
    return false;
}

function _RS_advise(strEvent, funcToCall)
{
    if (this.isOpen() &&
        (strEvent == RS_ONROWENTER || strEvent ==
RS_ONDATASETCOMPLETE || strEvent == RS_ONDATASETCHANGED))

```

```

                                RECORDSET.ASP
        {           // fire immediately if data is available
                    this._fireEvent(funcToCall);
        }
        return this._objEventManager.advise(strEvent,funcToCall);
    }

    function _RS_unadvise(strEvent,nAdviseID)
    {
        return this._objEventManager.unadvise(strEvent,nAdviseID);
    }

    function _RS_adviseDefaultHandler(strName,strEvent)
    {
        var nAdviseID =
this._objEventManager.adviseDefaultHandler(strName,strEvent);
        if (this.isOpen() && nAdviseID > 0 &&
            (strEvent == RS_ONROWENTER || strEvent ==
RS_ONDATASETCOMPLETE || strEvent == RS_ONDATASETCHANGED))
        {
            // fire immediately if data is available
            var funcToCall = strName + '_' + strEvent + '()';
            this._fireEvent(funcToCall);
        }
        return nAdviseID;
    }

    function _RS_getRecordSource()
    {
        return this._rsADO;
    }

    //function _RS_setRecordSource(rsADO) OR
    function _RS_setRecordSource(strConn,strSQL)
    {
        if (typeof(strConn) == 'string')
        {
            // given a connect and SQL string
            this._resetMembers(true);
            this._objDBConn = Server.CreateObject('ADODB.Connection');
            this._objDBConn.ConnectionString = strConn;
            this._objDBConn.Open();
            if (!this.setSQLText(strSQL))
                return false;
        }
        else if (typeof(strConn) == 'object')
        {
            // given an ADO object
            var strBook = this._bookmark;
            this._objDBConn = null;
            this._resetMembers(true);
            this._bookmark = strBook;
            this._rsADO = strConn;
        }
        else
            return false;

        if (this._rsADO.LockType == 1)
            this._allowUpdate = false;
        else
            this._allowUpdate = true;

        if (this.isOpen())
        {
            this.fields = CreateFields(this._rsADO);
            if (this._bookmark != 0)
                this.setBookmark(this._bookmark);
        }
    }

```


RECORDSET.ASP

```

this._objEventManager.fireEvent(RS_ONDATASETCHANGED);
this._objEventManager.fireEvent(RS_ONDATASETCOMPLETE);
    return true;
}
}
return false;
}

function _RS_close()
{
    if (this.isOpen())
        this._rsADO.Close();

    this._resetMembers(true);
    return true;
}

function _RS_getConnectionString()
{
    if (this._rsADO != null)
        return this._rsADO.ActiveConnection.ConnectionString;
    return '';
}

function _RS_getSQLText()
{
    if (this._rsADO != null)
        return this._rsADO.ActiveCommand.CommandText;
    return '';
}

function _RS_setSQLText(strSQL)
{
    if (typeof(strSQL) == 'string')
    {
        if (!this.isOpen())
        {
            // recordset is not open
            if (this._rsADO != null)
            {
                // try to use existing recordset
                var objDBCcmd = this._rsADO.ActiveCommand;
                //adCmdUnknown = 8
                objDBCcmd.CommandType = 8;
                objDBCcmd.CommandText = strSQL;
                this._strSQL = strSQL;
                return true;
            }

            // create an ADO recordset
            if (this._objDBConn != null)
            {
                var objDBCcmd =
Server.CreateObject('ADODB.Command');
                //adCmdUnknown = 8
                objDBCcmd.CommandType = 8;
                objDBCcmd.CommandText = strSQL;
                objDBCcmd.ActiveConnection = this._objDBConn;
                this._rsADO =
Server.CreateObject('ADODB.Recordset');
                this._rsADO.Source = objDBCcmd;
                this.setRecordSource(this._rsADO);
                return true;
            }
        }
    }
}

```

RECORDSET.ASP

```
    }
    else
    {
        // recordset is open, set CommandText to strSQL
        // strSQL must be valid for current CommandType
        this._rsADO.ActiveCommand.CommandText = strSQL;
        this._strSQL = strSQL;
        return true;
    }
}
return false;
}

function _RS_requery()
{
    if (this.isOpen())
    {
        this._rsADO.Requery();
        this._objEventManager.fireEvent(RS_ONROWEXIT);
        this._resetMembers();
        this._syncBOFandEOF();
        this.fields._reset(this._rsADO);
        this._objEventManager.fireEvent(RS_ONROWENTER);
        this._objEventManager.fireEvent(RS_ONDATASETCHANGED);
        this._objEventManager.fireEvent(RS_ONDATASETCOMPLETE);
        return true;
    }
    return false;
}

function _RS_setBookmark(bookmark)
{
    var nAbsPos = bookmark;
    var strKeys = '';
    var nSemi = bookmark.indexOf(';');
    if (nSemi != -1)
    {
        // bookmark may contain keyfields for validation
        nAbsPos = bookmark.substring(0,nSemi);
        strKeys = bookmark.substring(nSemi+1,bookmark.length);
    }
    if (!isNaN(parseInt(nAbsPos)))
    {
        this._bookmark = bookmark;
        if (this.isOpen() && !(this._rsADO.EOF && this._rsADO.BOF))
        {
            // reset to previous absolute position
            this._objEventManager.fireEvent(RS_ONROWEXIT);
            var rsADO = this._rsADO;
            var keyFields = null;
            var bSeek = (strKeys.length > 1);
            if (bSeek)
            {
                // extract key field values from bookmark
                keyFields = new Object;
                var nEq, nSemi, keyName, keyValue;
                while (strKeys.length > 1)
                {
                    // extract keyfield name/value pairs
                    nEq = strKeys.indexOf('=');
                    nSemi = strKeys.indexOf(';');
                    keyName = strKeys.substring(0,nEq);
                    keyValue =
                        strKeys.substring(nEq+1,nSemi);
                    unescape(keyValue);
                    keyFields[keyName] =
                        strKeys =

```

```

                                RECORDSET.ASP
strKeys.substring(nSemi+1,strKeys.length);
                                }
                                if (nAbsPos > 0)
                                {
                                    rsADO.AbsolutePosition = (nAbsPos * 1);
                                    if (bSeek)
                                    {
                                        // validate position using key field
                                        bSeek = false;
                                        for (var keyName in keyFields)
                                        {
                                            if
                                            (typeof(rsADO.Fields(keyName)) != 'undefined' &&
                                                keyFields[keyName]
                                                != rsADO.Fields(keyName))
                                            {
                                                bSeek = true;
                                                break;
                                            }
                                        }
                                    }
                                }
                                else if (nAbsPos == -2) // adPosBOF
                                    rsADO.MoveFirst();
                                else if (nAbsPos == -3) // adPosEOF
                                    rsADO.MoveLast();

                                if (bSeek)
                                {
                                    // use key fields to seek to bookmarked
                                    var strWhere = '';
                                    var nKeys = 0;
                                    for (var keyName in keyFields)
                                    {
                                        if (typeof(rsADO.Fields(keyName)) !=
                                        'undefined')
                                        {
                                            var keyValue =
                                            keyFields[keyName];
                                            var keyType =
                                            rsADO.Fields(keyName).type;
                                            // put single quotes around
                                            // adChar, adVarChar,
                                            // adBSTR, adDate, adGUID,
                                            // adDBDate, adDBTime,
                                            // adDBTimeStamp
                                            if (keyType == 129 ||
                                            keyType == 200 || keyType == 201 || keyType == 130 || keyType == 202 || keyType ==
                                            203 ||
                                            keyType == 7 || keyType == 72 || keyType == 12 || keyType == 132 ||
                                            keyType == 133 ||
                                            keyType == 134 || keyType == 135)
                                            keyValue = "'" +
                                            ' AND ' ;
                                            if (nKeys > 0) strWhere +=
                                            strWhere += keyName + '=' +

```

RECORDSET.ASP

keyValue;

match

Filter

rsADO.Bookmark;

strPrevFilter;

tmpBookmark;

strPrevFilter;

record

(nAbsPos * 1);

```

nKeys++;
}
else
{
    // abort, field names do not
    nKeys = 0;
    break;
}
}
var bSeekFailed = false;
if (nKeys == 1)
{
    // single key field, seek using Find
    rsADO.MoveFirst();
    rsADO.Find(strWhere);
    if (rsADO.AbsolutePosition < 1)
        bSeekFailed = true;
}
else if (nKeys > 1)
{
    // multiple key fields, seek using
    var strPrevFilter = rsADO.Filter;
    rsADO.Filter = strWhere;
    if (rsADO.RecordCount)
    {
        var tmpBookmark =
            rsADO.Filter = '';
            rsADO.Filter =
                rsADO.Bookmark =
    }
    else
    {
        // seek failed
        bSeekFailed = true;
        rsADO.Filter = '';
        rsADO.Filter =
    }
}
if (bSeekFailed)
{
    // use previous position OR first
    if (nAbsPos > 0)
        rsADO.AbsolutePosition =
    else
        rsADO.MoveFirst();
    this._allowUpdate = false;
}
}
this._syncBOFandEOF();
this._objEventManager.fireEvent(RS_ONROWENTER);
}
}
}

```

function _RS_getBookmark()

```

{
    if (this.isOpen())
    {
        // use absolute position to bookmark across recordset
    }
}

```

05090509.070301

RECORDSET.ASP

sessions

```
var rsADO = this._rsADO;
this._bookmark = this.absolutePosition + ';';
if (!this.BOF && !this.EOF)
{
    // look for key fields
    var bCursorLoc = rsADO.CursorLocation;
    for (var i=0; i < rsADO.Fields.Count; i++)
    {
        // store key fields to validate absolute
```

position

```
var bKeyField =
(rsADO.Fields(i).Properties('KeyColumn') == 1);
if (bKeyField)
{
    // append keyfield name/value pairs
```

to bookmark

```
var fieldValue = rsADO.Fields(i);
var fieldType =
```

rsADO.Fields(i).type;

```
//avoid JScript formatting for the
```

following field types:

```
//adDate, adDBDate, adDBTime,
```

adDBTimeStamp, adBinary

```
if ((fieldType == 7) || (fieldType
```

```
== 133) || (fieldType == 134) || (fieldType == 135))
```

```
this._bookmark +=
```

```
rsADO.Fields(i).name + '=' + escape(Server.HtmlEncode(fieldValue)) + ';';
//if the field is adBinary there is
```

nothing to do

```
else if (fieldType != 128)
    this._bookmark +=
```

```
rsADO.Fields(i).name + '=' + escape(fieldValue) + ';';
```

```
}
```

```
}
```

```
}
```

```
return this._bookmark;
```

```
}
```

```
function _RS_setParameter(nIndex,value)
```

```
{
```

```
if (typeof(nIndex) == 'number' && typeof(value) != 'undefined')
```

```
{
```

```
if (this.isOpen())
```

```
this._rsADO.ActiveCommand.Parameters(Number(nIndex)).value = value;
```

```
else
```

```
{
```

```
if (this._params == null)
```

```
this._params = new
```

Array;

```
this._params[nIndex] = value;
```

```
}
```

```
return true;
```

```
}
```

```
return false;
```

```
}
```

```
function _RS_getParameter(nIndex)
```

```
{
```

```
if (typeof(nIndex) == 'number')
```

```
{
```

```
if (this.isOpen())
```

```
return
```

```
this._rsADO.ActiveCommand.Parameters(Number(nIndex)).value;
```

```
else if (this._params != null)
```

Page 13

09898509.070301

RECORDSET.ASP
return this._params[nIndex];

```
    }
    return '';
}
```

```
function _RS_isDHTMLAware()
{
    return false;
}
```

```
function _RS_getDHTMLDataSourceID()
{
    return '';
}
```

```
function _RS__syncBOFandEOF()
{
    if (this.isOpen())
    {
        this.EOF = this._rsADO.EOF;
        this.BOF = this._rsADO.BOF;
        this.absolutePosition = this._rsADO.AbsolutePosition;
    }
}
```

```
function _RS__preserveState()
{
    if (this.maintainState)
    {
        // preserve state in hidden field
        var bState = false;
        var state = new Object;

        if (this._bAddNew)
        {
            bState = true;
            state._addNew = true;
        }
        if (this.isOpen())
        {
            bState = true;
            state._bopen = true;
            if (this._strSQL != '')
                state._strSQL = this._strSQL;
        }
        if (this._params != null)
        {
            bState = true;
            state._pCount = 0;
            state._pCount = this._params.length;
            for (var i=0; i < state._pCount; i++)
            {
                if (typeof(this._params[i]) != 'undefined')
                    state['p' + i] = this._params[i];
            }
        }
        if (bState)
            return thisPage.persistState(this.name,state);
    }
    return false;
}
```

```
function _RS__restoreState()
{
    var r = false;
    this._fireEvent(this._funcInit);

    if (this.maintainState)
```

09898509.070301

```
RECORDSET.ASP
{
    // attempt to restore previous state
    var state = thisPage.unpersistState(this.name);
    if (state != null)
    {
        // restore previous state
        if (state._addNew != null)
            this._bAddNewImmediate = true;

        if (!this.isopen())
        {
            if (state._strSQL != null)
                this.setSQLText(state._strSQL);

            if (typeof(state._pCount) != null)
            {
                state._pCount =
                    Number(state._pCount);
                if (state._pCount > 0)
                {
                    this._params = new Array;
                    for (var i=0; i <
state._pCount; i++)
                    {
                        if (typeof(state['p'
+ i]) != 'undefined')
                            this._params[i] = state['p' + i];
                    }
                }
            }
            if (state._bopen != null)
                this.open();
        }
        r = true;
    }
}

return r;

function _RS__hasState()
{
    if (this.maintainState)
        return thisPage.isStatePersisted(this.name);
    return false;
}

function _RS__isEmpty()
{
    return (!this.isopen() || (this.BOF && this.EOF))
}

function _RS__resetMembers(bAll)
{
    this._count = -1;
    this.absolutePosition = 0;
    this._bookmark = 0;
    this._bAddNew = false;
    this._bAddNewImmediate = false;
    this._bCancelUpdate = false;
    this._bFiringOnBeforeUpdate = false;
    if (typeof(bAll) != 'undefined' && bAll)
        Page 15

```

RECORDSET.ASP

```

    {
        this.BOF = true;
        this.EOF = true;
        this._bExecuted = false;
        this.fields = null;
        this._strSQL = '';
        this._params = null;
    }
} // end of _RS__Prototype function

// *****
// Fields Object
// *****

function CreateFields(rsADO)
{
    if (typeof(rsADO) == 'object' && rsADO != null && rsADO.state != 0)
        return new _Fields(rsADO);
    return null;
}

function _Fields(rsADO)
{
    if (typeof(_bFSPrototypeCalled) == 'undefined')
        _FS__Prototype();

    this._rsFields = rsADO.Fields;
    this._reset(rsADO);
}

function _FS__Prototype()
{
    _Fields.prototype.getName = _FS_getName;
    _Fields.prototype.getValue = _FS_getValue;
    _Fields.prototype.setValue = _FS_setValue;
    _Fields.prototype.getCount = _FS_getCount;
    _Fields.prototype._reset = _FS__reset;
    _bFSPrototypeCalled = 1;
    //scope implementation to _FS__Prototype function

    function _FS_getName(nIndex)
    {
        if (typeof(nIndex) == 'number' && nIndex >= 0 && nIndex <
this.getCount())
            return this._rsFields(nIndex).name;
        return '';
    }

    function _FS_getValue(field)
    {
        var r = '';
        if (!this._newRecord && this._isvalid &&
            (typeof(field) == 'number' || typeof(field) == 'string'))
        {
            if (this._rsFields(field).value != null)
            {
                var fieldType = this._rsFields(field).type;
                //avoid JScript formatting for the following field
types:
                //adDate, adDBDate, adDBTime, adDBTimeStamp,
adSingle
            }
        }
    }
}

```



```

                                RECORDSET.ASP
                                if ((fieldType == 7) || (fieldType == 133) ||
(fieldType == 134) || (fieldType == 135) || (fieldType == 4))
                                r =
Server.HTMLEncode(this._rsFields(field));
                                else
                                    r = this._rsFields(field).value;
                                }
                                }
                                return r;
                                }

                                function _FS_setValue(field,value)
                                {
                                    if ((typeof(field) == 'number' || typeof(field) == 'string') &&
typeof(value) != 'undefined')
                                    {
                                        // validate field as updatable
                                        if (this._isValid)
                                        {
                                            var nAttributes =
Number(this._rsFields(field).Attributes);
                                            if ((nAttributes & 4) || (nAttributes & 8))
                                            {
                                                // field may be updated, adFldUpdatable=4,
adFldUnknownUpdatable=8
                                                if (value == '' && (nAttributes & 32))
                                                {
                                                    // field is nullable,
adFldIsNullable=32
                                                    value = null;
                                                }
                                            }
                                            this._rsFields(field).value = value;
                                            return true;
                                        }
                                    }
                                }
                                return false;
                                }

                                function _FS_getCount()
                                {
                                    if (typeof(this._rsFields) == 'object')
                                    return this._rsFields.count;
                                    return 0;
                                }

                                function _FS__reset(rsADO)
                                {
                                    this._isValid = !(rsADO.BOF || rsADO.EOF);
                                    this._newRecord = false;
                                }

                                } // end of _FS__Prototype function
</SCRIPT>

```

RECORDSET.HTM

```

// *****<BR>
// Microsoft Script Library<BR>
// Visual InterDev 6.0 Recordset Object for DHTML<BR>
// Copyright 1998 Microsoft Corporation. All Rights Reserved.<BR>
// <B>Do not modify in design view. Switch to source view.</B><BR>
// *****<BR>
// <SCRIPT>
function CreateRecordset(strName,funcInit,objParent)
{
    if (typeof(strName) != 'string' || strName == '')
        return null;

    var objRecordset = new _Recordset(strName);
    eval(strName + ' = objRecordset');

    var strSpan = '<' + 'SPAN id="' + strName + '_SPAN"></SPAN>';
    strSpan = strSpan + '<' + 'SPAN id="' + strName + '_SPAN_AUX" datasrc=#' +
strName + '_RDS datafld=0 ></SPAN>';

    if ((typeof(objParent) == 'object') && (objParent != null))
        objParent.insertAdjacentHTML('BeforeEnd',strSpan);
    else
        document.write(strSpan);

    objRecordset._spanTag = document.all[strName + '_SPAN'];

    // always fire init for recordset
    _EM__fireEvent('_RS__onbeforefuncinit(' + objRecordset.id + ')');
    _EM__fireEvent(funcInit);
    return objRecordset;
}

function _Recordset(strName)
{
    if (typeof(_bRSPrototypeCalled) == 'undefined')
        _RS__Prototype();

    // public members
    this.id = strName;
    this.name = strName;
    this.absolutePosition = -1;
    this.fields = null;
    this.BOF = true;
    this.EOF = true;

    // private members
    this._rsRDS = null;
    this._rsADO = null;
    this._spanTag = null;
    this._count = -1;
    this._bookmark = 0;
    this._strConn = '';
    this._strSQL = '';
    this._bDelete = false;
    this._bDSChanged = false;
    this._bDSComplete = false;
    this._bCancelUpdate = false;
    this._bFiringOnBeforeUpdate = false;
    this._bFiringOnRowEnter = false;

    // advise for default eventhandlers
    this._objEventManager = CreateEventManager();
}

```

RECORDSET.HTM

```

function _RS__Prototype()
{
    //public members
    _Recordset.prototype.getCount = _RS_getCount;
    _Recordset.prototype.moveNext = _RS_moveNext;
    _Recordset.prototype.movePrevious = _RS_movePrevious;
    _Recordset.prototype.moveFirst = _RS_moveFirst;
    _Recordset.prototype.moveLast = _RS_moveLast;
    _Recordset.prototype.moveAbsolute = _RS_moveAbsolute;
    _Recordset.prototype.move = _RS_move;
    _Recordset.prototype.updateRecord = _RS_updateRecord;
    _Recordset.prototype.cancelUpdate = _RS_cancelUpdate;
    _Recordset.prototype.addRecord = _RS_addRecord;
    _Recordset.prototype.addImmediate = _RS_addImmediate;
    _Recordset.prototype.deleteRecord = _RS_deleteRecord;
    _Recordset.prototype.advise = _RS_advise;
    _Recordset.prototype.unadvise = _RS_unadvise;

    _Recordset.prototype.getRecordSource = _RS_getRecordSource;
    _Recordset.prototype.setRecordSource = _RS_setRecordSource;
    _Recordset.prototype.open = _RS_open;
    _Recordset.prototype.isOpen = _RS_isOpen;
    _Recordset.prototype.close = _RS_close;
    _Recordset.prototype.getConnectionString = _RS_getConnectionString;
    _Recordset.prototype.getSQLText = _RS_getSQLText;
    _Recordset.prototype.setSQLText = _RS_setSQLText;
    _Recordset.prototype.requery = _RS_requery;
    _Recordset.prototype.setBookmark = _RS_setBookmark;
    _Recordset.prototype.getBookmark = _RS_getBookmark;
    _Recordset.prototype.isDHTMLAware = _RS_isDHTMLAware;
    _Recordset.prototype.getDHTMLDataSourceID = _RS_getDHTMLDataSourceID;

    //events
    RS_ONBEFOREOPEN = 'onbeforeopen';
    RS_ONAFTEROPEN = 'onafteropen';
    RS_ONROWENTER = 'onrowenter';
    RS_ONROWEXIT = 'onrowexit';
    RS_ONDATASETCHANGED = 'ondatasetchanged';
    RS_ONDATASETCOMPLETE = 'ondatasetcomplete';
    RS_ONBEFOREUPDATE = 'onbeforeupdate';
    RS_ONAFTERUPDATE = 'onafterupdate';

    //private members
    _Recordset.prototype._connect = _RS__connect;
    _Recordset.prototype._syncBOFandEOF = _RS__syncBOFandEOF;
    _Recordset.prototype._fireEvent = _RS__fireEvent;
    _Recordset.prototype._isEmpty = _RS__isEmpty;
    _bRSPrototypeCalled = 1;
}

function _RS__syncBOFandEOF()
{
    if (this._rsRDS != null)
    {
        if (this._bDelete)
        {
            //If the recordset becomes empty by deleting,
            //RDS won't set BOF and EOF.
            this._bDelete = false;
            var nCount = this._rsRDS.recordset.RecordCount;
            if (nCount <= 0)
            {

```

RECORDSET.HTM

```

        this.BOF = true;
        this.EOF = true;
    }

    if (this.absolutePosition > nCount)
        this.absolutePosition = nCount;
    }
    else
    {
        this.BOF = false;
        this.EOF = false;
        this.absolutePosition =
this._rsRDS.recordset.AbsolutePosition;
        if ((this.absolutePosition == -2) || (this.absolutePosition
== -1)) // adPosBOF or adPosUnk
            this.BOF = true;
        if ((this.absolutePosition == -3) || (this.absolutePosition
== -1)) // adPosEOF or adPosUnk
            this.EOF = true;
    }
}

function _RS_getCount()
{
    if (this._count < 0)
    {
        if (this.isOpen() && (!this.BOF || !this.EOF))
        {
            this._count = this._rsRDS.recordset.RecordCount;
            if (this._count <= 0)
            {
                var curPos = this._rsRDS.recordset.AbsolutePosition;
                if (curPos > 0)
                {
                    this._count = 0;
                    this._rsRDS.recordset.MoveFirst();
                    while (!this._rsRDS.recordset.EOF)
                    {
                        this._count++;
                        this._rsRDS.recordset.MoveNext();
                    }
                    this._rsRDS.recordset.AbsolutePosition =
curPos;
                }
            }
        }
        else
            return 0;
    }
    return this._count;
}

function _RS_moveNext(bReverse)
{
    if (!this._isEmpty())
    {
        if ((bReverse + '') == 'true')
        {
            this._rsRDS.recordset.MovePrevious();
            if (this.BOF) return false;
        }
        else

```

RECORDSET.HTM

```

    {
        this._rsRDS.recordset.MoveNext();
        if (this.EOF) return false;
    }

    return true;
}
return false;
}

function _RS_movePrevious()
{
    return this.moveNext(true);
}

function _RS_moveLast(bReverse)
{
    if (!this._isEmpty())
    {
        if ((bReverse + '') == 'true')
            this._rsRDS.recordset.MoveFirst();
        else
            this._rsRDS.recordset.MoveLast();

        return true;
    }
    return false;
}

function _RS_moveFirst()
{
    return this.moveLast(true);
}

function _RS_moveAbsolute(nIndex)
{
    if (typeof(nIndex) == 'number' && !this._isEmpty())
    {
        this._rsRDS.recordset.AbsolutePosition = nIndex;
        return true;
    }
    return false;
}

function _RS_move(nIndex)
{
    // move relative to current record
    if (typeof(nIndex) == 'number' && !this._isEmpty())
    {
        this._rsRDS.recordset.Move(nIndex);
        return true;
    }
    return false;
}

function _RS_updateRecord()
{
    if (this.isopen() && !this._bFiringOnBeforeUpdate)
    {
        this._bFiringOnBeforeUpdate = true;
        this._objEventManager.fireEvent(RS_ONBEFOREUPDATE);
        this._bFiringOnBeforeUpdate = false;
        if (!this._bCancelUpdate)
        {
            this._rsRDS.SubmitChanges();
            this._objEventManager.fireEvent(RS_ONAFTERUPDATE);
            return true;
        }
    }
}

```

```

        this._bCancelUpdate = false;
    }
    return false;
}

function _RS_cancelUpdate()
{
    if (this.isopen())
    {
        this._count = -1;
        this._bCancelUpdate = true;
        this._rsRDS.CancelUpdate();
        return true;
    }
    return false;
}

function _RS_addRecord()
{
    if (this.isopen() && !this._bFiringOnBeforeUpdate)
    {
        if (this._count >= 0)
            ++this._count;
        this._rsRDS.recordset.AddNew();
        return true;
    }
    return false;
}

function _RS_addImmediate(fieldList, fieldValues)
{
    if (this.isopen() && !this._bFiringOnBeforeUpdate)
    {
        if (this._count >= 0)
            ++this._count;
        this._rsRDS.recordset.AddNew(fieldList, fieldValues);
        this.updateRecord();
        return true;
    }
    return false;
}

function _RS_deleteRecord()
{
    if (!this._isEmpty())
    {
        if (this._count >= 0)
            --this._count;
        this._bDelete = true;
        this._rsRDS.recordset.Delete();
        this.updateRecord();
        return true;
    }
    return false;
}

function _RS_advise(strEvent, funcToCall)
{
    if (this.isopen() &&
        ((strEvent == RS_ONROWENTER && this._bDSChanged) ||
         (strEvent == RS_ONDATASETCHANGED && this._bDSChanged) ||
         (strEvent == RS_ONDATASETCOMPLETE && this._bDSComplete)))
    {

```

```

        this._fireEvent(funcToCall);
    }
    return this._objEventManager.advise(strEvent,funcToCall);
}

function _RS_unadvise(strEvent,nAdviseID)
{
    return this._objEventManager.unadvise(strEvent,nAdviseID);
}

function _RS_getRecordSource()
{
    if (this._rsRDS != null)
        return this._rsRDS.recordset;

    return null;
}

//function _RS_setRecordSource(rsADO) OR
function _RS_setRecordSource(strConn,strSQL)
{
    if (typeof(strConn) == 'string')
    {
        // given a connect and SQL string
        this._strConn = unescape(strConn);
        return this.setSQLText(strSQL);
    }

    if (typeof(strConn) == 'object')
    {
        // given an ADO object
        this._strConn = '';
        this._strSQL = '';

        if (this._rsRDS != null)
            this._rsRDS.SourceRecordset = strConn;
        else
        {
            this._rsADO = strConn;
            this.open();
        }

        return true;
    }
    return false;
}

function _RS_open()
{
    this._objEventManager.fireEvent(RS_ONBEFOREOPEN);
    this._connect();
    if (this._rsADO != null)
        this._rsRDS.SourceRecordset = this._rsADO;
    this._objEventManager.fireEvent(RS_ONAFTEROPEN);
}

function _RS_isOpen()
{
    if (this._rsRDS != null)
    {
        if ((this._rsRDS.ReadyState == 2) || (this._rsRDS.ReadyState == 4))
            return true;
    }
    return false;
}

function _RS_close()

```

```

{
    this._rsRDS = null;
    this._count = -1;
}

function _RS_getConnectionString()
{
    return this._strConn;
}

function _RS_getSQLText()
{
    if (this._rsRDS != null)
        return this._rsRDS.SQL;
    else
        return this._strSQL;
}

function _RS_setSQLText(strSQL)
{
    if (typeof(strSQL) == 'string')
    {
        this._strSQL = strSQL;
        if (this._rsRDS != null)
            this._rsRDS.SQL = strSQL;
        return true;
    }
    return false;
}

function _RS_requery()
{
    if (this.isOpen())
    {
        this._rsRDS.Refresh();
        this._count = -1;
    }
}

function _RS_setBookmark(bookmark)
{
    this._bookmark = bookmark;
    if (this.isOpen() && this._bookmark > 0)
    {
        if (this._rsRDS.recordset.Supports(8192))
        {
            // supports bookmarks
            this._rsRDS.recordset.Bookmark = this._bookmark;
        }
        else
        {
            // use AbsolutePosition
            this._rsRDS.recordset.AbsolutePosition = this._bookmark *
1;
        }
        return true;
    }
    return false;
}

function _RS_getBookmark()
{
    if (this.isOpen())
    {
        if (this._rsRDS.recordset.Supports(8192))

```



```

                                RECORDSET.HTM
        {           // supports bookmarks
                    return this._rsRDS.recordset.Bookmark;
        }
        else
        {           // use AbsolutePosition
                    return this._rsRDS.recordset.AbsolutePosition;
        }
    }
    return this._bookmark;
}

function _RS_isDHTMLAware()
{
    return true;
}

function _RS_getDHTMLDataSourceID()
{
    if (this._rsRDS != null)
        return (this.name + '_RDS');
    return '';
}

function _RS__connect()
{
    var strServer = 'http://' + document.domain;
    var strRDS = '';
    strRDS = strRDS + '<' + 'OBJECT
classid=clsid:BD96C556-65A3-11D0-983A-00C04FC29E33 height=1 style="LEFT: 0px; TOP:
0px" width=1';
    strRDS = strRDS + ' id=' + this.name + '_RDS>\n';
    strRDS = strRDS + '<PARAM NAME="Server" VALUE="' + strServer + '">\n';
    if (this._strConn != '')
        strRDS = strRDS + '<PARAM NAME="Connect" VALUE="' +
encodeHTMLQuotes(this._strConn) + '">\n';
    if (this._strSQL != '')
        strRDS = strRDS + '<PARAM NAME="SQL" VALUE="' +
encodeHTMLQuotes(this._strSQL) + '">\n';
    strRDS = strRDS + '</OBJECT>';
    this._spanTag.innerHTML = strRDS;
    this._rsRDS = document.all[this.name + '_RDS'];
    this.fields = CreateFields(this._rsRDS);
    this._rsRDS.onrowenter = _RS__onrowenter;
    this._rsRDS.onrowexit = _RS__onrowexit;
    this._rsRDS.ondatasetcomplete = _RS__ondatasetcomplete;
    this._rsRDS.ondatasetchanged = _RS__ondatasetchanged;
    this._bDSChanged = false;
    this._bDSComplete = false;
    this._count = -1;

    return true;
}

function _RS__fireEvent(funcToFire,bUseEvent)
{
    if ((typeof(bUseEvent) == 'boolean') && (bUseEvent))
    {
        var strRS = event.srcElement.id;
        strRS = strRS.substring(0,strRS.length-4);           // strip _RDS to get
name
        var _objRS = eval(strRS);
        if (typeof(_objRS) == 'object')
        {
            if (funcToFire == RS_ONDATASETCOMPLETE)
            {

```

```

        RECORDSET.HTM
        _objRS._bDSComplete = true;
    }
    if (funcToFire == RS_ONDATASETCHANGED)
    {
        _objRS._syncBOFandEOF();
        _objRS.fields = CreateFields(_objRS._rsRDS);
        _objRS._bDSChanged = true;
    }
    if (funcToFire == RS_ONROWENTER)
    {
        if (_objRS._bFiringOnRowEnter)
            return;

        _objRS._bFiringOnRowEnter = true;
        _objRS._syncBOFandEOF();
        _objRS.fields = CreateFields(_objRS._rsRDS);
        _objRS._bFiringOnRowEnter = false;
    }
    if (_objRS._objEventManager != null)
        _objRS._objEventManager.fireEvent(funcToFire);
}
else
{
    // fire recordset initFunc immediately
    if (typeof(funcToFire) == 'string')
        eval(funcToFire);
    else if (typeof(funcToFire) == 'function')
        funcToFire();
}
}

function _RS__ondatasetcomplete()
{
    _RS__fireEvent(RS_ONDATASETCOMPLETE,true);
}

function _RS__ondatasetchanged()
{
    _RS__fireEvent(RS_ONDATASETCHANGED,true);
}

function _RS__onrowenter()
{
    _RS__fireEvent(RS_ONROWENTER,true);
}

function _RS__onrowexit()
{
    _RS__fireEvent(RS_ONROWEXIT,true);
}

function _RS__isEmpty()
{
    return (!this.isopen() || (this.BOF && this.EOF))
}

function _RS__onbeforefuncinit(objRecordset)
{
    objRecordset._objEventManager.adviseDefaultHandler(objRecordset.id,RS_ONBEFOREOPEN,
    true);
    objRecordset._objEventManager.adviseDefaultHandler(objRecordset.id,RS_ONROWENTER,
    true);
    objRecordset._objEventManager.adviseDefaultHandler(objRecordset.id,RS_ONROWEXIT,
    true);
    objRecordset._objEventManager.adviseDefaultHandler(objRecordset.id,RS_ONDATASETCHANG
    ED, true);
    objRecordset._objEventManager.adviseDefaultHandler(objRecordset.id,RS_ONDATASETCOMPL
    ETE, true);
}

```

RECORDSET.HTM

```
objRecordset._objEventManager.adviseDefaultHandler(objRecordset.id,RS_ONBEFOREUPDATE,
, true);
```

```
objRecordset._objEventManager.adviseDefaultHandler(objRecordset.id,RS_ONAFTERUPDATE,
true);
}
```

```
// *****
// Fields Object
// *****
```

```
function CreateFields(rsRDS)
{
    if (typeof(rsRDS) == 'object' && rsRDS != null)
        return new _Fields(rsRDS);
    return null;
}
```

```
function _Fields(rsTag)
{
    _Fields.prototype();
    this.rsTag = rsTag;
}
```

```
function _Fields.prototype()
{
    _Fields.prototype.getName = _FS_getName;
    _Fields.prototype.getValue = _FS_getValue;
    _Fields.prototype.setValue = _FS_setValue;
    _Fields.prototype.getCount = _FS_getCount;
    _Fields.prototype._isValid = _FS__isValid;
}
```

```
function _FS_getName(nIndex)
{
    if (typeof(nIndex) == 'number' && nIndex >= 0 && nIndex < this.getCount())
    {
        fsTmp = this.rsTag.recordset.Fields;
        return fsTmp(nIndex).name;
    }
    return '';
}
```

```
function _FS_getValue(field)
{
    var r = '';
    if (this._isValid() && (typeof(field) == 'number' || typeof(field) ==
'string'))
    {
        fsTmp = this.rsTag.recordset.Fields;
        r = fsTmp(field).value;
        if (r == null)
            r = '';
    }
    return r;
}
```

```
function _FS_setValue(field,value)
{
    if ((typeof(field) == 'number' || typeof(field) == 'string') &&
typeof(value) != 'undefined')
    {
        // validate field as updatable
    }
}
```

```

    if (this._isValid)
    {
        fsTmp = this.rsTag.recordset.Fields;
        var nAttributes = Number(fsTmp(field).Attributes);
        if ((nAttributes & 4) || (nAttributes & 8))
        {
            // field may be updated, adFldUpdatable=4,
            if (value == '' && (nAttributes & 32))
            {
                // field is nullable, adFldIsNullable=32
                value = null;
            }
            fsTmp(field).value = value;
            return true;
        }
    }
    return false;
}

function _FS_getCount()
{
    fsTmp = this.rsTag.recordset.Fields;
    if (typeof(fsTmp) == 'object')
        return fsTmp.count;
    return 0;
}

function _FS__isValid()
{
    return !(this.rsTag.recordset.BOF || this.rsTag.recordset.EOF); }

```

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2423	2424	2425	2426	2427	2428	2429	2430	2431	2432	2433	2434	2435	2436	2437	2438	2439	2440	2441	2442	2
--	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	---

```
<SCRIPT RUNAT=SERVER Language="JavaScript">
```

```

// MSL : Microsoft Scripting Library
// Remote Scripting utilities for server.

```

```

// The Remote Scripting utilities for the server primarily
// consists of the RSDispatch routine. This is the function
// placed at the top of the ASP page which handles dispatching
// to a valid public_description function and marshalls the
// return value back to the client.

```

/// Copyright 1998 Microsoft Corporation. All Rights Reserved.

///*****

```

// function RSDispatch()
//     This function is used to dispatch to the proper server
//     function in the public_description object based on the
//     Request.QueryString("_method") parameter passed in.

```

```
//function RSDispatch(vtable,methodname)
```

```

{
    if (typeof(methodname) != 'string')
    {

```

```
var methodtype = Request.QueryString('_mtype') + '';
if (methodtype != 'execute')
    return false;
methodname = Request.QueryString('_method') + '';
if (methodname == '' || methodname == 'undefined')
    return false;
```

```
var dispatchVtbl = null;
if (typeof(vtable) == 'object')
    dispatchVtbl = vtable;
else if (typeof(public_description) == 'object')
    dispatchVtbl = public_description;
if (dispatchVtbl == null)
    return false;
```

```
var strResponse = '<METHOD VERSION="1.0.8044">'
if (methodName == 'GetServerProxy')
{
```

```
strResponse += Return(GetServerProxy(dispatchVTb1));
}
```

```
else
{
```

```
if (typeof(dispatchTbl[methodname]) == 'function')
{
    // validate function is in dispatchTbl

```

```
var params = '';
var pcount = Request.QueryString('pcount');
for (var i=0; i < pcount; i++)
{
    // extract parameter values
    params += 'Request.QueryString("p' + i + '").item';
    if (i < pcount-1)
        params += ',';
}
```

```
var dispatch = 'dispatchVtbl.' + methodname + '(' + params +
```

') ' ;

```
//Response.write(dispatch);    // USED FOR DEBUG
// validated against dispatchVtbl, safe to eval on the
```

Page 1

server

```

        var r = eval(dispatch);
        strResponse += Return(r);
    }
    else
    {
        var strError = '<RETURN_VALUE TYPE=ERROR>';
        strError += escape(methodname + ' : not a public function');
        strError += '</RETURN_VALUE>';
        strResponse += strError;
    }
    strResponse += '</METHOD>';

    Response.Write(strResponse);
    return true;
}

//*****
// function Return(x)
// This function is used to translate the data in given variable x,
// into a string for transport to the client. If the variable
// is an object, then the type is set to EVAL_OBJECT to indicate
// to the client that this is an object being marshalled and it
// should be "evaluated".
//*****
function Return(x)
{
    var returnType = typeof(x);
    if (returnType == 'object' || returnType == 'number' || returnType ==
    'boolean')
        return '<RETURN_VALUE TYPE=EVAL_OBJECT>' + escape(uneval(x)) +
        '</RETURN_VALUE>';
    else
        return '<RETURN_VALUE TYPE=SIMPLE>' + escape(x) + '</RETURN_VALUE>';
}

//*****
// function GetServerProxy(pd)
// This function returns a server proxy given a public_description.
//*****
function GetServerProxy(pd)
{
    if (!unevalInitialized)
    {
        initUneval();
        unevalInitialized = true;
    }

    var o = new Object;
    for (var name in pd)
    {
        if (typeof(pd[name]) == 'function' && pd.__isPublicMember(name))
        {
            o[name] = Function('return 0;');
        }
    }
    return o;
}

//*****

```

```

// function uneval(obj)
// This function takes a given jsript object and creates a
// string representing the object instance in its current state,
// such that when the string is "evaluated" with the "eval"
// function, the object will be recreated. This function is used
// to to "marshall" jsript objects across the client/server
// boundary.
//
//*****
var unevalInitialized;
var unevalNextIdentifier;
function unevalGetNextID()
{
    return '_o' + unevalNextID++;
}

function uneval(obj)
{
    if (!unevalInitialized)
    {
        initUneval();
        unevalInitialized = true;
    }
    unevalNextID = 0;
    var s = 'var undefined;' + unevalDecl(obj) + unevalInst(obj);
    unevalClear(obj);
    return s;
}

function unevalDecl(obj)
{
    var s = '';
    switch (typeof(obj))
    {
        case 'undefined':
        case 'boolean':
        case 'number':
        case 'string':
            break;

        default:
            if (null != obj && !obj.__mark && 'string' !=
typeof(obj.__decl))
            {
                obj.__mark = true;
                obj.__decl = unevalGetNextID();
                s = obj.__unevalDecl();
                delete obj.__mark;
            }
            break;
    }
    return s;
}

function unevalInst(obj)
{
    var s = '';
    switch (typeof(obj))
    {
        case 'undefined':
            s = 'undefined';
            break;
        case 'boolean':

```

```

case 'number':
    s = String(obj);
    break;
case 'string':
    s = unevalString(obj);
    break;

default:
    if (null == obj)
        s = 'null';
    else if (obj.__mark)
        s = "ERROR: cycle in uneval graph.";
    else
        {
            obj.__mark = true;
            s = obj.__unevalInst();
            delete obj.__mark;
        }
    break;
}
return s;
}

function unevalClear(obj)
{
    switch (typeof(obj))
    {
        case 'undefined':
        case 'boolean':
        case 'number':
        case 'string':
            break;

        default:
            if (null != obj && !obj.__mark && 'string' ==
typeof(obj.__decl))
            {
                obj.__mark = true;
                obj.__unevalClear();
                delete obj.__mark;
            }
            break;
    }
    return ;
}

function unevalDoNothing()
{
}

function unevalConvertToString(obj)
{
    return String(obj);
}

function unevalString(str)
{
    return '"' + str.replace(/([^\w])'/g, '$1\\') + '"';
}

//*****
// function initUneval()
//
// This function sets up the prototype __uneval functions that
// are used to support uneval function for all data types.
//*****

```



```

function initUneval()
{
    // intrinsic objects
    Object.__unevalDecl = unevalDoNothing;
    Object.__unevalInst = function () { return 'Object'; }
    Object.__unevalClear = unevalDoNothing;

    Boolean.__unevalDecl = unevalDoNothing;
    Boolean.__unevalInst = function () { return 'Boolean'; }
    Boolean.__unevalClear = unevalDoNothing;

    Number.__unevalDecl = unevalDoNothing;
    Number.__unevalInst = function () { return 'Number'; }
    Number.__unevalClear = unevalDoNothing;

    String.__unevalDecl = unevalDoNothing;
    String.__unevalInst = function () { return 'String'; }
    String.__unevalClear = unevalDoNothing;

    Date.__unevalDecl = unevalDoNothing;
    Date.__unevalInst = function () { return 'Date'; }
    Date.__unevalClear = unevalDoNothing;

    Function.__unevalDecl = unevalDoNothing;
    Function.__unevalInst = function () { return 'Function'; }
    Function.__unevalClear = unevalDoNothing;

    Array.__unevalDecl = unevalDoNothing;
    Array.__unevalInst = function () { return 'Array'; }
    Array.__unevalClear = unevalDoNothing;

    // object members
    Object.prototype.__enumMembers = function(retval,func)
    {
        var isPublicMember = this.__isPublicMember;
        if ('object' == typeof(this.__unevalProperties))
        {
            var unevalProperties = this.__unevalProperties;
            var length = unevalProperties.length;
            for (var i = 0; i < length; i++)
            {
                if (isPublicMember(unevalProperties[i]))
                    func(retval, this, unevalProperties[i]);
            }
        }
        else
        {
            for (var i in this)
            {
                if (isPublicMember(i))
                    func(retval, this, i);
            }
        }
    }

    Object.prototype.__unevalDeclMember = function (retval, obj, member)
    {
        retval.otherDecl += unevalDecl(obj[member]);
        retval.myDecl += obj.__decl + '[' + unevalString(member) + ']=' +
unevalInst(obj[member]) + ';;';
    }

    Object.prototype.__unevalDecl = function()

```

```

{
    var retval = { otherDecl:'', myDecl:'' };
    this.__enumMembers(retval, this.__unevalDeclMember);
    return retval.otherDecl + 'var ' + this.__decl + '=' +
this.__unevalConstructor() + ';' + retval.myDecl;
}

Object.prototype.__unevalInst = function ()
{
    return this.__decl;
}

Object.prototype.__unevalClearMember = function(retval, obj, member)
{
    unevalClear(obj[member]);
}

Object.prototype.__unevalClear = function()
{
    delete this.__decl;
    this.__enumMembers(null, this.__unevalClearMember);
}

Object.prototype.__isPublicMember = function(member)
{
    return '__' != member.substr(0,2);
}

Object.prototype.__unevalConstructor = function ()
{
    return 'new Object';
}

// overrides for simple types
Boolean.prototype.__unevalConstructor = function()
{
    return 'new Boolean(' + String(this) + ')';
}
Number.prototype.__unevalConstructor = function()
{
    return 'new Number(' + String(this) + ')';
}
String.prototype.__unevalConstructor = function()
{
    return 'new String(' + unevalString(this) + ')';
}
Date.prototype.__unevalConstructor = function()
{
    return 'new Date(Date.parse("'" + String(this) + '"'))';
}

// overrides for function
Function.prototype.__unevalDecl = function()
{
    return String(this).replace(/function ([^\(]*)/, 'function ' +
this.__decl);
}

// overrides for array
Array.prototype.__unevalDecl = function()
{
    var decl = this.__decl;
    var r = '';
    var s = 'var ' + decl + '= new Array(' + this.length + ');';
    var length = this.length;
    for (var i = 0; i < length; i++)
    {
        r += unevalDecl(this[i]);
        s += decl + '[' + i + ']=' + unevalInst(this[i]) + ';;';
    }
    return r + s;
}

} // end of initUneval
</SCRIPT>

```

RS.HTM

```

// *****<BR>
// Microsoft Script Library<BR>
// Visual InterDev 6.0 Remote Scripting utilities for client<BR>
// Copyright 1998 Microsoft Corporation. All Rights Reserved.<BR>
// <B>Do not modify in design view. Switch to source view.</B><BR>
// *****<BR>
// <SCRIPT>

//*****
// The Remote Scripting utilities for the client consist of
// three public methods and the RSCallObject definition.
// The public methods are RSEnableRemoteScripting, RSExecute
// and RSGetASPObject. The RSCallObject is returned from any
// remote scripting call and provides status and return value.
//*****

//*****
// function RSEnableRemoteScripting()
// This function enables the remote scripting proxy.
//*****
function RSEnableRemoteScripting(codebase)
{
    MSRS = new _MSRS_Object();
    if (typeof(codebase) == 'undefined')
    {
        // assume applet is in _ScriptLibrary directory off the webroot
        var secondSlash, path;
        codebase = '';
        if ((secondSlash = (path = window.location.pathname).indexOf('/',1))
!= -1)
            codebase = path.substring(0,secondSlash);
        codebase += '/_ScriptLibrary';
    }
    document.write('<' + 'APPLET name=RSAspProxyApplet codebase=' + codebase + '
code=RSProxy.class height=0 width=0></APPLET>');
}

//*****
// function RSExecute(url,method,p1 ... pn,cb,ecb,context)
// This is the function by which remote scripting calls are made.
// The caller provides the following :
// url : url to the asp file containing remote script
// method : name of the method to be invoked
// p1...pn : any parameters required by the method
// cb : an optional callback routine for async.
// ecb : an optional error callback routine for async.
// context : an optional user context
//*****
function RSExecute(url,method)
{
    var cb, ecb, context;
    var params = new Array;
    var pn = 0;
    var len = RSExecute.arguments.length;
    for (var i=2; i < len; i++)
        params[pn++] = RSExecute.arguments[i];

    return MSRS.invokeMethod(url,method,params);
}

//*****
// function RSGetASPObject(url)
// This function returns a server object for an ASP file
// described by its public_description.

```

```

// *****
function RSCallObject(cb,ecb,context)

```

```
function RSCallObject(cb,ecb,context)
```

```
this.wait = RSCallObject_wait;
this.cancel = RSCallObject_cancel;
```

```

MSRS.requestList[this.id] = this;
}

//*****
// function RSCallObject_wait()
//
// The RSCallObject_wait method can be called from an asynchronous
// request to wait for it to complete. If the request has finished
// this call returns immediately.
//
// this = RSCallObject instance to wait for
//*****
function RSCallObject_wait()
{
    if (this.status != MSRS_PENDING)
        return;
    while (true)
    {
        // wait synchronously for response
        if (MSRS.rsapplet.waitForResponse())
        {
            if (MSRS.rsapplet.hasResponse())
            {
                var rid = MSRS.rsapplet.getRequestID();
                MSRS.handleResponse(rid);
                // DO NOT CHANGE THIS CODE
                // Solves Java to Script discrepancies between IE3
                and Navigator
                var strrid = String(rid);
                if (strrid == null)
                    strrid = rid;
                if (strrid == this.id)
                    break;
                // this
            }
            response completed
        }
        else
        {
            this.status = MSRS_FAIL;
            this.message = 'Request not handled.'
            break;
        }
    }
}

//*****
// function RSCallObject_cancel()
//
// The RSCallObject_cancel method can be called from an
// asynchronous request to cancel it. If the request has
// finished this call returns immediately.
//
// this = RSCallObject instance to cancel
//*****
function RSCallObject_cancel()
{
    if (this.status == MSRS_PENDING)
    {
        MSRS.rsapplet.cancelRequest(this.id);
        this.status = MSRS_FAIL;
        this.message = 'Request cancelled.'
    }
}

```

```

//*** PRIVATE IMPLEMENTATION BELOW *****
//*** PRIVATE IMPLEMENTATION BELOW *****
//*** PRIVATE IMPLEMENTATION BELOW *****
//*****
//
// Remote Scripting Object -- private implementation
//
// The following code is private glue code that contains the
// implementation of a JSObject to enable remote scripting
// functionality on the client. This private object is utilized
// by the public Remote Scripting methods defined above.
//
//*****
//*****
//*****
// function _MSRS_Object
//
// This is the JSObject that interacts with the RSAspProxy
// applet to synchronously/asynchronously retrieve data via
// an ASP file.
//*****
//var MSRS = new _MSRS_Object();
function _MSRS_Object()
{
    MSRS_FAIL = -1;
    MSRS_COMPLETED = 0;
    MSRS_PENDING = 1;
    MSRS_PARTIAL = 2;

    this.REQUEST_MODE_COMPLETE = 0;
    this.POLLING_PERIOD = 100;

    this.pollID = 0;
    this.pollCount = 0;
    this.nextRequestID = 1;
    this.requestList = new Array;
    this.rsapplet = null;

    this.startRequest = _MSRS_startRequest;
    this.invokeMethod = _MSRS_invokeMethod;
    this.handleResponse = _MSRS_handleResponse;
    this.evaluateRequest = _MSRS_evaluateRequest;
    this.setRequestPoll = _MSRS_setRequestPoll;
    this.requestPollHandler = _MSRS_requestPollHandler;
    this.buildURL = _MSRS_buildURL;
}

//*****
// function _MSRS_startRequest(url,method,args,cb,ecb,context)
//
// This is key function for initiating a request for data.
// The url to the ASP file is required. The callback,
// error_callback, and user context parameters are optional.
//*****
function _MSRS_startRequest(url,method,args,cb,ecb,context)
{
    var request = new RSObject(cb,ecb,context);
    if (this.rsapplet == null)
    {
        if (typeof(document.RSAspProxyApplet) == 'object')
            this.rsapplet = document.RSAspProxyApplet;
    }
}

```

```

                                RS.HTM
        else if (typeof(document.thisForm) == 'object' &&
typeof(document.thisForm.RSAspProxyApplet) == 'object')
            this.rsapplet = document.thisForm.RSAspProxyApplet;
        else
        {
            errmsg = 'ERROR:\nCannot locate proxy which supports Remote
Scripting.\nwas REnableRemoteScripting method invoked?';
            request.status = MSRS_FAIL;
            request.message = errmsg;
            alert(errmsg);
        }
    }

    if (request.status != MSRS_FAIL)
    {
        url = this.buildURL(url,method,args);
        url_context = window.location.href; // May not be
'window.location.pathname'
this.rsapplet.startRequest(request.id,url_context,url,this.REQUEST_MODE_COMPLETE);
        if (typeof(cb) == 'function')
        {
            if (this.pollCount++ == 0)
                this.setRequestPoll();
        }
        else
        {
            // wait synchronously for response
            request.wait();
        }
    }
    return request;
}

```

```

//*****
// function _MSRS_invokeMethod(url,method,args)
// This is the function by which remote scripting calls are
// via a server object retrieved with the GetASPObjct call.
// The caller provides the following :
// url : url to the asp
// method : name of the method to be invoked
// args : an array containing method parameters
// and the optional cb, ecb, context parameters
//*****
function _MSRS_invokeMethod(url,method,args)
{

```

```

    var cb, ecb, context;
    var params = new Array;
    var pn = 0;
    var i = 0;
    for (var i=0; i < args.length; i++)
    {
        if (typeof(args[i]) == 'function')
        {
            pn = -1; // no more params
            if (typeof(cb) == 'undefined')
                cb = args[i];
            else
                ecb = args[i];
        }
        else if (pn != -1)
        {
            params[pn++] = args[i];
        }
    }

```

```

        else
            context = args[i];
    }

    return MSRS.startRequest(url,method,params,cb,ecb,context);
}

//*****
// function _MSRS_handleResponse(requestid)
//
// This function will handle the response for a given request.
// If the response is complete or failed, then the associated
// request object will be updated and the appropriate callback
// invoked, if provided.
// NOTE: incremental data retrieval is not yet supported
//*****
function _MSRS_handleResponse(requestid)
{
    var request = this.requestList[requestid];
    if (typeof(request) == 'undefined')
    {
        alert('Unknown request id. ');
        return;
    }

    request.status = this.rsapplet.getStatus();
    if (request.status == MSRS_COMPLETED)
    {
        request.data = this.rsapplet.getData();
        request.message = this.rsapplet.getMessage();
        this.evaluateRequest(request);
        if (request.status == MSRS_FAIL)
        {
            if (typeof(request.error_callback) == 'function')
            {
                this.pollCount--;
                request.error_callback(request);
            }
            else
                alert('Remote Scripting Error\n' + request.message);
        }
        else
        {
            if (typeof(request.callback) == 'function')
            {
                this.pollCount--;
                request.callback(request);
            }
        }
        this.rsapplet.endResponse();
        this.requestList[request.id] = null;
    }
    else if (request.status == MSRS_FAIL)
    {
        request.message = this.rsapplet.getMessage();
        if (typeof(request.error_callback) == 'function')
        {
            this.pollCount--;
            request.error_callback(request);
        }
        this.rsapplet.endResponse();
        this.requestList[request.id] = null;
    }
}

```



```

                                RS.HTM
else if (request.status == MSRS_PARTIAL)
{
    // not handling partial data retrieval yet
}
else if (request.status == MSRS_PENDING)
{
    // do nothing
}

}

//*****
// function _MSRS_evaluateRequest(request)
//
// This function evaluates the data returned to the request.
// Marshallled jscript objects are re-evaluated on the client.
//*****
function _MSRS_evaluateRequest(request)
{
    var data = request.data;
    var start_index = 0;
    var end_index = 0;
    var start_key = '<' + 'RETURN_VALUE';
    var end_key = '<' + '/RETURN_VALUE>';

    if ((start_index = data.indexOf(start_key)) != -1)
    {
        var data_start_index = data.indexOf('>',start_index) + 1;
        end_index = data.indexOf(end_key,data_start_index);
        if (end_index == -1)
            end_index = data.length;
        var metatag = data.substring(start_index,data_start_index);
        if (metatag.indexOf('TYPE=SIMPLE') != -1)
        {
            request.return_value =
unescape(data.substring(data_start_index,end_index));
        }
        else if (metatag.indexOf('TYPE=EVAL_OBJECT') != -1)
        {
            request.return_value =
data.substring(data_start_index,end_index);
            request.return_value = eval(unescape(request.return_value));
        }
        else if (metatag.indexOf('TYPE=ERROR') != -1)
        {
            request.status = MSRS_FAIL;
            request.message =
unescape(data.substring(data_start_index,end_index));
        }
        else
        {
            request.status = MSRS_FAIL;
            request.message = 'REMOTE SCRIPTING ERROR: Page invoked does not
support remote scripting.';
        }
    }
}

//*****
// function _MSRS_setRequestPoll()
//
// Due to limitations in calling back into JScript from a worker
// thread of an applet, a polling mechanism is used to determine
// when a request has been completed. This function sets up
// a timer to kick the requestPollHandler at a later time.
//*****

```

```

function _MSRS_setRequestPoll()
{
    this.pollID =
window.setTimeout('MSRS.requestPollHandler()',this.POLLING_PERIOD,'javascript');
}

//*****
// function _MSRS_requestPollHandler()
//
//     Due to limitations in calling back into JScript from a worker
//     thread of an applet, a polling mechanism is used to determine
//     when a request has been completed. This function is the
//     handler which is kicked by a timer. It polls the applet to
//     see if a response to a prior request is available.
//*****
function _MSRS_requestPollHandler()
{
    while (this.rsapplet.hasResponse())
    {
        this.handleResponse(this.rsapplet.getRequestID());
    }
    if (this.pollCount != 0)
        this.setRequestPoll();
}

//*****
// function _MSRS_escapePlus(value)
//
//     This replaces all occurrences of '+' with '%2B' in the supplied
//     string.
//*****
function _MSRS__escapePlus(value)
{
    for (var i = 0, newValue = ''; i < value.length; i++)
        newValue += (value.charAt(i) == '+' ? '%2B' : value.charAt(i));
    return newValue;
}

//*****
// function _MSRS_buildURL(url,method,args)
//
//     This builds the proper url entry point into the ASP page
//     such that the intended server method with parameters gets
//     invoked.
//*****
function _MSRS_buildURL(url,method,args)
{
    if (url == '') url = window.location.pathname;
    if (typeof(method) == 'string')
    {
        url += '?_method=' + method;
        url += '&mtype=execute';
        var params = '&pcount=0';
        if (typeof(args) != 'undefined' && args.length)
        {
            // add parameters
            params = '&pcount=' + args.length
            for (var i = 0; i < args.length; i++)
            {
                var arg = args[i];
                params += '&p' + i + '=' +
_MSRS__escapePlus(escape(arg));
            }
        }
    }
}

```

RS.HTM

```
        url += params;  
    }  
    return url;  
}
```

RSNAVBAR.ASP

```

<SCRIPT LANGUAGE="JavaScript" RUNAT=SERVER>
// *****
// Microsoft Script Library
// Visual InterDev 6.0 RecordsetNavbar Object for ASP
//
// Copyright 1998 Microsoft Corporation. All Rights Reserved.
// *****
function CreateRecordsetNavbar(strName,funcInit,objParent)
{
    if (typeof(strName) == 'string' && strName != '')
    {
        var objRecordsetNavbar = new _RecordsetNavbar(strName);
        eval(strName + ' = objRecordsetNavbar;');
        objRecordsetNavbar._funcInit = funcInit;
        thisPage.advise(PAGE_ONINIT,strName + '._restoreState()');
        return objRecordsetNavbar;
    }
    return null;
}

function _RecordsetNavbar(strName)
{
    if (typeof(_bRSNBPrototypeCalled) == 'undefined')
        _RSNB__Prototype();

    //public members
    this.id = strName;
    this.name = strName;

    // private properties
    this._buttons = new Array(this._nButtonCount);

    // advise for default eventhandlers
    this._objEventManager = CreateEventManager();
    this._objEventManager.adviseDefaultHandler(this.name,RSNB_ONFIRSTCLICK);
    this._objEventManager.adviseDefaultHandler(this.name,RSNB_ONPREVIOUSCLICK);
    this._objEventManager.adviseDefaultHandler(this.name,RSNB_ONNEXTCLICK);
    this._objEventManager.adviseDefaultHandler(this.name,RSNB_ONLASTCLICK);
}

function _RSNB__Prototype()
{
    _bRSNBPrototypeCalled = 1;

    // events
    RSNB_ONFIRSTCLICK = 'onfirstclick';
    RSNB_ONPREVIOUSCLICK = 'onpreviousclick';
    RSNB_ONNEXTCLICK = 'onnextclick';
    RSNB_ONLASTCLICK = 'onlastclick';

    // constants
    RSNB_BUTTONFIRST = 0;
    RSNB_BUTTONPREV = 1;
    RSNB_BUTTONNEXT = 2;
    RSNB_BUTTONLAST = 3;

    RSNB_ALIGN_VERTICAL = 0;
    RSNB_ALIGN_HORIZONTAL = 1;

    RSNB_MASK_FIRSTIMAGE = 1;
    RSNB_MASK_FIRSTCAPTION = 2;
    RSNB_MASK_PREVIMAGE = 4;
    RSNB_MASK_PREVCAPTION = 8;

```

```
RSNB_MASK_NEXTIMAGE = 16;
RSNB_MASK_NEXTCAPTION = 32;
RSNB_MASK_LASTIMAGE = 64;
RSNB_MASK_LASTCAPTION = 128;
```

```
//public members
```

```
_RecordsetNavbar.prototype.updateOnMove = true;
_RecordsetNavbar.prototype.pageSize = 1;
_RecordsetNavbar.prototype.maintainState = true;
```

```
//private members
```

```
_RecordsetNavbar.prototype._bvisible = true;
_RecordsetNavbar.prototype._nAlignment = RSNB_ALIGN_HORIZONTAL;
_RecordsetNavbar.prototype._nButtonMask = 0;
_RecordsetNavbar.prototype._bCancelOperation = false;
_RecordsetNavbar.prototype._objDataSource = null;
_RecordsetNavbar.prototype._nButtonCount = 4;
_RecordsetNavbar.prototype._nButtonNames = new
```

```
Array('First','Previous','Next','Last');
```

```
//public methods
```

```
_RecordsetNavbar.prototype.isvisible = _RSNB_isvisible;
_RecordsetNavbar.prototype.show = _RSNB_show;
_RecordsetNavbar.prototype.hide = _RSNB_hide;
_RecordsetNavbar.prototype.getAlignment = _RSNB_getAlignment;
_RecordsetNavbar.prototype.setAlignment = _RSNB_setAlignment;
_RecordsetNavbar.prototype.setButtonStyles = _RSNB_setButtonStyles;
_RecordsetNavbar.prototype.getButtonStyles = _RSNB_getButtonStyles;
_RecordsetNavbar.prototype.cancelOperation = _RSNB_cancelOperation;
_RecordsetNavbar.prototype.isOperationCancelled =
```

```
_RSNB_isOperationCancelled;
```

```
_RecordsetNavbar.prototype.getButton = _RSNB_getButton;
_RecordsetNavbar.prototype.getDataSource = _RSNB_getDataSource;
_RecordsetNavbar.prototype.setDataSource = _RSNB_setDataSource;
_RecordsetNavbar.prototype.advise = _RSNB_advise;
_RecordsetNavbar.prototype.unadvise = _RSNB_unadvise;
_RecordsetNavbar.prototype.display = _RSNB_display;
```

```
//private methods
```

```
_RecordsetNavbar.prototype._onfirstclick = _RSNB__onfirstclick;
_RecordsetNavbar.prototype._onpreviousclick = _RSNB__onpreviousclick;
_RecordsetNavbar.prototype._onnextclick = _RSNB__onnextclick;
_RecordsetNavbar.prototype._onlastclick = _RSNB__onlastclick;
_RecordsetNavbar.prototype._createButtons = _RSNB__createButtons;
_RecordsetNavbar.prototype._fireEvent = _EM__fireEvent;
_RecordsetNavbar.prototype._preserveState = _RSNB__preserveState;
_RecordsetNavbar.prototype._restoreState = _RSNB__restoreState;
_RecordsetNavbar.prototype._hasState = _RSNB__hasState;
```

```
//scope implementation to _RSNB__Prototype function
```

```
function _RSNB_isvisible()
{   return this._bvisible;   }
```

```
function _RSNB_show()
{   this._bvisible = true;   }
```

```
function _RSNB_hide()
{   this._bvisible = false;   }
```

```
function _RSNB_getAlignment()
{   return this._nAlignment;   }
```

```

function _RSNB_setAlignment(nAlignment)
{
    this._nAlignment = nAlignment;
}

function _RSNB_setButtonStyles(nButtonMask)
{
    this._createButtons(nButtonMask);
}

function _RSNB_getButtonStyles()
{
    return this._nButtonMask;
}

function _RSNB_cancelOperation()
{
    this._bCancelOperation = true;
}

function _RSNB_isOperationCancelled()
{
    return this._bCancelOperation;
}

function _RSNB_getButton(nIndex)
{
    if (nIndex >= RSNB_BUTTONFIRST && nIndex <= RSNB_BUTTONLAST)
        return this._buttons[nIndex];
    return null;
}

function _RSNB_getDataSource()
{
    return this._objDataSource;
}

function _RSNB_setDataSource(objDataSource)
{
    this._objDataSource = objDataSource;
}

function _RSNB_advise(strEvent, funcToCall)
{
    return this._objEventManager.advise(strEvent, funcToCall);
}

function _RSNB_unadvise(strEvent, nAdviseID)
{
    return this._objEventManager.unadvise(strEvent, nAdviseID);
}

function _RSNB_display()
{
    if (this._bvisible)
    {
        for (var i = RSNB_BUTTONFIRST; i < this._nButtonCount; i++)
        {
            if (this._buttons[i] != null)
            {
                this._buttons[i].maintainState =
this.maintainState;
                this._buttons[i].display();
                if (i != RSNB_BUTTONLAST)
                {
                    if (this._nAlignment ==
RSNB_ALIGN_VERTICAL)
                        Response.write('<BR>');
                }
            }
        }
    }
    this._preserveState();
}

function _RSNB__onfirstclick()
{
    this._objEventManager.fireEvent(RSNB_ONFIRSTCLICK);
    if (this._objDataSource != null && !this._bCancelOperation)
    {
        if (this.updateOnMove)
            Page 3
    }
}

```

09898509 070304
T0E020 6056666

```

        RSNAVBAR.ASP
        this._objDataSource.updateRecord();
        this._objDataSource.moveFirst();
    }
    else
        this._bCancelOperation = false;
}

function _RSNB__onpreviousclick()
{
    var objRS = this._objDataSource;
    if (objRS == null)
    {
        this._objEventManager.fireEvent(RSNB_ONPREVIOUSCLICK);
        this._bCancelOperation = false;
    }
    else if (!objRS.EOF)
    {
        this._objEventManager.fireEvent(RSNB_ONPREVIOUSCLICK);
        if (!this._bCancelOperation)
        {
            if (this.updateOnMove)
                objRS.updateRecord();
            if (this.pageSize > 1)
            {
                // move to first record of previous page
                var curPos = objRS.absolutePosition;
                var nCount = objRS.getCount();
                if (objRS.EOF) curPos = nCount;
                if (curPos > 0 && nCount > 0)
                {
                    var curPage = (curPos - (curPos %
this.pageSize)) / this.pageSize;
                    if (curPage > 1)
                    {
                        objRS.moveAbsolute(((curPage-1) * this.pageSize) + 1);
                    }
                    else
                        objRS.moveFirst();
                    return;
                }
            }
            // otherwise, move to previous record
            objRS.movePrevious();
            if (objRS.EOF)
                objRS.moveFirst();
        }
        else
            this._bCancelOperation = false;
    }
}

function _RSNB__onnextclick()
{
    var objRS = this._objDataSource;
    if (objRS == null)
    {
        this._objEventManager.fireEvent(RSNB_ONNEXTCLICK);
        this._bCancelOperation = false;
    }
    else if (!objRS.EOF)
    {
        this._objEventManager.fireEvent(RSNB_ONNEXTCLICK);

```

```
if (!this._bCancelOperation)
{
```

```
    if (this.updateOnMove)
        objRS.updateRecord();
    if (this.pageSize > 1)
    {
        // move to first record of next page
        var curPos = objRS.absolutePosition;
        var nCount = objRS.getCount();
        if (objRS.BOF) curPos = 1;
        if (curPos > 0 && nCount > 0)
        {
```

```
1) % this.pageSize)) / this.pageSize;
```

```
this.pageSize;
```

```
nCount)
```

```
        var curPage = (curPos - ((curPos -
```

```
        var newPos = curPage *
```

```
        if (newPos + this.pageSize <=
```

```
            newPos += this.pageSize;
        objRS.moveAbsolute(newPos);
        return;
    }
}
```

```
    // otherwise, move to next record
    objRS.moveNext();
    if (objRS.EOF)
        objRS.moveLast();
}
```

```
    }
    else
```

```
        this._bCancelOperation = false;
}
```

```
function _RSNB__onlastclick()
{
```

```
    this._objEventManager.fireEvent(RSNB_ONLASTCLICK);
    if (this._objDataSource != null && !this._bCancelOperation)
```

```
    {
        if (this.updateOnMove)
            this._objDataSource.updateRecord();
        this._objDataSource.moveLast();
    }
}
```

```
    else
```

```
        this._bCancelOperation = false;
}
```

```
function _RSNB__createButtons(nButtonMask)
{
```

```
    var objButton = null;
    var buttonType;
    this._nButtonMask = nButtonMask;
    if ((nButtonMask & (RSNB_MASK_FIRSTIMAGE | RSNB_MASK_FIRSTCAPTION))
```

```
!= 0)
```

```
    {
```

```
        buttonType = ((nButtonMask & RSNB_MASK_FIRSTIMAGE) != 0) ? 1
```

```
: 0;
```

```
        objButton = CreateButton(this.name + 'First', null, null);
        objButton.setStyle(buttonType);
        objButton.advise('onclick', this.name + '._onfirstclick()');
        this._buttons[RSNB_BUTTONFIRST] = objButton;
    }
}
```

```
    if ((nButtonMask & (RSNB_MASK_PREVIMAGE | RSNB_MASK_PREVCAPTION)) !=
```

```
0)
```


RSNAVBAR.ASP

```

{
    buttonType = ((nButtonMask & RSNB_MASK_PREVIMAGE) != 0) ? 1
: 0;
    objButton = CreateButton(this.name + 'Previous',null,null);
    objButton.setStyle(buttonType);
    objButton.advise('onclick',this.name +
'._onpreviousclick()');
    this._buttons[RSNB_BUTTONPREV] = objButton;
}
if ((nButtonMask & (RSNB_MASK_NEXTIMAGE | RSNB_MASK_NEXTCAPTION)) !=
0)
{
    buttonType = ((nButtonMask & RSNB_MASK_NEXTIMAGE) != 0) ? 1
: 0;
    objButton = CreateButton(this.name + 'Next',null,null);
    objButton.setStyle(buttonType);
    objButton.advise('onclick',this.name + '._onnextclick()');
    this._buttons[RSNB_BUTTONNEXT] = objButton;
}
if ((nButtonMask & (RSNB_MASK_LASTIMAGE | RSNB_MASK_LASTCAPTION)) !=
0)
{
    buttonType = ((nButtonMask & RSNB_MASK_LASTIMAGE) != 0) ? 1
: 0;
    objButton = CreateButton(this.name + 'Last',null,null);
    objButton.setStyle(buttonType);
    objButton.advise('onclick',this.name + '._onlastclick()');
    this._buttons[RSNB_BUTTONLAST] = objButton;
}
}

```

Function _RSNB__preserveState()

```

{
    if (this.maintainState)
    {
        var state = new Object;
        state._bVisible = this._bVisible;
        if (this._nAlignment != RSNB_ALIGN_HORIZONTAL)
            state._nAlignment = this._nAlignment;
        if (!this.updateOnMove)
            state.updateOnMove = false;
        if (this.pageSize != 1)
            state.pageSize = this.pageSize;

        return thisPage.persistState(this.name,state);
    }
    return false;
}

```

function _RSNB__restoreState()

```

{
    this._fireEvent(this._funcInit);
    if (this.maintainState)
    {
        var state = thisPage.unpersistState(this.name);
        if (state != null)
        {
            if (state._bVisible != null)
                this._bVisible = (state._bVisible != 'false'
&& state._bVisible != '0');
            else
                this._bVisible = true;

```


RSTAVBAR.HTM

```
// *****<BR>
// Microsoft Script Library<BR>
// Visual InterDev 6.0 RecordsetNavbar Object for DHTML<BR>
// Copyright 1998 Microsoft Corporation. All Rights Reserved.<BR>
// <B>Do not modify in design view. Switch to source view.</B><BR>
// *****<BR>
// <SCRIPT>
function CreateRecordsetNavbar(strName,funcInit,objParent)
{
    if (typeof(strName) == 'string' && strName != '')
    {
        if (typeof(RSNB_ONFIRSTCLICK) == 'undefined')
        {
            // define RSNB constants
            RSNB_ONFIRSTCLICK = 'onfirstclick';
            RSNB_ONPREVIOUSCLICK = 'onpreviousclick';
            RSNB_ONNEXTCLICK = 'onnextclick';
            RSNB_ONLASTCLICK = 'onlastclick';

            RSNB_BUTTONFIRST = 0;
            RSNB_BUTTONPREV = 1;
            RSNB_BUTTONNEXT = 2;
            RSNB_BUTTONLAST = 3;

            RSNB_ALIGN_VERTICAL = 0;
            RSNB_ALIGN_HORIZONTAL = 1;

            RSNB_MASK_FIRSTIMAGE = 1;
            RSNB_MASK_FIRSTCAPTION = 2;
            RSNB_MASK_PREVIMAGE = 4;
            RSNB_MASK_PREVCAPTION = 8;
            RSNB_MASK_NEXTIMAGE = 16;
            RSNB_MASK_NEXTCAPTION = 32;
            RSNB_MASK_LASTIMAGE = 64;
            RSNB_MASK_LASTCAPTION = 128;

            _RSNB_BUTTONCOUNT = 4;
            _RSNB_BUTTONNAMES = new
Array('First','Previous','Next','Last');
        }

        if ((objParent != null) && (typeof(objParent) == 'object'))
        {
            var strHTML = '<' + 'span name="' + strName + '" id="' + strName
+ '"></span>';
            objParent.insertAdjacentHTML('BeforeEnd',strHTML);
        }
        else
        {
            document.write('<' + 'span name="' + strName + '" id="' +
strName + '"></span>');
        }

        objSpan = eval(strName);
        if ((objSpan == null) || (typeof(objSpan) != 'object'))
            return null;

        //public members
        objSpan.pageSize = 1;
        objSpan.updateOnMove = true;
        objSpan.isVisible = _RSNB_isvisible;
        objSpan.show = _RSNB_show;
        objSpan.hide = _RSNB_hide;
        objSpan.getAlignment = _RSNB_getAlignment;
        objSpan.setAlignment = _RSNB_setAlignment;
        objSpan.setButtonStyles = _RSNB_setButtonStyles;
    }
}
```

RSNAVBAR.HTM

```

objSpan.getButtonStyles = _RSNB_getButtonStyles;
objSpan.cancelOperation = _RSNB_cancelOperation;
objSpan.isOperationCancelled = _RSNB_isOperationCancelled;
objSpan.getButton = _RSNB_getButton;
objSpan.getDataSource = _RSNB_getDataSource;
objSpan.setDataSource = _RSNB_setDataSource;
objSpan.display = _RSNB_display;
objSpan.advise = _RSNB_advise;
objSpan.unadvise = _RSNB_unadvise;

//private members
objSpan._onfirstclick = _RSNB__onfirstclick;
objSpan._onpreviousclick = _RSNB__onpreviousclick;
objSpan._onnextclick = _RSNB__onnextclick;
objSpan._onlastclick = _RSNB__onlastclick;

objSpan._nAlignment = RSNB_ALIGN_HORIZONTAL;
objSpan._objDataSource = null;
objSpan._fireEvent = _RSNB__fireEvent;
objSpan._bCancelOperation = false;
objSpan._nButtonMask = 0;
objSpan._bCreated = false;

// advise for default eventhandlers
objSpan._objEventManager = CreateEventManager();
objSpan._fireEvent('_RSNB__onbeforefuncinit(' + objSpan.id + ')');
objSpan._fireEvent(funcInit);

return objSpan;

```

```

}
return null;
}

```

```

function _RSNB__GenerateRecordsetNavbar(objSpan,nButtonMask)
{

```

```

    var strSepContent = '<br>';
    var strName = objSpan.name;
    var nAlignment = objSpan._nAlignment;
    this._nButtonMask = nButtonMask;

```

```

    if (nAlignment == RSNB_ALIGN_HORIZONTAL)
        strSepContent = ' ';

```

```

    var strSpanContent = ' ';
    var buttonType;
    var objButton = null;

```

```

    if ((nButtonMask & (RSNB_MASK_FIRSTIMAGE | RSNB_MASK_FIRSTCAPTION)) != 0)
    {
        buttonType = ((nButtonMask & RSNB_MASK_FIRSTIMAGE) != 0) ? 1 : 0;
        objButton = CreateButton(strName + '_Button0',null,objSpan);
        objButton.advise(BTN_ONCLICK,strName + '._onfirstclick()');
        objButton.setStyle(buttonType);
        strSpanContent = strSepContent;
    }

```

```

    var strSeparatorSpan = '<span id="" + strName + '_Span0">' + strSpanContent
+ '</span>';
    objSpan.insertAdjacentHTML('BeforeEnd',strSeparatorSpan);
    strSpanContent = ' ';

```

```

    if ((nButtonMask & (RSNB_MASK_PREVIMAGE | RSNB_MASK_PREVCAPTION)) != 0)
    {

```

RSNAVBAR.HTM

```

buttonType = ((nButtonMask & RSNB_MASK_PREVIMAGE) != 0) ? 1 : 0;
objButton = CreateButton(strName + '_Button1',null,objSpan);
objButton.advise(BTN_ONCLICK,strName + '._onpreviousclick()');
objButton.setStyle(buttonType);
strSpanContent = strSepContent;

```

```

}

```

```

strSeparatorSpan = '<span id="' + strName + '_Span1">' + strSpanContent +
'</span>';
objSpan.insertAdjacentHTML('BeforeEnd',strSeparatorSpan);
strSpanContent = '';

```

```

if ((nButtonMask & (RSNB_MASK_NEXTIMAGE | RSNB_MASK_NEXTCAPTION)) != 0)
{
    buttonType = ((nButtonMask & RSNB_MASK_NEXTIMAGE) != 0) ? 1 : 0;
    objButton = CreateButton(strName + '_Button2',null,objSpan);
    objButton.advise(BTN_ONCLICK,strName + '._onnextclick()');
    objButton.setStyle(buttonType);
    strSpanContent = strSepContent;
}

```

```

strSeparatorSpan = '<span id="' + strName + '_Span2">' + strSpanContent +
'</span>';
objSpan.insertAdjacentHTML('BeforeEnd',strSeparatorSpan);
strSpanContent = '';

```

```

if ((nButtonMask & (RSNB_MASK_LASTIMAGE | RSNB_MASK_LASTCAPTION)) != 0)
{
    buttonType = ((nButtonMask & RSNB_MASK_LASTIMAGE) != 0) ? 1 : 0;
    objButton = CreateButton(strName + '_Button3',null,objSpan);
    objButton.advise(BTN_ONCLICK,strName + '._onlastclick()');
    objButton.setStyle(buttonType);
}

```

```

objSpan._bCreated = true;

```

```

}

```

```

function _RSNB_isVisible()
{
    return (this.style.visibility != 'hidden');
}

```

```

function _RSNB_show()
{
    this.style.visibility = 'visible';
}

```

```

function _RSNB_hide()
{
    this.style.visibility = 'hidden';
}

```

```

function _RSNB_getAlignment()
{
    return this._nAlignment;
}

```

```

function _RSNB_setAlignment(nAlignment)
{
    if(!isNaN(parseInt(nAlignment)))
    {
        this._nAlignment = nAlignment;
        if (this._bCreated)
        {
            var strToInsert = '<br>';
            if (nAlignment == RSNB_ALIGN_HORIZONTAL)
                strToInsert = '';

            for (var nIndex = 0; nIndex < 3; ++ nIndex)
            {
                var objSpan = document.all(this.id + '_Span' +
                Page 3
            }
        }
    }
}

```

0585509.070301

```

nIndex)
    if ((objSpan != null) && (objSpan.innerHTML !=
strToInsert))
        objSpan.innerHTML = strToInsert;
    }
    return true;
}
return false;
}

function _RSNB_setButtonStyles(nButtonMask)
{
    _RSNB__GenerateRecordsetNavbar(this, nButtonMask);
}

function _RSNB_getButtonStyles()
{
    return this._nButtonMask;
}

function _RSNB_cancelOperation()
{
    this._bCancelOperation = true;
}

function _RSNB_isOperationCancelled()
{
    return this._bCancelOperation;
}

function _RSNB_getButton(nIndex)
{
    if ((nIndex >= RSNB_BUTTONFIRST) && (nIndex <= RSNB_BUTTONLAST))
        return document.all(this.id + '_Button' + nIndex);
    return null;
}

function _RSNB_getDataSource()
{
    return this._objDataSource;
}

function _RSNB_setDataSource(objRecordset)
{
    this._objDataSource = objRecordset;
}

function _RSNB_advise(strEvent, funcToCall)
{
    return this._objEventManager.advise(strEvent, funcToCall);
}

function _RSNB_unadvise(strEvent, nAdviseID)
{
    return this._objEventManager.unadvise(strEvent, nAdviseID);
}

function _RSNB_display()
{
}

function _RSNB__onfirstclick()
{
    this._objEventManager.fireEvent(RSNB_ONFIRSTCLICK);
    if (this._objDataSource != null && !this._bCancelOperation)
    {
        if (this.updateOnMove)
            this._objDataSource.updateRecord();
        this._objDataSource.moveFirst();
    }
    else
        this._bCancelOperation = false;
}

function _RSNB__onpreviousclick()
{
    if (this._objDataSource == null)
    {
        this._objEventManager.fireEvent(RSNB_ONPREVIOUSCLICK);
    }
}

```

```

        this._bCancelOperation = false;
    }
    else if (!this._objDataSource.BOF)
    {
        this._objEventManager.fireEvent(RSNB_ONPREVIOUSCLICK);
        if (!this._bCancelOperation)
        {
            if (this.updateOnMove)
                this._objDataSource.updateRecord();
            if (this.pageSize > 1)
            {
                // move to first record of previous page
                var curPos = this._objDataSource.absolutePosition;
                var nCount = this._objDataSource.getCount();
                if (this._objDataSource.EOF) curPos = nCount;
                if (curPos > 0 && nCount > 0)
                {
                    var curPage = (curPos - (curPos %
this.pageSize)) / this.pageSize;
                    if (curPage > 1)
                    {
this._objDataSource.moveAbsolute(((curPage-1) * this.pageSize) + 1);
                    }
                    else
                        this._objDataSource.moveFirst();
                    return;
                }
            }
            // otherwise, move to previous record
            this._objDataSource.movePrevious();
            if (this._objDataSource.BOF)
                this._objDataSource.moveFirst();
        }
        else
            this._bCancelOperation = false;
    }
}

function _RSNB_onnextclick()
{
    if (this._objDataSource == null)
    {
        this._objEventManager.fireEvent(RSNB_ONNEXTCLICK);
        this._bCancelOperation = false;
    }
    else if (!this._objDataSource.EOF)
    {
        this._objEventManager.fireEvent(RSNB_ONNEXTCLICK);
        if (!this._bCancelOperation)
        {
            if (this.updateOnMove)
                this._objDataSource.updateRecord();

            if (this.pageSize > 1)
            {
                // move to first record of next page
                var curPos = this._objDataSource.absolutePosition;
                var nCount = this._objDataSource.getCount();
                if (this._objDataSource.BOF) curPos = 1;
                if (curPos > 0 && nCount > 0)
                {
                    var curPage = (curPos - ((curPos - 1) %
Page 5

```

Page 2

	cancel	Request	hasResponse	endResponse	getRequestID	getStatus	getData
!	°	•	•	•	»	•	•
°	À	•	¼	•	•	•	•
Ç	È	•	É	¾	•	•	•
ı	•	¼	Ê	•	•	•	•
•	Ö	•	Ë	•	•	•	•
			Ç				

Variable	Mean	Standard Deviation	Minimum	Maximum
Age	34.5	10.2	22	55
Gender	0.5	0.5	0	1
Marital Status	0.6	0.5	0	1
Education	12.5	1.5	10	15
Income	35000	15000	15000	70000
Health	0.8	0.2	0	1
Smoking	0.3	0.5	0	1
Alcohol	0.2	0.4	0	1
Exercise	0.4	0.5	0	1
Stress	0.6	0.5	0	1
Depression	0.3	0.5	0	1
Loneliness	0.4	0.5	0	1
Life Satisfaction	0.7	0.3	0	1
Quality of Life	0.8	0.2	0	1
Overall Health	0.9	0.1	0	1

[illegible]

RSPROXY.JAVA

```

// *****
// Microsoft Script Library
// Visual InterDev 6.0 Remote Scripting proxy
// Copyright 1998 Microsoft Corporation. All Rights Reserved.
// *****
import java.applet.*;
import java.awt.*;

import java.net.URL;
import java.io.InputStream;
import java.io.IOException;

//=====
// Main Class for applet RSProxy
//=====
public class RSProxy extends Applet implements Runnable
{
    // APPLET INFO SUPPORT:
    // The getAppletInfo() method returns a string describing the applet's
    // author, copyright date, or miscellaneous information.
    //-----
    public String getAppletInfo()
    {
        return "Name: RSProxy\r\n" +
            "Author: Microsoft\r\n" +
            "Copyright (c) 1998 Microsoft Corp.";
    }

    public void init() { resize(0,0); }
    public void destroy() {}
    public void paint(Graphics g) {}
    public void start() {}
    public void stop() {}

    // Event Status Codes
    //-----
    static final int E_FAIL = -1;
    static final int S_COMPLETED = 0;
    static final int S_PENDING = 1;
    static final int S_PARTIAL = 2;

    // Request Object Definition
    //-----
    static final int REQUEST_NEXT = 0;
    static final int REQUEST_PREV = 1;
    static final int REQUEST_ID = 2;
    static final int REQUEST_URL = 3;
    static final int REQUEST_URLCONTEXT = 4;
    static final int REQUEST_MODE = 5;
    static final int REQUEST_THREAD = 6;
    static final int C_REQUEST = 7;

    // Request Object Modes
    //-----
    static final int REQUEST_MODE_COMPLETE = 0;
    static final int REQUEST_MODE_PARTIAL = 1;

```

```
// Response Object Definition
```

```
//-----
static final int RESPONSE_NEXT = 0;
static final int RESPONSE_REQUESTID = 1;
static final int RESPONSE_STATUS = 2;
static final int RESPONSE_MESSAGE = 3;
static final int RESPONSE_DATA = 4;
static final int C_RESPONSE = 5;
```

```
// Other Constants
```

```
//-----
static final int BUFFER_SIZE = 512;
static final int EXPECTED_MAX_CONCURRENT_CALLS = 5;
```

```
// Private Members
```

```
//-----
// Request list. Requests are inserted at head and removed when completed.
private Object m_requestLock;
private Object[] m_requestHead;
// Response queue.
private Object m_responseLock;
private Object[] m_responseHead;
private Object[] m_responseTail;
```

```
// Public Methods
```

```
//-----
// RSProxy class constructor
public RSProxy()
```

```
{
    m_requestLock = new Object();
    m_responseLock = new Object();
}
```

```
// initiates a request given an id and url
mode) public void startRequest(String requestID,String url_context,String url,int
{
    Object[] request = new Request(requestID,url_context,url,mode);
    insertRequest(request);
    Thread thread = new Thread(this,requestID);
    request[REQUEST_THREAD] = thread;
    thread.start();
}
```

```
// used to poll applet for response
public synchronized boolean waitForResponse()
```

```
{
    // a response is already queued up
    if (null != m_responseHead)
        return true;
```

```
// a response cannot be generated without a request
    if (null == m_requestHead)
        return false;
```

```
try
{
    // try waiting for a response
    while (null == m_responseHead)
        wait();
}
```

```

        return true;
    }
    catch (InterruptedException ie)
    {
        return false;
    }
}

public synchronized void cancelRequest(String requestId)
{
    Object [] request = findRequest(requestId);

    if (request == null)
        return;
    if (request[REQUEST_THREAD] != null)
        ((Thread)request[REQUEST_THREAD]).stop();
}
// The following methods get the response information
// Only the UI thread should call these methods.
public boolean hasResponse()
{
    return null != m_responseHead;
}

public void endResponse()
{
    removeResponse();
}

public String getRequestID()
{
    if (null == m_responseHead)
        return "";
    return (String)m_responseHead[RESPONSE_REQUESTID];
}

public int getStatus()
{
    if (null == m_responseHead)
        return 0;
    return getInteger(m_responseHead[RESPONSE_STATUS]);
}

public String getMessage()
{
    if (null == m_responseHead)
        return "";
    return (String)m_responseHead[RESPONSE_MESSAGE];
}

public String getData()
{
    if (null == m_responseHead)
        return "";
    return (String)m_responseHead[RESPONSE_DATA];
}

// Runnable Protocol
//-----
public void run()
{
    String requestId = Thread.currentThread().getName();
    runUrlDownloadThread(requestId);
}

// Protected Methods

```

```
//-----
// spawns worker thread to asynchronously retrieve data for given request
protected void runUrlDownloadThread(String requestID)
{
```

```
    Object[] request = findRequest(requestID);
    Object[] response;
```

```
    if (null == request)
        response = newErrorResponse(requestID,"Unknown request id.");
    else
    {
```

```
        try
        {
```

```
            int bytesRead;
            byte[] buffer = new byte[BUFFER_SIZE];
            URL contextURL = new
```

```
URL((String)request[REQUEST_URLCONTEXT]);
```

```
            InputStream stream = new
```

```
URL(contextURL,(String)request[REQUEST_URL]).openStream();
```

```
            StringBuffer responseBuffer = new StringBuffer();
```

```
            while (-1 != (bytesRead = stream.read(buffer)))
            {
```

```
                if (request[REQUEST_MODE] ==
```

```
getObject(REQUEST_MODE_PARTIAL))
```

```
                { // generate response as partial data
```

```
                buffers are received
```

```
                    response =
                    newDataResponse(requestID,new String(buffer,0,0,bytesRead),false);
```

```
                    handleResponse(request,response);
```

```
                } else //if (request[REQUEST_MODE] ==
```

```
getObject(REQUEST_MODE_COMPLETE))
```

```
                { // generate a single response when
```

```
                request is complete
```

```
                    responseBuffer.append(new
```

```
String(buffer,0,0,bytesRead));
```

```
                }
```

```
            }
```

```
            stream.close();
```

```
            if (request[REQUEST_MODE] ==
```

```
getObject(REQUEST_MODE_PARTIAL))
```

```
                response = newDataResponse(requestID, "",
```

```
true);
```

```
            else //if (request[REQUEST_MODE] ==
```

```
getObject(REQUEST_MODE_COMPLETE))
```

```
                response =
```

```
newDataResponse(requestID,responseBuffer.toString(),true);
```

```
            }
            catch (Exception e)
            {
```

```
                response = newErrorResponse(requestID,e.getMessage());
```

```
            }
```

```
        }
```

```
        handleResponse(request,response);
```

```
    }
```

```
    // handle response, inserts response into queue, removes request when
complete
```

```
protected synchronized void handleResponse(Object[] request,Object[] response)
```

RSPROXY.JAVA

```

{
    insertResponse(response);
        int status = getInteger(response[RESPONSE_STATUS]);
    if (S_COMPLETED == status || E_FAIL == status)
        removeRequest(request);
    notifyAll();
}

// Object constructors
//-----

// constructor for new Request object
protected Object[] newRequest(String requestID,String url_context,String url,int
mode)
{
    Object[] request = new Object[C_REQUEST];
    request[REQUEST_ID] = requestID;
    request[REQUEST_URL] = url;
    request[REQUEST_URLCONTEXT] = url_context;
    request[REQUEST_MODE] = getObject(mode);
    return request;
}

// constructor for new Response object
protected Object[] newDataResponse(String requestID,String data,boolean
finished)
{
    Object[] response = new Object[C_RESPONSE];
    response[RESPONSE_REQUESTID] = requestID;
    response[RESPONSE_STATUS] = new Integer(finished ? S_COMPLETED : S_PARTIAL);
    response[RESPONSE_MESSAGE] = "Completed";
    response[RESPONSE_DATA] = data;
    return response;
}

// constructor for new ErrorResponse object
protected Object[] newErrorResponse(String requestID,String message)
{
    Object[] response = new Object[C_RESPONSE];
    response[RESPONSE_REQUESTID] = requestID;
    response[RESPONSE_STATUS] = new Integer(E_FAIL);
    response[RESPONSE_MESSAGE] = message;
    response[RESPONSE_DATA] = "";
    return response;
}

// list management routines
//-----

// find a given request object in the request list
protected Object[] findRequest(String requestID)
{
    synchronized (m_requestLock)
    {
        Object[] i;
        for (i = m_requestHead; null != i; i = (Object[])i[REQUEST_NEXT])
        {
            if (0 == requestID.compareTo((String)i[REQUEST_ID]))
                return i;
        }
    }
    return null;
}

```

```

// insert a request object at the head of the request list
protected void insertRequest(Object[] request)
{

```

```

    synchronized (m_requestLock)
    {
        request[REQUEST_PREV] = null;
        request[REQUEST_NEXT] = m_requestHead;
        if (null != m_requestHead)
            m_requestHead[REQUEST_PREV] = request;
        m_requestHead = request;
    }
}

```

```

// remove a request object from the request list
protected void removeRequest(Object[] request)
{

```

```

    synchronized (m_requestLock)
    {
        if (null == request[REQUEST_PREV])
            m_requestHead = (Object[])request[REQUEST_NEXT];
        else
            ((Object[])request[REQUEST_PREV])[REQUEST_NEXT] =
request[REQUEST_NEXT];
        if (null != request[REQUEST_NEXT])
            ((Object[])request[REQUEST_NEXT])[REQUEST_PREV] =
request[REQUEST_PREV];
    }
}

```

```

// insert a response object onto the tail of the queue
protected void insertResponse(Object[] response)
{

```

```

    synchronized (m_responseLock)
    {
        if (null == m_responseHead)
        {
            m_responseHead = response;
            m_responseTail = response;
        }
        else
        {
            m_responseTail[RESPONSE_NEXT] = response;
            m_responseTail = response;
        }
    }
}

```

```

// remove response at the head of the queue
protected void removeResponse()
{

```

```

    synchronized (m_responseLock)
    {
        if (null != m_responseHead)
        {
            m_responseHead = (Object[])m_responseHead[RESPONSE_NEXT];
            if (null == m_responseHead)
                m_responseTail = null;
        }
    }
}

```

```
// private helper functions
```

```
//-----  
// casts int as Object  
private Object getObject(int integer)  
{  
    return new Integer(integer);  
}
```

```
// casts Object as int  
private int getInteger(Object obj)  
{  
    if (null == obj)  
        return 0;  
    return ((Integer)obj).intValue();  
}
```

```
}
```

TEXTBOX.ASP

```

<SCRIPT RUNAT=SERVER LANGUAGE="JavaScript">
// *****
// Microsoft Script Library
// Visual InterDev 6.0 Textbox Object for ASP
//
// Copyright 1998 Microsoft Corporation. All Rights Reserved.
// *****
function CreateTextbox(strName,funcInit,objParent)
{
    if (typeof(strName) == 'string' && strName != '')
    {
        var objTextbox = new _Textbox(strName);
        eval(strName + " = objTextbox;");

        objTextbox._funcInit = funcInit;
        thisPage.advise(PAGE_ONINIT,strName + '._restoreState()');
        return objTextbox;
    }
    return null;
}

function _Textbox(strName)
{
    if (typeof(_bTXTPrototypeCalled) == 'undefined')
        _TXT__Prototype();

    // public members
    this.id = strName;
    this.name = strName;

    // private members
    this._objEventManager = CreateEventManager();
    this._objEventManager.adviseDefaultHandler(this.name,TXT_ONCHANGE);
}

function _TXT__Prototype()
{
    _bTXTPrototypeCalled = 1;
    //events
    TXT_ONCHANGE = 'onchange';
    //constants
    TXT_TEXTBOX = 0;
    TXT_TEXTAREA = 1;
    TXT_PASSWORD = 2;

    // public members
    _Textbox.prototype.disabled = false;
    _Textbox.prototype.value = '';
    _Textbox.prototype.maintainState = true;

    // private members
    _Textbox.prototype._bvisible = true;
    _Textbox.prototype._objDataSource = null;
    _Textbox.prototype._strDataField = '';
    _Textbox.prototype._nRowCount = 1;
    _Textbox.prototype._nColumnCount = -1;
    _Textbox.prototype._nMaxLength = -1;
    _Textbox.prototype._nStyle = TXT_TEXTBOX;

    //public methods
    _Textbox.prototype.isVisible = _TXT_isvisible;
    _Textbox.prototype.show = _TXT_show;
    _Textbox.prototype.hide = _TXT_hide;
}

```


TEXTBOX.ASP

```

_Textbox.prototype.getColumnCount = _TXT_getColumnCount;
_Textbox.prototype.setColumnCount = _TXT_setColumnCount;
_Textbox.prototype.getRowCount = _TXT_getRowCount;
_Textbox.prototype.setRowCount = _TXT_setRowCount;
_Textbox.prototype.getLength = _TXT_getMaxLength;
_Textbox.prototype.setMaxLength = _TXT_setMaxLength;
_Textbox.prototype.getDataSource = _SOM_getDataSource;
_Textbox.prototype.setDataSource = _SOM_setDataSource;
_Textbox.prototype.getDataField = _SOM_getDataField;
_Textbox.prototype.setDataField = _SOM_setDataField;
_Textbox.prototype.getStyle = _TXT_getStyle;
_Textbox.prototype.setStyle = _TXT_setStyle;
_Textbox.prototype.advise = _TXT_advise;
_Textbox.prototype.unadvise = _TXT_unadvise;
_Textbox.prototype.display = _TXT_display;

//private methods
_Textbox.prototype._fireEvent = _EM_fireEvent;
_Textbox.prototype._preserveState = _TXT_preserveState;
_Textbox.prototype._restoreState = _TXT_restoreState;
_Textbox.prototype._hasState = _TXT_hasState;
_Textbox.prototype._onrowenter = _TXT_onrowenter;
_Textbox.prototype._onbeforeupdate = _TXT_onbeforeupdate;

//scope implementation in _TXT__Prototype function
function _TXT_isvisible()
{
    return this._bvisible; }

function _TXT_show()
{
    this._bvisible = true; }

function _TXT_hide()
{
    this._bvisible = false; }

function _TXT_getColumnCount()
{
    return this._nColumnCount; }

function _TXT_setColumnCount(nColumnCount)
{
    if (!isNaN(parseInt(nColumnCount)) && nColumnCount > 0)
    {
        this._nColumnCount = Number(nColumnCount);
        return true;
    }
    return false;
}

function _TXT_getRowCount()
{
    return this._nRowCount; }

function _TXT_setRowCount(nRowCount)
{
    if (!isNaN(parseInt(nRowCount)) && nRowCount > 0)
    {
        this._nRowCount = Number(nRowCount);
        return true;
    }
    return false;
}

function _TXT_getMaxLength()
{
    return this._nMaxLength; }

```


TEXTBOX.ASP

```

        strHTML += ' disabled';
        strHTML += '>' + this.value +
'</TEXTAREA>\n';
    }
    else
    {
        if (this._nStyle == TXT_PASSWORD)
            strHTML = '<' + 'INPUT
type="password" id=""
id=""
+ ""';
        this._nColumnCount;
        this._nMaxLength;
        Server.HtmlEncode(this.value) + '';
        to server
        this._objEventManager.generateClientHandlers(this.name);
        var strHandler =
        strHTML += strHandler;
    }
    else
        strHTML += ' disabled';
    strHTML += '>\n';
}
}
Response.Write(strHTML);
}
this._preserveState();
}
function _TXT__preserveState()
{
    if (this.maintainState)
    {
        // preserve state in hidden field
        var state = new Object;
        state._bVisible = this._bVisible;
        if (this.disabled)
            state.disabled = true;
        if (this._nStyle != TXT_TEXTBOX)
            state._nStyle = this._nStyle;
        if (this._nRowCount != 1)
            state._nRowCount = this._nRowCount;
        if (this._nColumnCount != -1)
            state._nColumnCount = this._nColumnCount;
        if (this._nMaxLength != -1)
            state._nMaxLength = this._nMaxLength;
        if ((this.disabled || !this._bVisible) && this._nStyle !=
TXT_PASSWORD)
            state.value = this.value;
        return thisPage.persistState(this.name, state);
    }
    return false;
}

```

TEXTBOX.ASP

```

}

function _TXT__restoreState()
{
    var r = false;
    this._fireEvent(this._funcInit);
    if (this.maintainState)
    {
        // attempt to restore previous state
        var state = thisPage.unpersistState(this.name);
        if (state != null)
        {
            if (state._bvisible != null)
                this._bvisible = (state._bvisible != '0' &&
state._bvisible != 'false');
            else
                this._bvisible = true;
            if (state.disabled != null)
                this.disabled = (state.disabled != '0' &&
state.disabled != 'false');
            else
                this.disabled = false;
            if (state._nStyle != null)
                this._nStyle = Number(state._nStyle);
            else
                this._nStyle = TXT_TEXTBOX;
            if (state._nRowCount != null)
                this._nRowCount = Number(state._nRowCount);
            else
                this._nRowCount = 1;
            if (state._nColumnCount != null)
                this._nColumnCount =
Number(state._nColumnCount);
            else
                this._nColumnCount = -1;
            if (state._nMaxLength != null)
                this._nMaxLength =
Number(state._nMaxLength);
            else
                this._nMaxLength = -1;
            if (state.value != null)
                this.value = state.value;
            else
                this.value = '';

            r = true;
        }
    }
    var newValue = Request.Form(this.name) + '';
    if (newValue != 'undefined')
        this.value = newValue;
    return r;
}

function _TXT__hasState()
{
    if (this.maintainState)
        return thisPage.isStatePersisted(this.name);
}

```

TEXTBOX.ASP

```
        return false;
    }

    // eventhandler for databinding
    function _TXT__onrowenter(objRecordset,strDataField)
    {
        this.value = objRecordset.fields.getValue(strDataField) + '';
    }

    // eventhandler for databinding
    function _TXT__onbeforeupdate(objRecordset,strDataField)
    {
        var txtvalue = this.value;
        if (typeof(txtvalue) != 'undefined')
            objRecordset.fields.setValue(strDataField,txtvalue);
    }
} // end of _TXT__Prototype function

</SCRIPT>
```

TEXTBOX.HTM

```
// *****<BR>
// Microsoft Script Library<BR>
// Visual InterDev 6.0 Textbox Object for DHTML<BR>
// Copyright 1998 Microsoft Corporation. All Rights Reserved.<BR>
// <B>Do not modify in design view. Switch to source view.</B><BR>
// *****<BR>
// <SCRIPT>
function CreateTextbox(strName,funcInit,objParent)
{
    if (typeof(strName) != 'string' || strName == '')
        return null;

    // constants
    TXT_TEXTBOX = 0;
    TXT_TEXTAREA = 1;
    TXT_PASSWORD = 2;

    var strTag = '<SPAN id="' + strName + '_SPAN">';
    strTag = strTag + '<INPUT type="text" name="' + strName + ' id="' + strName
+ '">';
    strTag = strTag + '</SPAN>';

    if ((typeof(objParent) == 'object') && (objParent != null))
        objParent.insertAdjacentHTML('BeforeEnd',strTag);
    else
        document.write(strTag);

    //append public members
    var objTextbox = _TXT__createMembers(strName);
    if ((typeof(objTextbox) != 'object') || (objTextbox == null))
        return null;

    //events
    TXT_ONCHANGE = 'onchange';

    //private members
    objTextbox._objEventManager = null;
    objTextbox._objDataSource = null;
    objTextbox._strDataField = '';
    objTextbox._nRowCount = 1;
    objTextbox._nStyle = TXT_TEXTBOX;

    // advise for default eventhandlers
    objTextbox._objEventManager = CreateEventManager();
    objTextbox._fireEvent('_TXT__onbeforefuncinit(' + objTextbox.id + ')');
    objTextbox._fireEvent(funcInit);
    return objTextbox;
}

function _TXT__createMembers(strName)
{
    var objParentSpan = document.all[strName + '_SPAN'];
    var objTextbox = objParentSpan.children(0);
    if (typeof(objTextbox) != 'object')
        return null;

    // ensure strName is defined in global namespace
    var bDefineAsGlobal = eval('typeof(' + strName + ') == "undefined") ||
typeof(objParentSpan._makeglobal) != 'undefined';
    if (bDefineAsGlobal)
    {
        // scoped within a form, define in global namespace
        eval(strName + ' = objTextbox');
    }
}
```

```
objParentsSpan._makeGlobal = 1;
```

```
}
```

```
objTextbox.hide = _TXT_hide;
objTextbox.show = _TXT_show;
objTextbox.isVisible = _TXT_isVisible;
objTextbox.getColumnCount = _TXT_getColumnCount;
objTextbox.setColumnCount = _TXT_setColumnCount;
objTextbox.getRowCount = _TXT_getRowCount;
objTextbox.setRowCount = _TXT_setRowCount;
objTextbox.maxLength = _TXT_getMaxLength;
objTextbox.setMaxLength = _TXT_setMaxLength;
objTextbox.dataSource = _TXT_getDataSource;
objTextbox.setDataSource = _TXT_setDataSource;
objTextbox.dataField = _TXT_getDataField;
objTextbox.setDataField = _TXT_setDataField;
objTextbox.getStyle = _TXT_getStyle;
objTextbox.setStyle = _TXT_setStyle;
objTextbox.advise = _TXT_advise;
objTextbox.adviseDefaultHandler = _TXT_adviseDefaultHandler;
objTextbox.unadvise = _TXT_unadvise;
objTextbox.display = _TXT_display;
objTextbox._fireEvent = _TXT__fireEvent;
objTextbox.onbeforeupdate = _TXT__onbeforeupdate;
objTextbox._objSpan = eval(strName + '_SPAN');
return objTextbox;
```

```
function _TXT_hide()
{
    this.style.visibility = 'hidden';
}
```

```
function _TXT_show()
{
    this.style.visibility = 'visible';
}
```

```
function _TXT_isVisible()
{
    return (this.style.visibility != 'hidden');
}
```

```
function _TXT_getColumnCount()
{
    if (this._nStyle == TXT_TEXTAREA)
        return this.cols;
    else
        return this.size;
}
```

```
function _TXT_setColumnCount(nColumnCount)
{
    if (!isNaN(parseInt(nColumnCount)) && nColumnCount > 0)
    {
        if (this._nStyle == TXT_TEXTAREA)
            this.cols = Number(nColumnCount);
        else
            this.size = Number(nColumnCount);
        return true;
    }
    return false;
}
```

```
function _TXT_getRowCount()
{
    return this._nRowCount;
}
```

```
function _TXT_setRowCount(nRowCount)
{
}
```

TEXTBOX.HTM

```

if (!isNaN(parseInt(nRowCount)) && nRowCount > 0)
{
    this._nRowCount = nRowCount;
    if (this._nStyle == TXT_TEXTAREA)
        this.rows = Number(nRowCount);
    return true;
}
return false;
}

function _TXT_getMaxLength()
{
    if (this._nStyle == TXT_TEXTAREA)
        return this.cols;
    else
        return this.maxLength;
}

function _TXT_setMaxLength(nMaxLength)
{
    if (!isNaN(parseInt(nMaxLength)) && nMaxLength > 1 && this._nStyle !=
TXT_TEXTAREA)
    {
        this.maxLength = nMaxLength;
        return true;
    }
    return false;
}

function _TXT_getDataSource()
{
    return this._objDataSource;
}

function _TXT_setDataSource(objDataSource)
{
    if (typeof(objDataSource) != 'object')
        return false;

    if ((this._objDataSource != null) && (this._strDataField != ''))
    {
        if (this._objDataSource.isDHTMLAware())
        {
            this.dataSrc = '';
            this.dataFld = '';
        }
        else
        {
            this._objDataSource.unadvise(this._rowEnterID);
            this._objDataSource.unadvise(this._rowExitID);
        }
    }

    if ((this._objDataSource == null) || (objDataSource != null &&
this._objDataSource.id != objDataSource.id))
    {
        if (this._objDataSource != null)
            this._objDataSource.unadvise(this._afterOpenID);
        if (objDataSource != null)
            this._afterOpenID = objDataSource.advise(RS_ONAFTEROPEN,
this.id + '.setDataSource(' + objDataSource.id + ');');
    }

    this._objDataSource = objDataSource;

```


TEXTBOX.HTM

```

if ((objDataSource != null) && (this._strDataField != ''))
{
    if (objDataSource.isDHTMLAware())
    {
        this.dataSrc = '#' + objDataSource.getDHTMLDataSourceID();
        this.dataFld = this._strDataField;
    }
    else
    {
        this._rowEnterID = objDataSource.advise(RS_ONROWENTER,
        '_TXT__onrowenter(' + objDataSource.id + ', ' + this.id + ', "' + this._strDataField
        + '");');
        this._rowExitID = objDataSource.advise(RS_ONROWEXIT,
        '_TXT__onrowexit(' + objDataSource.id + ', ' + this.id + ', "' + this._strDataField +
        '");');
    }
}
return true;
}

function _TXT_getDataField()
{
    return this._strDataField;
}

function _TXT_setDataField(strDataField)
{
    if ((this._objDataSource != null) && (this._strDataField != ''))
    {
        if (this._objDataSource.isDHTMLAware())
        {
            this.dataSrc = '';
            this.dataFld = '';
        }
        else
        {
            this._objDataSource.unadvise(this._rowEnterID);
            this._objDataSource.unadvise(this._rowExitID);
        }
    }

    this._strDataField = strDataField;

    if ((this._objDataSource != null) && (this._strDataField != ''))
    {
        if (this._objDataSource.isDHTMLAware())
        {
            this.dataSrc = '#' +
this._objDataSource.getDHTMLDataSourceID();
            this.dataFld = strDataField;
        }
        else
        {
            this._rowEnterID = this._objDataSource.advise(RS_ONROWENTER,
            '_TXT__onrowenter(' + this._objDataSource.id + ', ' + this.id + ', "' + strDataField
            + '");');
            this._rowExitID = this._objDataSource.advise(RS_ONROWEXIT,
            '_TXT__onrowexit(' + this._objDataSource.id + ', ' + this.id + ', "' + strDataField
            + '");');
        }
    }
    return true;
}

```

```

function _TXT_getStyle()
{
    return this._nStyle;
}

function _TXT_setStyle(nStyle)
{
    if (!isNaN(parseInt(nStyle)) && (nStyle >= TXT_TEXTBOX) && (nStyle <=
    TXT_PASSWORD))
    {
        if (this._nStyle != nStyle)
        {
            // type of tag needs to be changed
            // save current state
            var bVisible = this.isVisible();
            var bDisabled = this.disabled;
            var value = this.value;
            var strName = this.name;
            var nRowCount = this.getRowCount();
            var nColCount = this.getColumnCount();
            var nMaxLength = this.getMaxLength();
            var objEventManager = this._objEventManager;
            var objDataSource = this._objDataSource;
            var strDataField = this._strDataField;

            // replace previous tag with new tag
            var strTag;
            if (nStyle == TXT_TEXTAREA)
                strTag = '<TEXTAREA name="' + strName + '" id="' +
strName + '" rows=' + nRowCount + ' style="visibility:hidden"></TEXTAREA>';
            else if (nStyle == TXT_PASSWORD)
                strTag = '<INPUT type="password" name="' +
strName + '" id="' + strName + '" style="visibility:hidden">';
            else
                strTag = '<INPUT type="text" name="' + strName +
'" id="' + strName + '" style="visibility:hidden">';
            this._objSpan.innerHTML = strTag;

            // restore previous state
            var objTextbox = _TXT__createMembers(strName);
            if ((typeof(objTextbox) != 'object') || (objTextbox ==
null))
                return false;

            objTextbox._nStyle = nStyle;
            objTextbox.value = value;
            objTextbox.disabled = bDisabled;
            objTextbox.setRowCount(nRowCount);
            objTextbox.setColumnCount(nColCount);
            objTextbox.setMaxLength(nMaxLength);
            objTextbox.setDataSource(objDataSource);
            objTextbox.setDataField(strDataField);
            if (bVisible) objTextbox.show();

            objTextbox._objEventManager = objEventManager;
            if (objEventManager != null)
            {
                //re-attach all event handlers
                var nEvents = objEventManager.getEventCount();
                for (var i=0; i < nEvents; i++)
                    eval('objTextbox.' +
objEventManager.getEvent(i) + ' = _TXT__fireEvent;');
            }
            return true;
        }
        return false;
    }
}

```

TEXTBOX.HTM

```

}

function _TXT_advise(strEvent,funcToCall)
{
    var nAdviseID = this._objEventManager.advise(strEvent,funcToCall);
    if (nAdviseID != -1)
        eval('this.' + strEvent + ' = _TXT__fireEvent;');

    return nAdviseID;
}

function _TXT_adviseDefaultHandler(strName,strEvent)
{
    var nAdviseID =
this._objEventManager.adviseDefaultHandler(strName,strEvent);
    if (nAdviseID != -1)
        eval("this." + strEvent + " = _TXT__fireEvent;");
}

function _TXT_unadvise(strEvent,nAdviseID)
{
    return this._objEventManager.unadvise(strEvent,nAdviseID);
}

function _TXT_display()
{
}

function _TXT__fireEvent(funcToFire)
{
    if (typeof(funcToFire) == 'undefined')
    {
        if (this._objEventManager != null)
            this._objEventManager.fireEvent('on' + window.event.type);
    }
    else
        _EM__fireEvent(funcToFire);
}

function _TXT__onrowenter(objRecordset,objTextbox,strDataField)
{
    objTextbox.value = objRecordset.fields.getValue(strDataField) + '';
}

function _TXT__onrowexit(objRecordset,objTextbox,strDataField)
{
    var txtValue = objTextbox.value;
    if (typeof(txtValue) != 'undefined')
        objRecordset.fields.setValue(strDataField, txtValue);
}

function _TXT__onbeforeupdate()
{
    var objTextbox = window.event.srcElement;
    if (objTextbox._objDataSource != null && objTextbox._strDataField != '')
    {
        if (typeof(objTextbox._objDataSource._rsRDS) != 'undefined')
        {
            var fieldType =
objTextbox._objDataSource._rsRDS.recordset.Fields(objTextbox._strDataField).type;
            //adDate, adDBDate, adDBTime, adDBTimeStamp
            if ((fieldType == 7) || (fieldType == 133) || (fieldType ==
134) || (fieldType == 135))
            {
                if (!isNaN(Date.parse(objTextbox.value)))
                    objTextbox._objDataSource.fields.setValue(objTextbox._strDataField,
objTextbox.value);
            }
        }
    }
}

```

TEXTBOX.HTM

```
    }  
  }  
}  
  
function _TXT__onbeforefuncinit(objTextbox)  
{  
  objTextbox.adviseDefaultHandler(objTextbox.id, TXT_ONCHANGE); }  
}
```

MajorVersion=0001
MinorVersion=0001

VERSION

09898509 1070304

ADOUTILS.ASP

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:01 -0500
vti_filesize:IX|4388
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:01 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:01 -0500

BUTTON.ASP

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:01 -0500
vti_filesize:IX|6139
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:01 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:01 -0500

BUTTON.HTM

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:01 -0500
vti_filesize:IX|5274
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:01 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:01 -0500

CHECKBOX.ASP

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:01 -0500
vti_filesize:IX|6723
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:01 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:01 -0500

CHECKBOX.HTM

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:02 -0500
vti_filesize:IX|7279
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:02 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:02 -0500

DATAGRID.ASP

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:02 -0500
vti_filesize:IX|12259
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:02 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:02 -0500

DATAGRID.HTM

vti_encoding:SR|utf8-nT
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:02 -0500
vti_filesize:IX|16764
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:02 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:02 -0500

EVENTMGR.ASP

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:03 -0500
vti_filesize:IX|446
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:03 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:03 -0500

EVENTMGR.HTM

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:03 -0500
vti_filesize:IX|4699
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:03 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:03 -0500

LABEL.ASP

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:04 -0500
vti_filesize:IX|5438
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:04 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:04 -0500

LABEL.HTM

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:04 -0500
vti_filesize:IX|5600
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:04 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:04 -0500

LISTBOX.ASP

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:04 -0500
vti_filesize:IX|11391
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:04 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:04 -0500

LISTBOX.HTM

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:05 -0500
vti_filesize:IX|9513
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:05 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:05 -0500

MISCUTILS.HTM

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:05 -0500
vti_filesize:IX|2660
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:05 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:05 -0500

OPTIONGRP.ASP

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:05 -0500
vti_filesize:IX|12607
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:05 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:05 -0500

OPTIONGRP.HTM

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:06 -0500
vti_filesize:IX|14439
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:06 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:06 -0500

PM.ASP

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:06 -0500
vti_filesize:IX|28056
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:06 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:06 -0500

PM.JS

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_timecreated:TR|04 Apr 2000 12:24:07 -0500
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_backlinkinfo:VX|
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:07 -0500

RECORDSET.ASP

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:07 -0500
vti_filesize:IX|26842
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:07 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:07 -0500

RECORDSET.HTM

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:07 -0500
vti_filesize:IX|15810
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:07 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:07 -0500

RS.ASP

vti_encoding:SR|utf8-nT
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:08 -0500
vti_filesize:IX|10043
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:08 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:08 -0500

RS.HTM

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:08 -0500
vti_filesize:IX|16411
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:08 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:08 -0500

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:08 -0500
vti_filesize:IX|11644
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:08 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:08 -0500

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:09 -0500
vti_filesize:IX|10616
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:09 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:09 -0500

RSPROXY.CLASS

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_timecreated:TR|04 Apr 2000 12:24:09 -0500
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_backlinkinfo:VX|
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:09 -0500

RSPROXY.JAVA

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_timecreated:TR|04 Apr 2000 12:24:09 -0500
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_backlinkinfo:VX|
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:09 -0500

TEXTBOX.ASP

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:10 -0500
vti_filesize:IX|8954
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:10 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:10 -0500

TEXTBOX.HTM

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_cachedlinkinfo:VX|
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|04 Apr 2000 12:24:10 -0500
vti_filesize:IX|10772
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_cacheddtm:TX|04 Apr 2000 12:24:10 -0500
vti_backlinkinfo:VX|
vti_cachedhasbots:BR|false
vti_extenderversion:SR|3.0.2.1105
vti_timeatlastmodified:TR|04 Apr 2000 12:24:10 -0500

VERSION

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_timecreated:TR|04 Apr 2000 12:24:10 -0500
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_backlinkinfo:VX|
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|04 Apr 2000 12:24:10 -0500

mine.htm

```
<html>
<head>
<title>Flash Tutorial</title>
</head>

<body bgcolor="#FFFFFF" leftmargin="0" topmargin="0">
<table width="600" border="0" cellspacing="0" cellpadding="0">
  <tr>
    <td>
      <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
        codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#3,0,0,
        0" width="600" height="400" VIEWASTEXT id="ShockwaveFlash1">
          <param name="SRC" value="../flas/tutor.swf">
          <embed src="tutor.swf"
            pluginspage="http://www.macromedia.com/shockwave/download/"
            type="application/x-shockwave-flash" width="600" height="400">
        </object>
      </td>
    </tr>
    <tr align="center">
      <td><a href="javascript:window.close()">Close window</a></td>
    </tr>
  </table>
</body>
</html>
```

```
<html>
<head>
<title>Flash Tutorial</title>
</head>

<body bgcolor="#FFFFFF" leftmargin="0" topmargin="0">
<table width="600" border="0" cellspacing="0" cellpadding="0">
  <tr>
    <td>
      <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
        codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#3,0,0,
        0" width="600" height="400" VIEWASTEXT id=ShockwaveFlash1>
          <param name="SRC" value="../../../flas/eyard.swf">
          <embed src="../../../flas/eyard.swf"
            pluginspage="http://www.macromedia.com/shockwave/download/"
            type="application/x-shockwave-flash" width="600" height="400">
        </object>
      </td>
    </tr>
    <tr align="center">
      <td><a href="javascript:window.close()">Close window</a></td>
    </tr>
  </table>
</body>
</html>
```


]~PUùA     / +I'        I3"    %           N4u  /  *  

Page 2

eyard.swf

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_timecreated:TR|05 Jul 2000 00:25:45 -0500
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_backlinkinfo:VX|
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|05 Jul 2000 00:25:45 -0500

mine.htm

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_title:SR|Flash Tutorial
vti_cachedlinkinfo:VX|D|clsid:D27CDB6E-AE6D-11cf-96B8-444553540000
D|http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab s|tutor.swf
H|javascript:window.close()
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|27 Sep 2000 11:15:52 -0500
vti_filesize:IX|783
vti_cachedbodystyle:SR|<body bgcolor="#FFFFFF" leftmargin="0" topmargin="0">
vti_backlinkinfo:VX|
vti_cacheddtm:TX|12 Jan 2001 21:11:30 -0600
vti_cachedhasbots:BR|false
vti_nexttolasttimemodified:TW|27 Sep 2000 10:16:46 -0500
vti_extenderversion:SR|3.0.2.1105
vti_cachedtitle:SR|Flash Tutorial
vti_timelastmodified:TR|12 Jan 2001 21:11:30 -0600

tutflash.htm

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_title:SR|Flash Tutorial
vti_cachedlinkinfo:VX|D|clsid:D27CDB6E-AE6D-11cf-96B8-444553540000
D|http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab
S|../flas/eyard.swf H|javascript:window.close()
vti_cachedhastheme:BR|false
vti_cachedhasborder:BR|false
vti_timecreated:TR|22 Jun 2000 11:29:19 -0500
vti_filesize:IX|790
vti_cachedbodystyle:SR|<body bgcolor="#FFFFFF" leftmargin="0" topmargin="0">
vti_backlinkinfo:VX|
vti_cacheddtm:TX|12 Jan 2001 21:11:31 -0600
vti_cachedhasbots:BR|false
vti_nexttolasttimemodified:TW|14 Jul 2000 15:47:56 -0500
vti_extenderversion:SR|3.0.2.1105
vti_cachedtitle:SR|Flash Tutorial
vti_timelastmodified:TR|12 Jan 2001 21:11:31 -0600

tutor.swf

vti_encoding:SR|utf8-nl
vti_author:SR|WATS-AURORA\\Sachin
vti_timecreated:TR|27 Sep 2000 11:16:21 -0500
vti_modifiedby:SR|WATS-AURORA\\Sachin
vti_backlinkinfo:VX|flas/mine.htm
vti_extenderversion:SR|3.0.2.1105
vti_timelastmodified:TR|27 Sep 2000 11:16:21 -0500

express.htm

STEP

1. Open Microsoft Outlook Express

STEP

2. Select the File / Export / Address Book ... Menu option

STEP

3. Select "Text File (Comma Separated Value)" and press Export

STEP

4. Name the file and click Next.

STEP

5. Click Finish

STEP

6. Go to Email List page of eyardsigns.com

STEP

7. Find the "Import from Outlook Express" section, select the CSV file you just created (if it is not listed in the folder you saved the file to, make sure "Files of type" pulldown in the Open window is set to "All Files"), and choose "Import Now" to import your Outlook Express addresses to your Evite.com account

STEP

1. Open Your Netscape Mail

STEP

2. Select the File /

Export... Menu option

STEP

3. In the "Save as type" choice menu, select "Comma Separated (*.csv)"

STEP

4. In the box enter "Netscape addresses"

STEP

5. Enter a convenient file location in the box "file name"

STEP

6. Click Save

STEP

7. Go to Email List page of eyardsigns.com

STEP

8. Find the "Import from Netscape" section, select the CSV file you just created (if it is not listed in the folder you saved the file to, make sure "Files of type" pull down in the Open window is set to "All Files"), and choose "Import Now" to import your Netscape addresses to your eyardsigns.com account.

outlook.htm

STEP 1. Open Microsoft Outlook
STEP 2. Select the File / Import and Export... Menu option

STEP 3. Select "Export to a file" and click Next

STEP 4. Select your Contacts folder and click Next (Outlook 98 users, perform step 5 first)

STEP 5. Select "Comma Separated Values (windows)" and click Next.

STEP 6. Enter a convenient file location and name ending in .CSV and click Next

STEP 7. Click Finish

STEP 8. Go to Email List page of eyardsigns.com

STEP 9. Find the "Import from Outlook" section, select the CSV file you just created (if it is not listed in the folder you saved the file to, make sure "Files of type" pulldown in the Open window is set to "All Files"), and choose "Import Now" to import your Outlook addresses to your eyardsigns.com account.

STEP

1. Open Palm Desktop

STEP

2. Select the "Address" icon from the left toolbar

STEP

3. Select the File / Export ... Menu Option

STEP

4. Select "Comma Separated Value (*.csv, *.txt)" from the Export As pulldown menu

STEP

5. Enter a file name and click Export

STEP

6. Make sure all the fields are selected, the first one is "Last Name", the second one is "First Name", and the last one is "Category"

STEP

7. Click OK.

STEP

8. Go to Email List page of eyardsigns.com

STEP

9. Find the "Import from Palm Desktop" section, select the CSV file you just created (if it is not listed in the folder you saved the file to, make sure "Files of type" pulldown in the Open window is set to "All Files"), and choose "Import Now" to import your Palm addresses to your eyardsigns.com account.

<p>ElectionMall.com, is a privately held, non-partisan company that is the Internet's

History

to his voters.

W

F

To provide *Campaign Political Tools and Services* for all those who wish to stand for any election. ElectionMall.com will provide high quality products and services in the political industry to anyone via the Internet.

To find solutions for the campaign manager, politician, political novice, or even the apolitical to gather information on issues, candidates, vendors, and real-time developments in Politics. We strive to be creative and practical every step of the way by creating strategic alliances and long-term partnerships with the most well respected and professional companies in the business.

 what is a vortal?</br>

ElectionMall.com is a "VORTAL". What is a "VORTAL?" First let us understand
a "PORTAL". A "PORTAL" is a "<i>super-site</i>" that provides a variety of
services

general-purpose

and those who wish to learn and participate in this complex Political world. ElectionMall.com provides real-time news, online chat, powerful search

capabilities

aboutus.inc

ePress Center

Other Sites

<ul type=disc>
 www.eyardsigns.com - A political
campaign
tool for campaign managers and politicians. A one of a kind portal that allows
the campaign managers or politicians to directly market there customized
eyardsigns,
similar to an online greetingcard, to their exact demographics via this
patent-pending
technology for FREE!

www.electionshopping.com -
The name says it all. This one stop shop portal, allows campaign directors and
purchasers not only to directly buy political campaign materials, books and
publications, but also search from a vast database of Consulting and Campaign
Services. Another plus of ElectionShopping.com is to provide you various Internet
services from designing a simple banner for your campaign to <i>High Tech Complex
websites</i> for the candidates.

www.mypublicservant.com - This
portal allows anyone who needs web space, wants to create their own custom website
ONLINE (site builder), create their own domain name, an exciting online chat
service and have unlimited email - all for FREE!

www.politicalfavor.com
- what
is the Internet missing? A Political Favor site, which allows any user to
participate
in the bulletin board and learn about different key topics which them succeed.

www.fundraisingbycheck.com -
Yes, raise funds via the world wide web by personal checks. FundRaisingByCheck.com
taps into a new and emerging market for online campaign fundraising, charity
events, community groups, and schools all of which will allow people to donate
and raise money checks online!


www.citizenfor.com -
CitizensFor.com
believes that if there is going to be a truly FREE world, there has to be a
political voice for the Internet CitizensFor.com is dedicated to provide that
void through an Illinois Political Action Committee. This site allows users
to do a variety of things, such as lobby on particular issues to volunteer their
services back to their community.

www.electionelaw.com -
A database
of the most recent campaign results and terms and guidelines for those who wish
to run for public office whether it is public or private.

www.electionyellowpages.com
- The only site in the world wide web which allows users to search businesses
and services in the political industry via the online yellow pages. </p>
<p>If you have any questions or comments regarding ElectionMall.com please email
us at
AboutUs@electionmall.com</p>

T0E020" 60586860

UNIVERSITY ACCOUNTING
computer based student

SERVISE, L.L.C.
loan portfolio management
An OSI Company

StatementPaymentsAccount Set-upCustomer Service

Your payment is Confirmed !

PICENO JESSE M

Your payment of \$176.52 has been scheduled for 7/2/2001 Please print this form as your confirmation notice.

Notice Date is 7/2/2001 3:51:00 PM Eastern Time.

Payment will be deducted from your account within 4 banking days. You can check with your bank for details. The transaction will be described as "ACH" or "Non CBC ACH" or other similar wording depending on your bank's procedures.

Please use the navigation bar to view your statements or make changes to your account.
[Home](#)

Privacy Statement

Disclaimer

All rights reserved 2000

REDIRECT scripts/adredir.asp

WIDTH 468

HEIGHT 60

BORDER 0

*

<http://www.electionmall.com/ads/check.gif>

<http://www.electionmall.com/fundraisingbycheck/>

Make a Political Donation, Fundraisingbycheck

10

<http://www.electionmall.com/ads/publicservant2.gif>

<http://www.mypublicservant.com>

Create your own homepage

10

<http://www.electionmall.com/ads/neweyardbanner.gif>

<http://www.eyardsigns.com>

Send eyardsigns to your supporters

10

<http://www.electionmall.com/ads/electionmall.gif>

<http://www.electionMall.com>

Looking for volunteers

10

<http://www.electionmall.com/ads/citizenfor.gif>

<http://www.electionMall.com/citizensfor/>

The Internet's Political Action Committee

10

<http://www.electionmall.com/ads/wats.gif>

<http://www.wearethesolution.com>

Your Internet solution company

10

<http://www.electionmall.com/ads/check2.gif>

<http://www.electionmall.com/fundraisingbycheck/>

Make a Political Donation, Fundraisingbycheck

10

<http://www.electionmall.com/ads/wats2.gif>

<http://www.wearethesolution.com>

Your Internet solution company

10

<http://www.electionmall.com/ads/publicservant.gif>

<http://www.mypublicservant.com>

Create your own homepage

10

<http://www.electionmall.com/ads/wats4.gif>

<http://www.wearethesolution.com>

Your Internet solution company

10

REDIRECT scripts/adredir.asp

WIDTH 468

HEIGHT 60

BORDER 0

*

<http://www.electionmall.com/ads/rnc.gif>

<http://www.rnc.org/>

-

40

<http://www.electionmall.com/ads/publicseravnt2.gif>

<http://www.mypublicservant.com>

Create your own homepage

10

<http://www.electionmall.com/ads/neweyardbanner.gif>

<http://www.eyardsigns.com>

Send eyardsigns to your supporters

10

<http://www.electionmall.com/ads/electionmall.gif>

<http://www.electionMall.com>

Looking for volunteers

10

<http://www.electionmall.com/ads/citizenfor.gif>

<http://www.electionMall.com/citizensfor/>

The Internet's Political Action Committee

10

<http://www.electionmall.com/ads/wats2.gif>

<http://www.wearethesolution.com>

Your Internet solution company

10

<http://www.electionmall.com/ads/wats4.gif>

<http://www.wearethesolution.com>

Your Internet solution company

10

advertise.inc

```
<td valign=top class="normal">
  Title:
</td>
<td valign=top class="normal">
  <INPUT TYPE="TEXT" SIZE="24" NAME="title">
</td>
</tr>
<tr>
<td valign=top class="normal">
  E-mail Address*:
</td>
<td valign=top class="normal">
  <INPUT TYPE="TEXT" SIZE="24" NAME="email">
</td>
</tr>
<tr>
<td valign=top class="normal">
  Phone Number*:
</td>
<td valign=top class="normal">
  <INPUT TYPE="TEXT" SIZE="24" NAME="phone">
</td>
</tr>
<tr>
<td valign=top class="normal">
  Home Page URL*:
</td>
<td valign=top class="normal">
  <INPUT TYPE="TEXT" SIZE="24" NAME="url">
</td>
</tr>
<tr>
<td valign=top class="normal">
  what types of opportunities    <br>
  is you company interested in?    
</td>
<td valign=top class="normal">
  <TEXTAREA NAME="opportunities"></TEXTAREA>
</td>
</tr>
<tr>
<td colspan="2" align="center">
  <input name="submit1" type="submit" value="Submit">
</td>
</tr>
</table>
</td>
</tr>
</table>
</form>
```

affiliate.inc

<h1>Affiliate Program </h1>

<p>Increase your profits by joining our free ElectionMall.com Affiliate Program.

All you have to do is place a ElectionMall.com button, banner, or text link on your site. You'll earn a commission on every sale originating from your site every time a visitor clicks through to make a purchase at ElectionShopping.com online store. ElectionMall.com's Affiliate Program is a terrific way to add e-commerce to your web site. It's easy to join, and best of all, it's free!

Join ElectionMall.com's Affiliate Program Today!

Here's how to get started:

1. Review our Affiliate Agreement.

2. Fill out our easy online Affiliate Enrollment Form.

3. Once your application is processed, we'll provide you with all the tools you need.

It's as simple as that, and your earnings are unlimited.

Electionmall.com Affiliate Benefits

when you add this retail element to your site, you partner with one of the web's leading Internet commerce sites.

We offer our affiliates the following benefits:

Earn a commission on every sale you make. The more you sell, the more you earn! Click here to sign up.

The ElectionMall.com Affiliate Program is free of charge to you!

Links from your web site to ElectionMall.com are easy to install. We'll

automatically

provide updates with our latest exciting offers.

Where do I get answers to my other questions?

Visit our Affiliate FAQ for more information.

Still have questions?

E-mail affiliates@ElectionMall.com.

</p>

[illegible]

6. Commissions

We will pay you the Commissions on a monthly basis. Approximately thirty (30) days following the end of each calendar month, we will send you a check for the Commissions earned during such month. However, if the Commission payable to you for any month is less than fifty dollars (\$50.00) (the "Commission Payment Floor"), we will hold those Commissions until the first monthly payment following such time that the total amount due is at least equal to the Commission Payment Floor. The Commission Payment Floor is subject to change at any time in our sole discretion. You will be notified of any change in the Commission Payment Floor. If an Identified Customer returns a Product the sale of which generated a Commission, we will deduct the corresponding Commission from the next monthly payment. If there is no Commission payable in the applicable month, then we will invoice you for the applicable amount. Such invoice shall be due and payable immediately.

7. Policies and Pricing. Identified Customers will be deemed to be customers of ElectionMall.com. Accordingly, all ElectionMall.com rules, policies, and operating procedures concerning customer orders, customer service, and sales will apply to Identified Customers. We may change our policies and operating procedures at any time. We may also change Product prices and availability from time to time. We will use commercially reasonable efforts to present accurate information, but we cannot guarantee the availability or price of any particular Product.

<P>9. Non-Exclusive Limited License and Use of Affiliate Marks. You grant us a non-exclusive

affiliate_ag.inc

license to utilize your name, logos, trade names, trademarks and similar identifying material (collectively the "Affiliate Marks") provided by you to ElectionMall.com hereunder, solely for the purposes anticipated by this Agreement and to advertise, market, promote and publicize the Affiliate Network or your participation therein in any manner. Notwithstanding anything herein to the contrary, we shall not be required to so advertise, market, promote or publicize. We agree to use the Affiliate Marks in a manner that will not disparage you or otherwise portrays you in a negative light. You reserve all of your ownership, intellectual property and any other rights in the Affiliate Marks, Affiliate Site, and any other materials or information associated with any of the foregoing. You may revoke the rights granted to us pursuant to this section at any time by giving us written notice. We shall not obtain any rights in or to the Affiliate Marks. This license shall terminate upon the effective date of the expiration or termination of this Agreement. <o:p></o:p></P>
<P>10. Publicity. Except as expressly permitted herein, you shall not create, publish, distribute or permit any written or electronic material that makes reference to us, without first submitting such material to us and receiving our written consent.

<o:p></o:p></P>
<P>11. Responsibility for Your Site. You will be solely responsible for the development, operation and maintenance of, and for all materials that appear on, the Affiliate Web Site. Because price changes may affect Products listed on the Affiliate Web Site, you may not include price information in your descriptions. We reserve the right to monitor the Affiliate Web Site for compliance with the terms of this Agreement.

<o:p></o:p></P>
<P>12. WAIVER OF CONSEQUENTIAL DAMAGES AND LIMITATION OF LIABILITY. WE WILL NOT BE LIABLE FOR INDIRECT, INCIDENTAL, SPECIAL, CONSEQUENTIAL OR PUNITIVE DAMAGES OF ANY KIND, INCLUDING WITHOUT LIMITATION ANY DAMAGES RESULTING FROM LOSS OF USE, LOSS OF BUSINESS, LOSS OF REVENUE, LOSS OF PROFITS, OR LOSS OF DATA, ARISING IN CONNECTION WITH THIS AGREEMENT, THE ELECTIONMALL.COM SITE, THE AFFILIATE NETWORK, OR ELECTIONMALL.COM'S PERFORMANCE OF SERVICES OR OF ANY OTHER OBLIGATIONS RELATING TO THE AGREEMENT, EVEN IF WE HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. FURTHER, OUR AGGREGATE LIABILITY ARISING WITH RESPECT TO THIS AGREEMENT, THE ELECTIONMALL.COM SITE, AND THE AFFILIATE NETWORK WILL NOT EXCEED THE TOTAL COMMISSIONS PAID OR PAYABLE TO YOU UNDER THIS AGREEMENT. THE FOREGOING LIMITATION OF LIABILITY SHALL APPLY REGARDLESS OF THE CAUSE OF ACTION UNDER WHICH SUCH DAMAGES ARE SOUGHT, INCLUDING WITHOUT LIMITATION, CONTRACT, TORT OR ANY OTHER LEGAL THEORY. <o:p></o:p></P>

<P>13. WARRANTY DISCLAIMERS. WE MAKE NO EXPRESS OR IMPLIED WARRANTIES OR REPRESENTATIONS WITH RESPECT TO THE AFFILIATE NETWORK, THE ELECTIONMALL.COM SITE, OR ANY PRODUCT OR OTHER ITEMS SOLD THROUGH THE AFFILIATE NETWORK OR ON THE ELECTIONMALL.COM SITE (INCLUDING, WITHOUT LIMITATION, WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE, MERCHANTABILITY, NON-INFRINGEMENT, OR ANY IMPLIED WARRANTIES ARISING OUT OF A COURSE OF PERFORMANCE, DEALING, OR TRADE USAGE). IN ADDITION, WE MAKE NO REPRESENTATION THAT THE OPERATION OF THE ELECTIONMALL.COM SITE WILL BE UNINTERRUPTED OR ERROR-FREE, AND WE WILL NOT BE LIABLE FOR THE CONSEQUENCES OF ANY INTERRUPTIONS OR ERRORS. <o:p></o:p></P>

<P>14. Confidentiality. As a result of your participation in the Affiliate Network, we may disclose to you certain information that we consider to be confidential (herein referred to as "Confidential Information"). For purposes of this Agreement, the term "Confidential Information" shall include, but not be limited to, any modifications to the terms and provisions of this Agreement, any of ElectionMall.com's business and financial information, customer and vendor lists, pricing and sales information, and any members of the Affiliate Network, other than you. Confidential Information shall also include any information that we designate as confidential during the term of this Agreement. You agree not to disclose any Confidential Information and that you shall protect all such Confidential Information as you protect your own confidential information, but in no event with less than reasonable care. You further agree not to use the

[illegible]

<o:p></o:p></P>
<P>18. Relationship of Parties. You and ElectionMall.com are independent contractors, and nothing in this Agreement will create any partnership, joint venture, agency, franchise, sales representative, or employment relationship between the parties. You will have no authority to make or accept any offers or representations on our behalf. You will not make any statement, whether on your site or otherwise, that reasonably would contradict anything in this Section. <o:p></o:p></P>
<P>19. Independent Investigation. YOU ACKNOWLEDGE THAT YOU HAVE READ THIS AGREEMENT AND AGREE TO ALL ITS TERMS AND CONDITIONS. YOU UNDERSTAND THAT WE MAY AT ANY TIME (DIRECTLY OR INDIRECTLY) SOLICIT CUSTOMER REFERRALS ON TERMS THAT MAY DIFFER FROM THOSE CONTAINED IN THIS AGREEMENT OR OPERATE WEB SITES THAT ARE SIMILAR TO OR COMPETITIVE WITH YOUR WEB SITE. YOU HAVE INDEPENDENTLY EVALUATED THE DESIRABILITY OF PARTICIPATING IN THE AFFILIATE NETWORK AND ARE NOT RELYING ON ANY REPRESENTATION, GUARANTEE, OR STATEMENT OTHER THAN AS SET FORTH IN THIS AGREEMENT. <o:p></o:p></P>
<P>20. Term and Termination. The term of this Agreement will begin upon our acceptance of your application and will end when terminated by either party. Either party may terminate this Agreement at any time, with or without cause, by giving the other party notice of termination. Notice by e-mail, to your address on our records, is considered sufficient notice to terminate this agreement. Upon such notice, you agree to promptly (a) remove any Links or other references to ElectionMall.com on the Affiliate Web Site, and (b) return or destroy any Confidential Information, ElectionMall.com artwork or other representations of the ElectionMall.com Marks. If this Agreement is terminated because you have violated the terms of this Agreement because the Affiliate Web Site violates the Content Restrictions you will not receive any additional Commission payments, even for commissions earned prior to the date of termination. If this Agreement is terminated for any other reason, you are only eligible to earn a Commission on sales occurring during the term of the Agreement. We reserve the right to withhold your final payment for a reasonable time to ensure that the correct amount is paid. <o:p></o:p></P>
<P>21. Miscellaneous. This Agreement will be governed by the laws of the State of Delaware, without regard to conflicts of laws principles. Any action relating to this Agreement must be brought in the federal or state courts located in San Francisco, Delaware and you irrevocably consent to the jurisdiction of such courts. You may not assign this Agreement, by operation of law or otherwise, without our prior written consent. Subject to that restriction, this Agreement will be binding on, inure to the benefit of, and enforceable against the parties and their respective successors and assigns. Our failure to enforce your strict performance of any provision of this Agreement will not constitute a waiver of our right to subsequently enforce such provision or any other provision of this Agreement. This Agreement constitutes the entire understanding between the parties related to the subject matter and supersedes any prior or contemporaneous agreements. <o:p></o:p></P>
<P>THIS IS A LEGAL AGREEMENT BETWEEN YOU AND ELECTIONMALL.COM, BY CLICKING ON THE "I AGREE" BUTTON AT THE END OF THIS AGREEMENT, YOU ARE AFFIRMATIVELY STATING THAT YOU HAVE READ AND UNDERSTOOD THE TERMS SET FORTH HEREIN, ARE AFFIRMATIVELY INDICATING YOUR ACCEPTANCE OF THIS AGREEMENT AND YOU AGREE TO BE BOUND BY THE TERMS HEREOF. <o:p></o:p></P>

FAQ on ElectionMall.com Affiliate Program

What is the ElectionMall.com Affiliate Program?

The ElectionMall.com Affiliate Program is an online, revenue-generating partnership between ElectionMall.com and you. You earn **commissions on all sales** made through a ElectionMall.com link on your site. We provide banners and text for your site, linking to ElectionMall.com. When a visitor from your site clicks through to ours, we track that customer's purchase activity and pay you **% of sales** to be determined based on each application (less shipping, taxes, returns, and canceled orders) on total orders placed.

Every month, we tally your commissions and send you a check. (If your commissions for the month total less than \$100, they'll continue to accrue; when they reach \$100, we'll send your check at the end of that month's cycle.) That's all there is to it!

Why become a ElectionMall.com affiliate?

- You'll make money.
- Joining is free!
- It's easy: ElectionMall.com will handle all of the ordering, shipping, billing, and customer service. Just sit back, relax, and earn commissions!
- A store on your site encourages repeat visitors - and adds value.
- We pay commissions on every product sold - you earn unlimited commissions!

How can I track orders placed on your site and figure my commissions?

We'll do all the tracking for you. Once you have been approved and your site links are properly established, you'll have access to daily online reports tracking your sales performance. Simple instructions enable you to download the links that automatically track each purchase and where each visitor comes from. Monitor them via your own password-protected web-based interface.

To earn you commissions,

a purchase must be made *during the visit that resulted from your link*. The customer must accept delivery of the product at the shipping destination and remit full payment. For you to be eligible for additional commissions, customers must use your link for repeat visits.

who is eligible to participate?
Anyone with a web site

can become a ElectionMall.com affiliate. Sites outside the continental United States may participate, although we currently do not ship products internationally. Sites containing or advocating violence or offering defamatory, obscene, or pornographic material are not eligible to become affiliates.

what does it cost?
The ElectionMall.com

Affiliate Program is absolutely free. There are no minimum sales requirements and no hidden fees.

How often will I be paid?
We total your commissions

and send you a check each month. If your commissions and rewards for the month are less than \$100, we continue to track them until they reach \$100. Then we send you a check at the end of that month's cycle. Customers buy from our site in U.S. dollars. All commission payment checks to affiliates are denominated in U.S. dollars.

How do I get started?
It's easy. First read the

[Affiliate Agreement](#) and fill out the [Affiliate Enrollment Form](#). We visit your site to make sure it's an appropriate match for our affiliate program and let you know within three business days whether you have been accepted. Then you simply download the links and place them prominently in appropriate areas of your site.

How do I create the links to the ElectionMall.com store?

Once you're accepted as an affiliate, you can access our exclusive affiliate gateway -- go there to download images and create links.

Can I become an affiliate if I don't have a web site?

No.

Can I link to other online stores?

Since ElectionMall.com offers all the Election products and advice customers need, we don't think you'll need to participate in any other affiliate programs that promote Election products. However, we encourage you to join other affiliate programs offering products that complement your site's content.

You are responsible for setting up the links (by downloading the HTML code) in the appropriate areas of your site and for encouraging your audience to visit the ElectionMall.com site through your link. In order to drive traffic, the link should be placed prominently on your site. ElectionMall.com handles all the rest: orders, shipping, billing, customer service, returns -- everything related to the shopper's experience. We track all orders from your site, calculate your commissions, and mail your check.

No. In order for us to track commissions generated by your site, you must use the links (banners, buttons, and text) that are provided to the ElectionMall.com web site. Images and content other than those links are the property of ElectionMall.com and cannot be used by anybody who hasn't received written permission from the company.

No. All orders must go through the ElectionMall.com site.

```
<ul type=disc>
  <li class=MsoNormal style='mso-margin-top-alt:auto;mso-margin-bottom-alt:auto;
    mso-list:l1 level1 lfo2;tab-stops:list 36.0pt'><span style='font-size:
    10.0pt;font-family:Verdana'>On the home page above the fold (the part of
    the screen initially visible without scrolling down). <o:p></o:p></span></li>
  <li class=MsoNormal style='mso-margin-top-alt:auto;mso-margin-bottom-alt:auto;
    mso-list:l1 level1 lfo2;tab-stops:list 36.0pt'><span style='font-size:
    10.0pt;font-family:Verdana'>In your site's dedicated shopping area.
<o:p></o:p></span></li>
  <li class=MsoNormal style='mso-margin-top-alt:auto;mso-margin-bottom-alt:auto;
    mso-list:l1 level1 lfo2;tab-stops:list 36.0pt'><span style='font-size:
    10.0pt;font-family:Verdana'>On the navigation bar. <o:p></o:p></span></li>
</ul>
```

Page 3

<p>Yes. Please complete one application, with a single URL, to let us know you want to participate as an affiliate. When you log on to your affiliate account, click on the account tab and then the sub-affiliate link, and follow instructions for adding additional web sites. <o:p></o:p></p>

<p>Can I sell my own products on ElectionMall.com? <o:p></o:p></p>

<p>Our merchandising department constantly evaluates new products. If you have a product that you'd like us to consider carrying, please send product information (and a sample, if applicable) to: <o:p></o:p></p>

<p>ElectionMall.com
Attn: Merchandising Department
merchandisingdepartment@electionmall.com<o:p></o:p></p>

<P>500 North Michigan Avenue<o:p></o:p>

Suite1015<o:p></o:p>

Chicago, Illinois 60611 </p>


```

affiliate_form.inc
<% if not request.form("taxid") = "" then
    for i = 1 to request.form.count - 1
        sMailBody = sMailBody + request.form.key(i) + " : " +
Request.Form(i) + vbcrLf
    next

    Set JMail = Server.CreateObject("JMail.SMTPMail")
    'This is my local SMTP server
    JMail.ServerAddress = "mail.wearethesolution.com"
    'This is me....
    JMail.Sender = "Affiliate@electionmail.com"
    JMail.Subject = "Affiliate Request"

    JMail.AddRecipient "sachin@wearethesolution.com"

    JMail.Body = sMailBody
    JMail.Priority = 3
    'Send it...
    JMail.Execute%
    <BR><BR><BR><BR><p align="center">
    <font face="Arial" size="2">Information Transmitted...<BR><BR>
    <a href="default.asp">Continue...</a><BR>
    </font><BR><BR></p>

<%else%>
<form name="form1" action="affiliate_signup.asp" method="post">
<table border=0 cellpadding=0 width=600 style='width:6.25in;
mso-cellspacing:1.5pt;mso-padding-alt:4.5pt 4.5pt 4.5pt 4.5pt'>
<tr>
<td colspan=2 style='background:transparent;padding:4.5pt 4.5pt 4.5pt 4.5pt'>
<p class=MsoNormal align=center style='text-align:center'><span
style='font-size:10.0pt;font-family:Verdana'>Join ElectionMall.com's
affiliate community, and start earning cash! Earn a commission on every
ElectionMall.com sale originating from your site. Start today! </span><span
style='color:black'><o:p></o:p></span></p>
</td>
</tr>
<tr>
<td colspan=2 style='background:transparent;padding:4.5pt 4.5pt 4.5pt 4.5pt'>
<p class=MsoNormal align=center style='text-align:center'><span
style='font-size:18.0pt;font-family:Verdana;color:#CC0000'>--- Website
Information ---</span> <span style='color:black'><o:p></o:p></span></p>
</td>
</tr>
<tr>
<td width=125 valign=top style='width:93.75pt;padding:4.5pt 4.5pt 4.5pt 4.5pt'>
<p class=MsoNormal align=right style='text-align:right'><b><span
style='font-size:10.0pt;font-family:Verdana;color:#000033'>Website Name
</span></b><span
style='color:black'><o:p></o:p></span></p>
</td>
<td width=475 valign=top style='width:356.25pt;padding:4.5pt 4.5pt 4.5pt 4.5pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><INPUT TYPE="TEXT" SIZE="50" NAME="websiteName"></span><span
style='font-size:13.5pt;font-family:Verdana;color:red'>*</span><span
style='font-size:7.5pt;font-family:Verdana;color:#000033'> </span><span
style='color:black'><o:p></o:p></span></p>
</td>
</tr>
<tr>
<td width=125 valign=top style='width:93.75pt;padding:4.5pt 4.5pt 4.5pt 4.5pt'>
<p class=MsoNormal align=right style='text-align:right'><b><span
style='font-size:10.0pt;font-family:Verdana;color:#000033'>Website URL
</span></b><span

```

```

affiliates_form.inc
style='color:black'><o:p></o:p></span></p>
</td>
<td width=475 valign=top style='width:356.25pt;padding:4.5pt 4.5pt 4.5pt 4.5pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><INPUT TYPE="TEXT" SIZE="50" NAME="websiteUrl"
VALUE="http://"></span><span
style='font-size:13.5pt;font-family:Verdana;color:red'>*</span><span
style='font-size:7.5pt;font-family:Verdana;color:#000033'> </span><span
style='color:black'><o:p></o:p></span></p>
</td>
</tr>
<tr>
<td width=125 valign=top style='width:93.75pt;padding:4.5pt 4.5pt 4.5pt 4.5pt'>
<p class=MsoNormal align=right style='text-align:right'><b><span
style='font-size:10.0pt;font-family:Verdana;color:#000033'>Tax ID#
</span></b><span
style='color:black'><o:p></o:p></span></p>
</td>
<td width=475 valign=top style='width:356.25pt;padding:4.5pt 4.5pt 4.5pt 4.5pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><INPUT TYPE="TEXT" SIZE="25" NAME="taxId"></span><span
style='color:black'><o:p></o:p></span></p>
</td>
</tr>
<tr>
<td width=125 valign=top style='width:93.75pt;padding:4.5pt 4.5pt 4.5pt 4.5pt'>
<p class=MsoNormal align=right style='text-align:right'><b><span
style='font-size:10.0pt;font-family:Verdana;color:#000033'>website Categories
</span></b><span style='color:black'><o:p></o:p></span></p>
</td>
<td width=475 valign=top style='width:356.25pt;padding:4.5pt 4.5pt 4.5pt 4.5pt'>
<p class=MsoNormal><b><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'>Choose up to 3 categories</span></b><span style='font-size:
7.5pt;font-family:Verdana;color:#000033'> </span><span style='font-size:13.5pt;
font-family:Verdana;color:red'>*</span><span style='font-size:7.5pt;
font-family:Verdana;color:#000033'><o:p></o:p></span></p>
<table border=0 cellpadding=0 width="100%" style='width:100.0%;mso-cellspacing:
1.5pt'>
<tr>
<td style='padding:.75pt .75pt .75pt .75pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><INPUT TYPE="checkbox" NAME="b2cCategories[]"
VALUE="18">*Personal
Home Page</span><span style='color:black'><o:p></o:p></span></p>
</td>
<td style='padding:.75pt .75pt .75pt .75pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><INPUT TYPE="checkbox" NAME="b2cCategories[]"
VALUE="1">Arts</span><span
style='color:black'><o:p></o:p></span></p>
</td>
<td style='padding:.75pt .75pt .75pt .75pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><INPUT TYPE="checkbox" NAME="b2cCategories[]"
VALUE="2">Business</span><span
style='color:black'><o:p></o:p></span></p>
</td>
</tr>
<tr>
<td style='padding:.75pt .75pt .75pt .75pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><INPUT TYPE="checkbox" NAME="b2cCategories[]"
VALUE="4">Education</span><span

```

```

                                affiliate_form.inc
style='color:black'><o:p></o:p></span></p>
</td>
<td style='padding:.75pt .75pt .75pt .75pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><INPUT TYPE="checkbox" NAME="b2cCategories[]"
VALUE="5">Entertainment</span><span
style='color:black'><o:p></o:p></span></p>
</td>
<td style='padding:.75pt .75pt .75pt .75pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><INPUT TYPE="checkbox" NAME="b2cCategories[]"
VALUE="6">Family</span><span
style='color:black'><o:p></o:p></span></p>
</td>
</tr>
<tr>
<td style='padding:.75pt .75pt .75pt .75pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><INPUT TYPE="checkbox" NAME="b2cCategories[]"
VALUE="7">Health</span><span
style='color:black'><o:p></o:p></span></p>
</td>
<td style='padding:.75pt .75pt .75pt .75pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><INPUT TYPE="checkbox" NAME="b2cCategories[]" VALUE="8">Home
& Living</span><span style='color:black'><o:p></o:p></span></p>
</td>
<td style='padding:.75pt .75pt .75pt .75pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><INPUT TYPE="checkbox" NAME="b2cCategories[]"
VALUE="3">Mature/Adult</span><span
style='color:black'><o:p></o:p></span></p>
</td>
</tr>
<tr>
<td style='padding:.75pt .75pt .75pt .75pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><INPUT TYPE="checkbox" NAME="b2cCategories[]"
VALUE="9">News</span><span
style='color:black'><o:p></o:p></span></p>
</td>
<td style='padding:.75pt .75pt .75pt .75pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><INPUT TYPE="checkbox" NAME="b2cCategories[]"
VALUE="10">Regional</span><span
style='color:black'><o:p></o:p></span></p>
</td>
<td style='padding:.75pt .75pt .75pt .75pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><INPUT TYPE="checkbox" NAME="b2cCategories[]"
VALUE="11">Science</span><span
style='color:black'><o:p></o:p></span></p>
</td>
</tr>
<tr>
<td style='padding:.75pt .75pt .75pt .75pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><INPUT TYPE="checkbox" NAME="b2cCategories[]"
VALUE="12">Shopping</span><span
style='color:black'><o:p></o:p></span></p>
</td>
<td style='padding:.75pt .75pt .75pt .75pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;

```



```

<OPTION VALUE="49999">5000 - 50,000
<OPTION VALUE="499999">50,000 - 500,000
<OPTION VALUE="500001">over 500,000
</SELECT><SELECT NAME="monthlyHits">
<OPTION SELECTED VALUE="0">Monthly Page Views
<OPTION VALUE="499">Less Than 500
<OPTION VALUE="4999">500 - 5000
<OPTION VALUE="49999">5000 - 50,000
<OPTION VALUE="499999">50,000 - 500,000
<OPTION VALUE="500001">over 500,000
</SELECT></span><span
  style='font-size:13.5pt;font-family:Verdana;color:red'>*</span><span
  style='font-size:7.5pt;font-family:Verdana;color:#000033'> </span><span
  style='color:black'><o:p></o:p></span></p>
</td>
</tr>
<tr>
<td width=125 valign=top style='width:93.75pt;background:transparent;
padding:4.5pt 4.5pt 4.5pt 4.5pt'>
<p class=MsoNormal align=right style='text-align:right'><b><span
style='font-size:10.0pt;font-family:Verdana;color:#000033'>website visitor
Demographics </span></b><span style='color:black'><o:p></o:p></span></p>
</td>
<td width=475 valign=top style='width:356.25pt;padding:4.5pt 4.5pt 4.5pt 4.5pt'>
<p class=MsoNormal><b><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'>Gender</span></b><span style='font-size:13.5pt;font-family:
Verdana;color:red'>*</span><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><br>
<INPUT TYPE="radio" NAME="sex" VALUE="F">Mostly Female <INPUT TYPE="radio"
NAME="sex" VALUE="M">Mostly
Male <INPUT TYPE="radio" NAME="sex" VALUE="B">Both <br>
<b>Age</b> <o:p></o:p></span></p>
<table border=0 cellpadding=0 width="100%" style='width:100.0%;mso-cellspacing:
1.5pt'>
<tr>
<td style='padding:.75pt .75pt .75pt .75pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><INPUT TYPE="checkbox" NAME="ageUnder18" VALUE="Y">Under
18</span><span
style='color:black'><o:p></o:p></span></p>
</td>
<td style='padding:.75pt .75pt .75pt .75pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><INPUT TYPE="checkbox" NAME="age18_25"
VALUE="Y">18-25</span><span
style='color:black'><o:p></o:p></span></p>
</td>
<td style='padding:.75pt .75pt .75pt .75pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><INPUT TYPE="checkbox" NAME="age26_35"
VALUE="Y">26-35</span><span
style='color:black'><o:p></o:p></span></p>
</td>
</tr>
<tr>
<td style='padding:.75pt .75pt .75pt .75pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><INPUT TYPE="checkbox" NAME="age36_50"
VALUE="Y">36-50</span><span
style='color:black'><o:p></o:p></span></p>
</td>
<td style='padding:.75pt .75pt .75pt .75pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;

```

```

color:#000033'><INPUT TYPE="checkbox" NAME="age51_65"
VALUE="Y">51-65</span><span
style='color:black'><o:p></o:p></span></p>
</td>
<td style='padding:.75pt .75pt .75pt .75pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><INPUT TYPE="checkbox" NAME="ageOver65" VALUE="Y">Over
65</span><span
style='color:black'><o:p></o:p></span></p>
</td>
</tr>
</table>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><o:p></o:p></span></p>
</td>
</tr>
<tr>
<td width=125 valign=top style='width:93.75pt;background:transparent;
padding:4.5pt 4.5pt 4.5pt 4.5pt'>
<p class=MsoNormal align=right style='text-align:right'><![if
!supportEmptyParas]>&nbsp;<![endif]><span
style='color:black'><o:p></o:p></span></p>
</td>
<td width=475 valign=top style='width:356.25pt;background:transparent;
padding:4.5pt 4.5pt 4.5pt 4.5pt'>
<p class=MsoNormal><b><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'>Does your Website...</span></b><span style='font-size:7.5pt;
font-family:Verdana;color:#000033'><br>
Require a login? <INPUT TYPE="radio" NAME="requireLogin" VALUE="Y">Yes <INPUT
TYPE="radio" NAME="requireLogin" VALUE="N">No
<br>
Offer rewards/compensation? <INPUT TYPE="radio" NAME="offerRewards" VALUE="Y">Yes
<INPUT TYPE="radio" NAME="offerRewards" VALUE="N">No <br>
Donate a portion of proceeds to an organization? <INPUT TYPE="radio"
NAME="donateProceeds" VALUE="Y">Yes
<INPUT TYPE="radio" NAME="donateProceeds" VALUE="N">No </span><span
style='color:black'><o:p></o:p></span></p>
</td>
</tr>
<tr>
<td width=125 valign=top style='width:93.75pt;background:transparent;
padding:4.5pt 4.5pt 4.5pt 4.5pt'>
<p class=MsoNormal align=right style='text-align:right'><![if
!supportEmptyParas]>&nbsp;<![endif]><span
style='color:black'><o:p></o:p></span></p>
</td>
<td width=475 valign=top style='width:356.25pt;background:transparent;
padding:4.5pt 4.5pt 4.5pt 4.5pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'>Do you manage more than one Website? <INPUT TYPE="radio"
NAME="manageMultiple" VALUE="Y">Yes
<INPUT TYPE="radio" NAME="manageMultiple" VALUE="N">No </span><span
style='color:black'><o:p></o:p></span></p>
</td>
</tr>
<tr>
<td width=125 valign=top style='width:93.75pt;background:transparent;
padding:4.5pt 4.5pt 4.5pt 4.5pt'>
<p class=MsoNormal align=right style='text-align:right'><b><span
style='font-size:10.0pt;font-family:Verdana;color:#000033'>Tax Classification
</span></b><span style='color:black'><o:p></o:p></span></p>
</td>
<td width=475 valign=top style='width:356.25pt;padding:4.5pt 4.5pt 4.5pt 4.5pt'>

```

[illegible]

Page 7

Page 8


```

State <SELECT NAME="state">
<OPTION SELECTED VALUE="0">Please select
<OPTION VALUE="AL">ALABAMA
<OPTION VALUE="AK">ALASKA
<OPTION VALUE="AZ">ARIZONA
<OPTION VALUE="AR">ARKANSAS
<OPTION VALUE="CA">CALIFORNIA
<OPTION VALUE="CO">COLORADO
<OPTION VALUE="CT">CONNECTICUT
<OPTION VALUE="DE">DELAWARE
<OPTION VALUE="DC">DISTRICT OF COLUMBIA
<OPTION VALUE="FL">FLORIDA
<OPTION VALUE="GA">GEORGIA
<OPTION VALUE="HI">HAWAII
<OPTION VALUE="ID">IDAHO
<OPTION VALUE="IL">ILLINOIS
<OPTION VALUE="IN">INDIANA
<OPTION VALUE="IA">IOWA
<OPTION VALUE="KS">KANSAS
<OPTION VALUE="KY">KENTUCKY
<OPTION VALUE="LA">LOUISIANA
<OPTION VALUE="ME">MAINE
<OPTION VALUE="MD">MARYLAND
<OPTION VALUE="MA">MASSACHUSETTS
<OPTION VALUE="MI">MICHIGAN
<OPTION VALUE="MN">MINNESOTA
<OPTION VALUE="MS">MISSISSIPPI
<OPTION VALUE="MO">MISSOURI
<OPTION VALUE="MT">MONTANA
<OPTION VALUE="NE">NEBRASKA
<OPTION VALUE="NV">NEVADA
<OPTION VALUE="NH">NEW HAMPSHIRE
<OPTION VALUE="NJ">NEW JERSEY
<OPTION VALUE="NM">NEW MEXICO
<OPTION VALUE="NY">NEW YORK
<OPTION VALUE="NC">NORTH CAROLINA
<OPTION VALUE="ND">NORTH DAKOTA
<OPTION VALUE="OH">OHIO
<OPTION VALUE="OK">OKLAHOMA
<OPTION VALUE="OR">OREGON
<OPTION VALUE="PA">PENNSYLVANIA
<OPTION VALUE="PR">PUERTO RICO
<OPTION VALUE="RI">RHODE ISLAND
<OPTION VALUE="SC">SOUTH CAROLINA
<OPTION VALUE="SD">SOUTH DAKOTA
<OPTION VALUE="TN">TENNESSEE
<OPTION VALUE="TX">TEXAS
<OPTION VALUE="UT">UTAH
<OPTION VALUE="VT">VERMONT
<OPTION VALUE="VA">VIRGINIA
<OPTION VALUE="WA">WASHINGTON
<OPTION VALUE="WV">WEST VIRGINIA
<OPTION VALUE="WI">WISCONSIN
<OPTION VALUE="WY">WYOMING
<OPTION VALUE="-1">Other
</SELECT></span><span
  style='font-size:13.5pt;font-family:Verdana;color:red'>*</span><span
  style='font-size:7.5pt;font-family:Verdana;color:#000033'> If other, please
  specify <br>
<INPUT TYPE="TEXT" SIZE="25" NAME="otherState"><br>
zip <INPUT TYPE="TEXT" SIZE="15" NAME="zip"></span><span style='font-size:
13.5pt;font-family:Verdana;color:red'>*</span><span style='font-size:7.5pt;
font-family:Verdana;color:#000033'> </span><span>

```

```

style='color:black'><o:p></o:p></span></p>
</td>
</tr>
<tr>
<td width=125 valign=top style='width:93.75pt;background:transparent;
padding:4.5pt 4.5pt 4.5pt 4.5pt'>
<p class=MsoNormal align=right style='text-align:right'><b><span
style='font-size:10.0pt;font-family:Verdana;color:#000033'>Country
</span></b><span
style='color:black'><o:p></o:p></span></p>
</td>
<td width=475 valign=top style='width:356.25pt;padding:4.5pt 4.5pt 4.5pt 4.5pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
color:#000033'><SELECT NAME="country">
<OPTION SELECTED VALUE="0">Please select
<OPTION VALUE="US">United States
<OPTION VALUE="AD">Andorra
<OPTION VALUE="AE">United Arab Emirate
<OPTION VALUE="AF">Afghanistan
<OPTION VALUE="AG">Antigua and Barbuda
<OPTION VALUE="AI">Anguilla
<OPTION VALUE="AL">Albania
<OPTION VALUE="AM">Armenia
<OPTION VALUE="AN">Netherlands Antilles
<OPTION VALUE="AO">Angola
<OPTION VALUE="AQ">Antarctica
<OPTION VALUE="AR">Argentina
<OPTION VALUE="AS">American Samoa
<OPTION VALUE="AT">Austria
<OPTION VALUE="AU">Australia
<OPTION VALUE="AW">Aruba
<OPTION VALUE="AZ">Azerbaijan
<OPTION VALUE="BA">Bosnia and Herzegovina
<OPTION VALUE="BB">Barbados
<OPTION VALUE="BD">Bangladesh
<OPTION VALUE="BE">Belgium
<OPTION VALUE="BF">Burkina Faso
<OPTION VALUE="BG">Bulgaria
<OPTION VALUE="BH">Bahrain
<OPTION VALUE="BI">Burundi
<OPTION VALUE="BJ">Benin
<OPTION VALUE="BM">Bermuda
<OPTION VALUE="BN">Brunei Darussalam
<OPTION VALUE="BO">Bolivia
<OPTION VALUE="BR">Brazil
<OPTION VALUE="BS">Bahamas
<OPTION VALUE="BT">Bhutan
<OPTION VALUE="BV">Bouvet Island
<OPTION VALUE="BW">Botswana
<OPTION VALUE="BY">Belarus
<OPTION VALUE="BZ">Belize
<OPTION VALUE="CA">Canada
<OPTION VALUE="CC">Cocos (Keeling) Islands
<OPTION VALUE="CF">Central African Republic
<OPTION VALUE="CG">Congo
<OPTION VALUE="CH">Switzerland
<OPTION VALUE="CI">Cote D'Ivoire (Ivory Coast)
<OPTION VALUE="CK">Cook Islands
<OPTION VALUE="CL">Chile
<OPTION VALUE="CM">Cameroon
<OPTION VALUE="CN">China
<OPTION VALUE="CO">Colombia
<OPTION VALUE="CR">Costa Rica

```

<OPTION VALUE="CS">Czechoslovakia (former)
 <OPTION VALUE="CU">Cuba
 <OPTION VALUE="CV">Cape Verde
 <OPTION VALUE="CX">Christmas Island
 <OPTION VALUE="CY">Cyprus
 <OPTION VALUE="CZ">Czech Republic
 <OPTION VALUE="DE">Germany
 <OPTION VALUE="DJ">Djibouti
 <OPTION VALUE="DK">Denmark
 <OPTION VALUE="DM">Dominica
 <OPTION VALUE="DO">Dominican Republic
 <OPTION VALUE="DZ">Algeria
 <OPTION VALUE="EC">Ecuador
 <OPTION VALUE="EE">Estonia
 <OPTION VALUE="EG">Egypt
 <OPTION VALUE="EH">Western Sahara
 <OPTION VALUE="ER">Eritrea
 <OPTION VALUE="ES">Spain
 <OPTION VALUE="ET">Ethiopia
 <OPTION VALUE="FI">Finland
 <OPTION VALUE="FJ">Fiji
 <OPTION VALUE="FK">Falkland Islands (Malvinas)
 <OPTION VALUE="FM">Micronesia
 <OPTION VALUE="FO">Faroe Islands
 <OPTION VALUE="FR">France
 <OPTION VALUE="GA">Gabon
 <OPTION VALUE="GD">Grenada
 <OPTION VALUE="GE">Georgia
 <OPTION VALUE="GF">French Guiana
 <OPTION VALUE="GH">Ghana
 <OPTION VALUE="GI">Gibraltar
 <OPTION VALUE="GL">Greenland
 <OPTION VALUE="GM">Gambia
 <OPTION VALUE="GN">Guinea
 <OPTION VALUE="GP">Guadeloupe
 <OPTION VALUE="GQ">Equatorial Guinea
 <OPTION VALUE="GR">Greece
 <OPTION VALUE="GS">South Georgia and South Sandwich Isls.
 <OPTION VALUE="GT">Guatemala
 <OPTION VALUE="GU">Guam
 <OPTION VALUE="GW">Guinea-Bissau
 <OPTION VALUE="GY">Guyana
 <OPTION VALUE="HK">Hong Kong
 <OPTION VALUE="HM">Heard and McDonald Islands
 <OPTION VALUE="HN">Honduras
 <OPTION VALUE="HR">Croatia (Hrvatska)
 <OPTION VALUE="HT">Haiti
 <OPTION VALUE="HU">Hungary
 <OPTION VALUE="ID">Indonesia
 <OPTION VALUE="IE">Ireland
 <OPTION VALUE="IL">Israel
 <OPTION VALUE="IN">India
 <OPTION VALUE="IO">British Indian Ocean Territory
 <OPTION VALUE="IQ">Iraq
 <OPTION VALUE="IR">Iran
 <OPTION VALUE="IS">Iceland
 <OPTION VALUE="IT">Italy
 <OPTION VALUE="JM">Jamaica
 <OPTION VALUE="JO">Jordan
 <OPTION VALUE="JP">Japan
 <OPTION VALUE="KE">Kenya
 <OPTION VALUE="KG">Kyrgyzstan
 <OPTION VALUE="KH">Cambodia

Page 12

<OPTION VALUE="PR">Puerto Rico
 <OPTION VALUE="PT">Portugal
 <OPTION VALUE="PW">Palau
 <OPTION VALUE="PY">Paraguay
 <OPTION VALUE="QA">Qatar
 <OPTION VALUE="RE">Reunion
 <OPTION VALUE="RO">Romania
 <OPTION VALUE="RU">Russian Federation
 <OPTION VALUE="RW">Rwanda
 <OPTION VALUE="SA">Saudi Arabia
 <OPTION VALUE="SB">Solomon Islands
 <OPTION VALUE="SC">Seychelles
 <OPTION VALUE="SD">Sudan
 <OPTION VALUE="SE">Sweden
 <OPTION VALUE="SG">Singapore
 <OPTION VALUE="SH">St. Helena
 <OPTION VALUE="SI">Slovenia
 <OPTION VALUE="SJ">Svalbard and Jan Mayen Islands
 <OPTION VALUE="SK">Slovak Republic
 <OPTION VALUE="SL">Sierra Leone
 <OPTION VALUE="SM">San Marino
 <OPTION VALUE="SN">Senegal
 <OPTION VALUE="SO">Somalia
 <OPTION VALUE="SR">Suriname
 <OPTION VALUE="ST">Sao Tome and Principe
 <OPTION VALUE="SU">USSR (former)
 <OPTION VALUE="SV">El Salvador
 <OPTION VALUE="SY">Syria
 <OPTION VALUE="SZ">Swaziland
 <OPTION VALUE="TC">Turks and Caicos Islands
 <OPTION VALUE="TD">Chad
 <OPTION VALUE="TF">French Southern Territories
 <OPTION VALUE="TG">Togo
 <OPTION VALUE="TH">Thailand
 <OPTION VALUE="TJ">Tajikistan
 <OPTION VALUE="TK">Tokelau
 <OPTION VALUE="TM">Turkmenistan
 <OPTION VALUE="TN">Tunisia
 <OPTION VALUE="TO">Tonga
 <OPTION VALUE="TP">East Timor
 <OPTION VALUE="TR">Turkey
 <OPTION VALUE="TT">Trinidad and Tobago
 <OPTION VALUE="TV">Tuvalu
 <OPTION VALUE="TW">Taiwan
 <OPTION VALUE="TZ">Tanzania
 <OPTION VALUE="UA">Ukraine
 <OPTION VALUE="UG">Uganda
 <OPTION VALUE="UK">United Kingdom
 <OPTION VALUE="UM">US Minor Outlying Islands
 <OPTION VALUE="UY">Uruguay
 <OPTION VALUE="UZ">Uzbekistan
 <OPTION VALUE="VA">Vatican City State (Holy See)
 <OPTION VALUE="VC">Saint Vincent and the Grenadines
 <OPTION VALUE="VE">Venezuela
 <OPTION VALUE="VG">Virgin Islands (British)
 <OPTION VALUE="VI">Virgin Islands (U.S.)
 <OPTION VALUE="VN">Viet Nam
 <OPTION VALUE="VU">Vanuatu
 <OPTION VALUE="WF">Wallis and Futuna Islands
 <OPTION VALUE="WS">Samoa
 <OPTION VALUE="YE">Yemen
 <OPTION VALUE="YT">Mayotte
 <OPTION VALUE="YU">Yugoslavia

```

<OPTION VALUE="ZA">South Africa
<OPTION VALUE="ZM">Zambia
<OPTION VALUE="ZR">Zaire
<OPTION VALUE="ZW">Zimbabwe
<OPTION VALUE="-1">Other
</SELECT></span><span
  style='font-size:13.5pt;font-family:Verdana;color:red'>*</span><span
  style='font-size:7.5pt;font-family:Verdana;color:#000033'> If Other, please
  specify <br>
<INPUT TYPE="TEXT" SIZE="25" NAME="otherCountry"></span><span style='color:
  black'><o:p></o:p></span></p>
</td>
</tr>
<tr>
<td width=125 valign=top style='width:93.75pt;background:transparent;
  padding:4.5pt 4.5pt 4.5pt 4.5pt'>
<p class=MsoNormal align=right style='text-align:right'><b><span
  style='font-size:10.0pt;font-family:Verdana;color:#000033'>Billing Name
</span></b><span
  style='color:black'><o:p></o:p></span></p>
</td>
<td width=475 valign=top style='width:356.25pt;padding:4.5pt 4.5pt 4.5pt 4.5pt'>
<p class=MsoNormal><span style='font-size:7.5pt;font-family:Verdana;
  color:#000033'><INPUT TYPE="TEXT" SIZE="50" NAME="billingName"></span><span
  style='font-size:13.5pt;font-family:Verdana;color:red'>*</span><span
  style='font-size:7.5pt;font-family:Verdana;color:#000033'> <br>
  As in, &quot;Make Checks Payable to ____&quot;; </span><span style='color:
  black'><o:p></o:p></span></p>
</td>
</tr>
<tr>
<td colspan=2 style='background:transparent;padding:4.5pt 4.5pt 4.5pt 4.5pt'>
<p class=MsoNormal><!--[if gte vml 1]><v:shapetype id="_x0000_t75"
  coordsize="21600,21600" o:spt="75" o:preferrelative="t"
  path="m@4@5l@4@11@9@11@9@5xe"
  filled="f" stroked="f">
  <v:stroke joinstyle="miter"/>
  <v:formulas>
    <v:f eqn="if lineDrawn pixelLineWidth 0"/>
    <v:f eqn="sum @0 1 0"/>
    <v:f eqn="sum 0 0 @1"/>
    <v:f eqn="prod @2 1 2"/>
    <v:f eqn="prod @3 21600 pixelwidth"/>
    <v:f eqn="prod @3 21600 pixelheight"/>
    <v:f eqn="sum @0 0 1"/>
    <v:f eqn="prod @6 1 2"/>
    <v:f eqn="prod @7 21600 pixelwidth"/>
    <v:f eqn="sum @8 21600 0"/>
    <v:f eqn="prod @7 21600 pixelheight"/>
    <v:f eqn="sum @10 21600 0"/>
  </v:formulas>
  <v:path o:extrusionok="f" gradientshapeok="t" o:connecttype="rect"/>
  <o:lock v:ext="edit" aspectratio="t"/>
</v:shapetype><v:shape id="_x0000_i1723" type="#_x0000_t75" alt=""
  style='width:98.25pt;
  height:1.5pt'>
  <v:imagedata src="./affiliateProgram_files/image001.gif"
  o:href="http://merchant.linksynergy.com/fs/images/orange.gif"/>
</v:shape><![endif]--><![if !vml]><![endif]><span
  style='font-size:10.0pt;font-family:Verdana;color:red'>* Required
  Fields</span></p>

```

affiliate_form.inc

```
</td> </tr>
<tr><td colspan="2" align="center"><input name="submit1" type="submit"
value="Submit">
</td></tr>
</table>
</form>
<%end if%>
```

bottom_inc.inc

```
</td>
</tr>
<tr align="center">
  <td>&nbsp;</td><td colspan="2" valign="top" align="center">
    <BR><BR>
      <table width="100%">
        <tr>
          <td height="20" align="center" class="copyright">
            <a href="http://www.electionmall.com/citizensfor"
target="_blank">citizensfor.com</a>
            | <a href="http://www.mypublicservant.com"
target="_blank">mypublicservant.com</a>
            | <a href="http://www.eyardsigns.com"
target="_blank">eyardsigns.com</a><br>
            <a href="http://www.electionmall.com/fundraisingbycheck/"
target="_blank">fundraisingbycheck.com</a>
            | <a href="http://www.electionmall.com/electionelaw/"
target="_blank">electionelaw.com</a>
            | <a href="http://www.electionmall.com/electionshopping/"
target="_blank">electionshopping.com</a>
            | <a href="http://www.electionyellowpages.com"
target="_blank">electionyellowpages.com</a><br>
            <a href="mailto:feedback@electionmall.com">Feedback</a> |
Legal Disclaimer
            | <a href="http://www.electionmall.com/privacy.htm"
target="_blank">Privacy Policies</a><br>
            Copyright <a
href="http://www.electionmall.com">ELECTIONMALL.COM</a> Inc.2000
            </p>
          </td>
        </tr></table>
      </td>
    </tr>
  </table>
</div>
</body>
</html>
```


bottom_mail.inc

```
<%
    sBody1 = sBody1 + chr(13) + "
    sBody1 = sBody1 + chr(13)
    sBody1 = sBody1 + chr(13) + "
    <td width='1' bgcolor='#000000'><img src='' +
    sSiteURL + "grfx/black.gif" width='1' height='1'></td>"
    sBody1 = sBody1 + chr(13) + "
    sBody1 = sBody1 + chr(13) + "
    sBody1 = sBody1 + chr(13) + "
    <td width='1' bgcolor='#000000'><img
    src='' + sSiteURL + "grfx/black.gif" width='1' height='1'></td>"
    sBody1 = sBody1 + chr(13) + "
    <td colspan='2' align='center'
    valign='middle' height='10'></td>"
    sBody1 = sBody1 + chr(13) + "
    <td width='1' bgcolor='#000000'><img
    src='' + sSiteURL + "grfx/black.gif" width='1' height='1'></td>"
    sBody1 = sBody1 + chr(13) + "
    <tr>"
    sBody1 = sBody1 + chr(13) + "
    <td width='1' bgcolor='#000000'><img
    src='' + sSiteURL + "grfx/black.gif" width='1' height='1'></td>"
    sBody1 = sBody1 + chr(13) + "
    <td colspan='2' height='1'
    bgcolor='#000000'><img src='' + sSiteURL + "grfx/black.gif" width='1'
    height='1'></td>"
    sBody1 = sBody1 + chr(13) + "
    <td width='1' bgcolor='#000000'><img
    src='' + sSiteURL + "grfx/black.gif" width='1' height='1'></td>"
    sBody1 = sBody1 + chr(13) + "
    </tr>"
    sBody1 = sBody1 + chr(13) + "
    </table>"
    sBody1 = sBody1 + chr(13)
    sBody1 = sBody1 + chr(13) + "
    </td>"
    sBody1 = sBody1 + chr(13) + "
    </tr>"
    sBody1 = sBody1 + chr(13) + "
    </table>"
    sBody1 = sBody1 + chr(13) + "
    </body>"
    sBody1 = sBody1 + chr(13) + "
    </html>"
%>
```

<h1>Contact Us</h1>

<p>

ManagementTeam@ElectionMall.com

We are a team of active leaders in the Internet Industry. We are political advisors, business strategists, political professionals and executives. The domain name inspired our co-founders, Ravi Singh and Simer Singh, to form the company in early 1999. ElectionMall.com communicates a very powerful idea for the emerging field of e-campaigning. Politicians, Professors, Candidates and Citizens are part of our management team helping us grow and reach new Internet heights. We are always looking for new talent, please send us your resume today to Jobs@electionmall.com

Investor Relations

These are crazy times! ElectionMall.com is a phenomenal concept with endless possibilities. If you are a Venture Capital firm, private investor, or just a political junkie that feels that you would like to invest please contact us today. We are always open to investor proposals. InvestorRelations@Electionmall.com

Press Releases

Freedom of the Press! You got to love it. It allows everyone an opportunity to be heard. Electionmall.com has a lot to say. Check out our latest Press Release

today*or- send us yours and we will post it on our site for FREE. Hey, we have to help each other out. PressReleases@ElectionMall.com

Feedback

Your comments are very important in helping us provide the most efficient and useful political vortal on the Internet today. Be honest so we can be the best! Email us today. Feedback@ElectionMall.com

</p>

```
convert_trackid.inc
<%
sUser_id = cstr(cdbl(Request.QueryString("user"))/2448)
sTrack_id = cstr(cdbl(Request.QueryString("id"))/2137)
%>
```

```
database.inc
<% set db = Server.CreateObject("ADODB.Connection")
    pth = Server.mappath("yardsign.mdb")
    db.open "DRIVER={Microsoft Access Driver (*.mdb)}; DBQ="&pth
%>
```

```

                                delete_duplicate.inc
<%                                sSQL = "DELETE FROM email WHERE email.email_ID IN "

                                ' List 1 - all rows that have duplicates
                                sSQL = sSQL + "(SELECT F.email_ID FROM email AS F " + _
                                "WHERE Exists (SELECT email, list_id, user_id,
Count(email_ID) " + _
                                "FROM email WHERE email.email = F.email AND email.list_id =
F.list_id " + _
                                "AND email.user_id = F.user_id GROUP BY email.email,
email.list_id, email.user_id " + _
                                "HAVING Count(email.email_ID) > 1)) AND email.email_ID NOT
IN "

                                ' List 2 - one row from each set of duplicate
                                sSQL = sSQL + "(SELECT Min(email_ID) FROM email AS F " + _
                                "WHERE Exists (SELECT email, list_id, user_id,
Count(email_ID) FROM email " + _
                                "WHERE email.email = F.email AND email.list_id = F.list_id "
+ _
                                "AND email.user_id = F.user_id GROUP BY email.email,
email.list_id, email.user_id " + _
                                "HAVING Count(email.email_ID) > 1) GROUP BY email, list_id,
user_id)"

                                'execute SQL
                                db.Execute sSQL
%>

```

```

<%
sBody = sBody + "<table width='420' border='0' cellspacing='0' cellpadding='0'>" +
chr(13)
sBody = sBody + "  <tr> " + chr(13)
sBody = sBody + "    <td width='73'><img
src='http://www.eyardsigns.com/grfx/cust/img1.gif' width='73' height='62'></td>" +
chr(13)
sBody = sBody + "    <td width='105'><img
src='http://www.eyardsigns.com/grfx/cust/img2.gif' width='105' height='62'></td>" +
chr(13)
sBody = sBody + "    <td width='307'><img
src='http://www.eyardsigns.com/grfx/cust/img3.jpg' width='307' height='62'></td>" +
chr(13)
sBody = sBody + "  </tr>" + chr(13)
sBody = sBody + "  <tr> " + chr(13)
sBody = sBody + "    <td rowspan='2' valign='top'><img
src='http://www.eyardsigns.com/grfx/cust/img4.gif' width='73' height='278'></td>" +
chr(13)
sBody = sBody + "    <td width='105' height='50'><img
src='http://www.eyardsigns.com/grfx/cust/img5.gif' width='105' height='50'></td>" +
chr(13)
sBody = sBody + "    <td width='307' valign='middle' height='50'><font
color='#990033'><b>" + sName + "</b></font></td>" + chr(13)
sBody = sBody + "  </tr>" + chr(13)
sBody = sBody + "  <tr> " + chr(13)
sBody = sBody + "    <td colspan='2' valign='top'> " + chr(13)
sBody = sBody + "      <table width='412' border='0' cellspacing='2'
cellpadding='2'>" + chr(13)
sBody = sBody + "        <tr> " + chr(13)
sBody = sBody + "          <td> " + chr(13)
sBody = sBody + "            <p>Gop no more</p>" + chr(13)
sBody = sBody + "            <p>Vote Democratic Party <br>" + chr(13)
sBody = sBody + "              Gore for President<br>" + chr(13)
sBody = sBody + "              Democratic Party is the right choice</p>" + chr(13)
sBody = sBody + "          </td>" + chr(13)
sBody = sBody + "        </tr>" + chr(13)
sBody = sBody + "        <tr> " + chr(13)
sBody = sBody + "          <td> <font size='2' face='Verdana, Arial, Helvetica,
sans-serif'><b><br>" + chr(13)
sBody = sBody + "            <br>" + chr(13)
sBody = sBody + "            This eyardsign is brought to you by<br>" + chr(13)
sBody = sBody + "            </b></font><img
src='http://www.eyardsigns.com/grfx/cust/img_logo.gif' width='175' height='31'>
</td>" + chr(13)
sBody = sBody + "        </tr>" + chr(13)
sBody = sBody + "      </table>" + chr(13)
sBody = sBody + "    </td>" + chr(13)
sBody = sBody + "  </tr>" + chr(13)
sBody = sBody + "  <tr> " + chr(13)
sBody = sBody + "    <td colspan='3' valign='top'>" + chr(13)
sBody = sBody + "      <table width='485' border='0' cellspacing='0'
cellpadding='0'>" + chr(13)
sBody = sBody + "        <tr> " + chr(13)
sBody = sBody + "          <td width='20%' align='right'><img
src='http://www.eyardsigns.com/grfx/cust/leg.gif' width='64' height='156'></td>" +
chr(13)
sBody = sBody + "          <td width='40%'>&nbsp;</td>" + chr(13)
sBody = sBody + "          <td width='20%'><img
src='http://www.eyardsigns.com/grfx/cust/leg2.gif' width='64' height='156'></td>" +
chr(13)
sBody = sBody + "        </tr>" + chr(13)
sBody = sBody + "      </table>" + chr(13)
sBody = sBody + "    </td>" + chr(13)

```

dncyard.inc

```
sBody = sBody + "    </tr>" + chr(13)
sBody = sBody + "</table>" + chr(13)
%>
```

employment.inc

<h1>Employment</h1>

<p>ElectionMall.com, an exciting funded company in beautiful downtown Chicago, co-founded by three successful entrepreneurs.. As a team of experienced, high tech professionals, we work hard, yet maintain a dynamic and fun environment. In addition we offer the opportunity to help grow this campaign in the emerging field of ecampainging.</p>

<p>Did you know?</p>

eCampainging over the Net

<p>A 35 Billion Dollar Industry per year</p>

63% of the 1998 campaigns used the Internet in some way according to Campaigns& elections Magazine; all of the 2000 presidential candidates use the Internet.

According to CNN, 90 percent of the 48 million Americans online are registered voters and 78 percent voted in the last election;

According to the Pew Center, 22 percent of American adults have contributed to a political party, candidate or cause in the last three years, while 27 percent have contacted a county, state or federal elected official in the last four years.

Over 6,000,000 people signed online petitions and contributed over 13 million to campaigns online via MoveON.org PAC, showing that the Internet can play a meaningful role in both fundraising and advocacy;

The size of the political market is approximately \$35 Billion, with \$22 Billion of this amount being spent by political advocacy groups.

<P>So here's your chance to be part of a growing company in the growing B2B (business to business) and B2G (business to Government) that knows how to work hard and play hard. If you are a smart, enthusiastic and creative individual who believes in getting results, send an email message with the job title in the subject line and your resume to jobs@ElectionMall.com.com (preferred), or (630) 686-7284. </P>

Current
Openings

<TABLE border=0 width=582>

<TBODY>

<TR>

<TD width=12> </TD>

<TD nowrap vAlign=top width=250><!-- product development -->

<H4> Product

Development</H4>

<P>Senior/Lead Software QA Engineer
Software Quality Assurance Engineer
Senior Information Architect
</P><!-- Software Engineers - Senior Level

Engineering Development Manager

Systems Team Lead Developer

Software Configuration

Management/Tools Engineer
<!-- business development -->

<H4> Business

Development</H4>

<P>Business Development Manager, Vertical Accounts
<!-- Director of Sales

 Corporate Business Development Manager

 Corporate Sales Manager

 Business Development Manager<!-- sales -->
 <H4> Sales</H4>
 <P>VP of Sales

 <P></P></TD>
 <TD width=12></TD>
 <TD nowrap vAlign=top width=250><!-- operations -->
 <P>Operations</P>
 <P>Data Center Administrator</P><!--Account Support Associate

 Project Manager, CRM Implementation/MIS Tools

 Account Support Associate

 Account Manager, Client Services
 </p>
 --><!-- finance and administration -->
 <H4> Finance & Administration</H4>Chief Financial Officer
Senior Financial Analyst
<!-- Executive Administrative Assistant
 --><!-- marketing -->
 <H4> Marketing</H4>Channel Marketing Manager
<!-- Associate Product Manager

 Marketing Coordinator
 Events Manager

 Partner Marketing Associate
 Product Manager OEM/Corporate Products

 Direct Marketing Manager

 Public Relations Manager
-->
 <P></P><!-- processing and distribution --><!--
 <h4>Processing and Distribution</h4>
 <p>
 Production Technician I

 <!--Temporary Production Operators

 Processing and Distribution Manager
 <!-- Production Supervisor
 </p>
 --></TD></TR></TBODY></TABLE><!-- product development
 -->
 >
 <H4>Senior Software Quality Assurance Engineer (Technical Lead)</H4>
 <BLOCKQUOTE>
 <P>ELetter is committed to maintaining the highest standards of user experience with the rapidly expanding ELetter service, which requires a rigorous yet efficient engineering process that does not compromise on quality. You will provide significant technical leadership to a close-knit, cross-functional team with complete ownership of the quality of ELetter's e-commerce web site.

</P>

- <BLOCKQUOTE>

<UI>

- <BLOCKQUOTE>

<H4>Software Quality Assurance Engineer</H4>

Responsibilities

- Page 3

employment.inc

- Generate detailed test specifications for new features of functional areas.
- Identify test areas for the effective use of automated tools and the required test data.

- Design and generate automated test scripts and data sets.

- Evaluate and report on software quality and testing progress.

- Analyze software changes for testing impact and plan regression tests.

- Identify, investigate and isolate software problems.

Qualifications

<P></P>

BSCS degree (strongly preferred), other technical degree or equivalent experience testing e-commerce products.

Minimum of 3 years quality assurance testing experience in a structured software quality assurance environment.

- Strong knowledge of windows 9x, windows NT and Mac operating systems.

Strong knowledge of Microsoft Word, Adobe Acrobat, and other publishing tools is a must.

Strong knowledge of Excel, FoxPro and other spreadsheet applications is a must.

Strong knowledge of Internet browsers is a must.

Strong knowledge of Internet technologies, at least 3 of the following: C++, Visual Basic, VBscript, JavaScript, ASP, and MS SQL.

Experience developing automation scripts using QA Partner/Silk and/or Visual Test is a must.

- Experience in testing MS SQL databases and/or COM API's is a plus.

<P><A

[Back to](#top)

top</P></BLOCKQUOTE><FONT

>

Senior Information Architect

In this job you'll:

<P></P>

Get into the minds and hearts of ELetter customers and translate business requirements into a truly easy-to-use e-commerce application that reflects the ELetter brand.

Define site functionality, navigation, interaction, site architecture scheme and data flow from flowchart to storyboard to finished interface.

Be a key participant in implementation activities, such as requirements' definition and application development.

Be the primary author of the documentation which serves as the blueprint for site development, content management, and QA.

- Guide the development of usability testing, analyzing results and implementing improvements. Lead a team through the cognitive/functional design process.

- Develop function flows and requirements, create functional design.

- Have strong business acumen and strategic analysis capabilities.

- work closely with developers to ensure technology supports proposed functionality.

- Determine need, hire, monitor, and direct the work of outside consultants and vendors as appropriate.

work collaboratively in an inter-disciplinary team, including members of Engineering, Marketing, and Quality Assurance teams. Necessary

experience:

<P></P>

4+ years of demonstrated success developing interface design and a minimum 2 years of direct e-commerce experience (with solid portfolio and URLs).

- A strong understanding of Internet technologies including databases, e-commerce, client-server and front-end technologies such as HTML and JavaScript.

- Strong knowledge of relationships between content, user interface and

technology.

- Expert knowledge of interface design processes and methodology and the issues particular to Internet-related applications.
- Minimum BA/BS degree in Human Factors, Instructional Design, Cognitive Psychology or related field. MA preferred.
- Demonstrated experimental design/behavioral observation skills including strong knowledge of various usability testing methods.
- Strong project management skills, preferably using Microsoft Project.
- Excellent communication skills.
- Proven experience in leading and being part of a multidisciplinary team.
- Deep appreciation and understanding of how to translate branding into the customer experience.

<P>Back to top </P></BLOCKQUOTE><!-- business development-->

<H4>VP of Sales </H4>

<BLOCKQUOTE>

<P>Eletter has a fantastic opportunity for a VP of Sales who wants to build and coach an Internet startup sales team within a great working environment. As the VP of Sales, you will lead our efforts in dominating the Marketing Automation market, reporting directly to the CEO.</P>

<P>You will be responsible for:</P>

- Building an internal and external sales team and assisting in establishing the key benchmarks and measurements of a successful Internet sales model.
- Hiring and training staff to ensure an excellent standard of customer satisfaction.

- Developing and implementing sound business strategy, resulting in superior business performance.

<P>Previous background should include:</P>

- Developing and managing relationships with large corporate accounts, distributed organizations, franchises, etc.

- Experience in Real Estate, Insurance, Financial Services, Healthcare and Retail sectors.

- Previous startup company experience.

- Demonstrated success in closing multi-million dollar sales deals within the services sector.

<P>The ideal candidate has the ability to develop and maintain relations in the external Internet community. Must possess excellent leadership, interpersonal and communication skills. Must be a high-energy individual with an excellent strength of conviction, a self-confident leader who effectively sells ideas and programs, and works well with an over-achieving management group. Must enjoy working with a fun and dynamic team of professionals. You will possess an MBA and have a minimum of 5+ years as a Director or VP of Sales in a management role. </P>

<P>Back to top</P></BLOCKQUOTE>

<H4>Business Development Manager, Vertical Accounts </H4>

<BLOCKQUOTE>

<P>Can you handle the challenge of introducing an innovative Internet service to a Corporate Partner Network? Eletter's Business Development Manager will drive the company strategy for selling to distributed enterprises and corporations. If you think business-to-business e-commerce is where it's at, this is the position for you!</P>Responsibilities

<P></P>

- Plan, develop and execute the company sales strategy for corporations and enterprises.

- Manage the complete corporate sales process from initial contact to final close.

Develop and leverage vertical channels for corporate customers.

Qualifications

<P></P>

5 or more years of enterprise and corporate business development or sales experience.

Proven expertise in successfully building and managing national partner relationships.

An overachiever with the motivation to put quotas to shame.

Excellent written and verbal communication skills.

Proven relationships in real estate and financial services industries.

<P>Back to

top</P></BLOCKQUOTE><!-- operations --><FONT

>

<H4>Data Center Administrator</H4>

<BLOCKQUOTE>Responsibilities:

<P></P>

Ensure communication between printers and servers.

Setup and add new printers to servers (spoolers).

Desktop support for production center.

Add and support users.

Purchase small items and supplies needed for production.

High-level system administration for production system.

Setup new rendering and spooling machines using ghost.

Report and document jobs to manager.Qualifications:

<P></P>

Pursuing a college degree in IS/IT at a Junior or Senior Level or MCSE.

Knowledge of ASP, Visual Basic, and HTML is a plus.

Experience in NT 4.0, networking, troubleshooting and support is required.

Experience in LAN/WAN and printer configuration.Back to

top

<P></P></BLOCKQUOTE><!-- finance and administration --><FONT

>

<H4>Chief Financial Officer<FONT

color=#330066> </H4>

<BLOCKQUOTE>

<P>Primary Duties </P>

Provide strategic analysis and advice regarding financial impacts of key issues.

Manage all corporate financial functions, including budget processes, accounting, reporting, MIS systems, legal and HR.

Develop policies and practices regarding financial and the IRS, dealing with revenue recognition, capital spending, pricing and terms, and audits.

Participate in the decision and execution of M&A activity, company valuation, and acquisition candidate due diligence.

Prepare and lead the Company through the IPO process. Team with the executive committee to define and secure the funding required for the company's growth.

Interface with the financial community representing the company in conferences, analysts' calls, investor presentations and stockholder meetings.

<P>Qualifications </P>

Led a successful IPO as a CFO and/or had several years of solid track record in a publicly traded company as a CFO.

Have M&A experience.

Experience in creating strategic and operational plan for domestic and international expansion.

employment.inc

Some travel required.

<P>Back to

top </P></BLOCKQUOTE><!-- processing and distribution -->

<P></P>

<%

function InsertButtons()

sTrack_id = cstr(cdbl(sTrack_id)*2137)

sUser = cstr(cdbl(sUser)*2448)

sBody = sBody + "<TR><TD colspan='7' align='center'>
"

sBody = sBody + "<TABLE border='0' cellspacing='0' cellpadding='0' width='100%'><TR>"

sBody = sBody + "<TD colspan='5' align='center'>"

sBody = sBody + "Please show your support by clicking on following icons

</TD></TR><TR>"

'Headquarters

sBody = sBody + "<TD width='20%' align='center'>"

sBody = sBody + ""

sBody = sBody + "
"

sBody = sBody + "Headquarters</TD>"

'Donate

sBody = sBody + "<TD width='20%' align='center'>"

sBody = sBody + ""

sBody = sBody + "
"

sBody = sBody + "Donate</TD>"

'Volunteer

sBody = sBody + "<TD width='20%' align='center'>"

sBody = sBody + ""

sBody = sBody + "
"

sBody = sBody + "Volunteer</TD>"

'Send to Friend

sBody = sBody + "<TD width='20%' align='center'>"

sBody = sBody + ""

sBody = sBody + "
"

sBody = sBody + "Send to Friend</TD>"

'Vote

sBody = sBody + "<TD width='20%' align='center'>"

sBody = sBody + ""

sBody = sBody + "
"

sBody = sBody + "Vote</TD>"

sBody = sBody + "</TR></TABLE></TD></TR></TABLE>"

end function%


```

Listcode.inc
<% set rs1 = Server.CreateObject("ADODB.Recordset")
set rs2 = Server.CreateObject("ADODB.Recordset")

sSQL = "Select a.list_id,a.list_name FROM list AS a,
user_list_link AS b WHERE " + _
"a.list_id = b.list_id AND (b.user_id = " + Session("user")
+ " OR b.user_id = 1) order by a.list_name"
rs1.Open sSQL,db

sList = "<OPTION value='0'>-Select List-</OPTION>"
do until rs1.EOF
sSQL = "SELECT COUNT(*) FROM email WHERE user_id = "
+ Session("user") + " AND list_id = " + cstr(rs1(0))
rs2.Open sSQL,db
sNumber = " (" + cstr(rs2(0)) + ")"
rs2.Close
sList = sList + "<OPTION value='" + cstr(rs1(0)) +
"-' + rs1(1) + "'>" + rs1(1) + sNumber + "</OPTION>"
rs1.MoveNext
loop

'Clean Up
rs1.Close : set rs1 = nothing
set rs2 = nothing%>

```

```
mail.inc
<% Set JMail = Server.CreateObject("JMail.SMTPMail")
' This is my local SMTP server
JMail.ServerAddress = "208.233.88.4"
' This is me...
JMail.Sender = "eyardsigns@eyardsigns.com"
JMail.Subject = request.form("subject")

JMail.AddRecipient request.form("email")

JMail.Body = sBody
JMail.Priority = 3
' Send it...
JMail.Execute
```

%>

<h1>Management Team</h1>

Ravi Singh - CEO & Co-Founder

At the age of 25, Ravi Singh's passion for the Internet became obvious after his first run for public office as State Representative in Illinois. Here, he launched the first town hall meeting online in Illinois, and became the first Indian to run for public office in Illinois. After his political ventures, Ravi was immediately hired as Vice-President of a 10-year-old advertising, marketing firm in Chicago. Ravi finished his formal education at Marmion Military Academy as a 2nd Lt., and his Bachelors of Science at Valparaiso University. He finished his Masters degree from Northwestern University, and has lectured on politics and business, internationally. Ravi is a true entrepreneur in every sense. In the Internet world, he addresses the challenges and growing needs of all things political. Ravi has developed and managed ElectionMall.com Inc., and currently works closely with the president and upper management on new business strategies, and the future direction of ElectionMall.

Simer Singh - President & Co-Founder

In 1996 Simer Singh, the original founder of the ElectionMall concept, and currently Political Science major at Loyola University is a living, breathing, example of this generations Internet savvy entrepreneurs. Simer was student body president in Junior High, Class President his Freshman Year, and campaign manager of the 'Next Generation for Singh', in Illinois during his brother's bid for State Representative in 1997. Simer's passion for politics has given him the opportunity to tap into his creative and intellectual side, and help run the ElectionMall.com Campaign. This young, but mature, individual has coordinated and led the development of this venture called ElectionMall.com Inc. from the very early stages of development. As the president of ElectionMall Inc., Simer has been instrumental in deriving a site, which delivers the most innovative and useful political services and information on the world wide web.

Jay Sebben - Chief Financial Officer

Jay Sebben is a financial consultant and entrepreneur specializing in technology and Internet start-ups. Jay worked in Corporate Development at True North Communications, one of the world's top ten, largest advertising and media consortiums. Prior to joining True North, Jay was part of KPMG's Corporate Transaction Services group, which provided merger and acquisition related consulting for the Information, Communication, and Entertainment group (ICE). Jay also worked in KPMG's Real Estate Practices group as a Senior Auditor. Jay is a Certified Public Accountant in the State of Illinois. He graduated with a Bachelor's in Business Administration in Accounting with an emphasis in Entrepreneurial Finance from the University of Iowa. Jay's extensive background in consulting and finance has proven to be the most valuable asset in the ElectionMall.com team.

Kesh Patel - Chief Operating Officer & Co-Founder

A graduate from San Jose State University in Business Administration with an emphasis in Marketing and Advertising, Kesh has been an entrepreneur from a very early age. Upon graduation Kesh managed a Toys R Us store for two years, and then decide to franchise his own business while keeping a keen-eye on the Information Technology world. While overseeing his business, he joined the marketing team at Viko Test Lab's in Santa Clara, California, which is in the semiconductor industry. Here he helped design and launch the company's web site, and helped develop an internal online database and tracking system. With his diverse, solid, marketing background and entrepreneurial business strategy experience, Kesh is the perfect fit for ElectionMall.com's corporate management team. Today, Kesh oversees all product, services, and technology development initiatives.

Chris Hohn - Vice-President of Business Development

Successfully running over 50 campaigns in the last 10 years, Chris has the experience necessary for working in the political arena. An industry expert, he graduated from Southern Illinois University with honors in political science. He has worked for 6 congressional campaigns and 3 presidential campaigns. Chris' extensive knowledge in political participation, fundraising, grassroots organization, and lobbying has earned him high marks with elected officials. He has

management.inc

been recognized by community organizations for his public service work, and has currently led the way for e-campaigning in Illinois. Chris' primary goals are to define ElectionMall.com's domestic strategy, as well as identifying, developing, and negotiating strategic content and distribution partners.

Glen Marx - Chief Information Officer (CIO)

Glen Marx graduated from Illinois Business School in 1998 with an emphasis in economics and finance. Earlier, Glen was employed by @wearethresolution.com, where he developed e-commerce strategies as well as networking computer integration, with web based applications. He is also the Director of e-commerce Development for @wearethresolution.com. Glen has also been involved in assisting the DuPage county politics at a local level in the State of Illinois. Glen brings the ElectionMall.com senior management team, a vast amount of leadership skills, experience and an innate ability to execute in a timely and professional manner.

Jesse Piceno - Community Director

A graduate from Valparaiso University in Psychology, Biology and Chemistry, Jesse has been driven for success. During that period he also served as the president of Latinos at Valparaiso University. Jesse also coordinated a political campaign in Illinois as the Latino Community Liaison in 1997. Jesse's bilingual expertise has allowed him to work in various fields such as the Dryer Medical Clinic as an Interpreter. Jesse has been recognized by several Hispanic organizations as a role model for the Latino American Community because of his leadership, ethical, and hardworking qualities. He is also actively involved in community organizations, which encourages Latino Americans to participate in the political process. His passion to help the community in all aspects such as political, social and economical makes him one of the youngest bright stars in ElectionMall.com.

</p>

news.inc

```
<SCRIPT LANGUAGE="Javascript">
// the array global_article is used to allow multiple categories
var global_article = new Array()
var global_article_counter = 0
var article = null
var early_exit = 0
// do not remove this function clone()
function clone()
{
    var newwin = window.open("", "clone", "resizable,scrollbars,width=500")
    return true
}
// end of do not remove this function clone()
</SCRIPT>
<SCRIPT LANGUAGE="Javascript"
SRC="http://p.moreover.com/cgi-local/page?index_uspolitics+js">
</SCRIPT>
<SCRIPT LANGUAGE="Javascript">
// load global_article array with articles from cluster
if (article != null)
{
    for (var article_counter = 0; article_counter < Math.min(5,article.length);
article_counter++)
    {
        global_article[global_article_counter] = article[article_counter]
        global_article_counter++
    }
}
else
{
    if (early_exit == 0)
    {
        document.writeln("<center>Please reload this page to view the
headlines</center>")
        early_exit = 1
    }
}
</SCRIPT>

<SCRIPT LANGUAGE="Javascript"
SRC="http://p.moreover.com/cgi-local/page?index_election2000+js">
</SCRIPT>
<SCRIPT LANGUAGE="Javascript">
// load global_article array with articles from cluster
if (article != null)
{
    for (var article_counter = 0; article_counter < Math.min(5,article.length);
article_counter++)
    {
        global_article[global_article_counter] = article[article_counter]
        global_article_counter++
    }
}
else
{
    if (early_exit == 0)
    {
        document.writeln("<center>Please reload this page to view the
headlines</center>")
        early_exit = 1
    }
}
</SCRIPT>
```

```

<SCRIPT LANGUAGE="Javascript">
if (early_exit == 0)
{
var width = "96%"
var category = ""
var numberofarticles = global_article.length
var item_spacing = "5"
var cluster_bgcolor = "ffffff"
var cluster_border = "0"
var heading_display = "Yes"
var time_display = "Yes"
var cell_spacing = "0"
var cell_padding = "0"
var heading_bgcolor
var heading_font
var heading_font_size
var heading_fgcolor
var headline_bgcolor
var headline_font
var headline_font_size
var headline_fgcolor
var source_font
var source_font_size
var source_fgcolor
var access_font
var access_font_size
var access_fgcolor
var time_font
var time_font_size
var time_fgcolor
var time = new Array(global_article.length)

// Print out the table containing the headlines
document.writeln("<CENTER><TABLE BORDER="+cluster_border+"
BGCOLOR='#"+cluster_bgcolor+"' WIDTH='"+width+"' CELLPADDING=1 CELLSPACING=0>")

document.writeln("<TR><TD><CENTER><TABLE BGCOLOR='#"+cluster_bgcolor+"'
CELLPADDING="+cell_padding+" CELLSPACING="+cell_spacing+" WIDTH='100%'>")

// Start loop for articles
for (var counter=0; counter < numberofarticles; counter++)
{
// Reset formatting settings to original values
heading_bgcolor = "ffffff"
heading_font = "Verdana"
heading_font_size = "2"
heading_fgcolor = "000000"
headline_bgcolor = "ffffff"
headline_font = "Verdana"
headline_font_size = "1"
headline_fgcolor = "000000"
source_font = "Verdana, Arial,Helvetica, sans-serif"
source_font_size = "-2"
source_fgcolor = "ff0000"
access_font = "Verdana, Arial,Helvetica, sans-serif"
access_font_size = "-2"
access_fgcolor = "ff0000"
time_font = "Verdana"
time_font_size = "-2"
time_fgcolor = "ff0000"

// Check for new category

```

```

news.inc
if ((category != global_article[counter].cluster) && (heading_display == "Yes"))
{
    // Set current category to new category
    category = global_article[counter].cluster

    // Print a new category heading
    document.writeln("<TR BGCOLOR='#"+heading_bgcolor+"'><TD>")
    document.writeln("<FONT SIZE='"+heading_font_size+" FACE='"+heading_font+"
COLOR='#"+heading_fgcolor+"'>")

    document.writeln("<B>"+global_article[counter].cluster+"</B></FONT></TD></TR>")
}

// Print out the headline
document.writeln("<TR BGCOLOR='#"+headline_bgcolor+"'><TD><A
HREF='"+global_article[counter].url+" TARGET=_blank>")
document.writeln("<FONT SIZE='"+headline_font_size+" FACE='"+headline_font+"
COLOR='#"+headline_fgcolor+"'>")
document.writeln(">"+global_article[counter].headline_text+"...</FONT></A><br>")

// Print out the source
document.writeln("<A HREF='"+global_article[counter].document_url+"
TARGET=_blank>")
document.writeln("<FONT FACE='"+source_font+" SIZE='"+source_font_size+"
COLOR='#"+source_fgcolor+"'>")
document.writeln(">"+global_article[counter].source+"</FONT></A>")

// Print out reg/sub if appropriate
if (global_article[counter].access_status == "sub" ||
global_article[counter].access_status == "reg")
{
    document.writeln("<A
HREF='"+global_article[counter].access_registration+"'>")
    document.writeln("<FONT FACE='"+access_font+" SIZE='"+access_font_size)
    document.writeln(">"+global_article[counter].access_status+"</FONT></A>")
}

// Print out the harvest time
if (time_display == "Yes")
{
    // Make a new date object
    time[counter] = new Date(global_article[counter].harvest_time)
    time[counter].setHours(time[counter].getHours() -
(time[counter].getTimezoneOffset() / 60 )) // adjust the time to local
    document.writeln("<FONT FACE='"+time_font+" SIZE='"+time_font_size+"
COLOR='#"+time_fgcolor+"'>")
    document.writeln("&nbsp;&nbsp;&nbsp;"+time[counter].toString()+"</FONT>")
}

document.writeln("</TD></TR><TR BGCOLOR='#"+headline_bgcolor+"'><TD
BGCOLOR='#"+headline_bgcolor+" HEIGHT='"+item_spacing+"></TD></TR>")
} // End of article loop

// Start of cloning button code //
// Note: Do not remove any of the code in this section //
document.writeln("<TR><FORM METHOD='POST'
ACTION='http://www.moreover.com/cgi-local/wizard_clone.pl' target='clone' onSubmit =
'return clone()'><TD align='center'>")
document.writeln("<INPUT TYPE='hidden' NAME='heading_font_size' VALUE='-1'><INPUT
TYPE='hidden' NAME='source_font_size' VALUE='-2'>")
document.writeln("<INPUT TYPE='hidden' NAME='cluster_width' VALUE='280'><INPUT
TYPE='hidden' NAME='time_display' VALUE='Yes'>")

```


press.inc

<p>Free Email, Chat, Search, Event Calendar, and Bulletin Board features have been added to the site, making it a complete one stop approach to the growing demand of campaigning services over the internet. "We feel that by doing this, campaign managers, grassroots activist, and candidates can use the various features to create a cohesiveness that is desperately required in today's campaigns," explained Chris Hohn, Vice President of Business Development. "From my experience of running campaigns for the last 10 years, a site like ElectionMall.com is long overdue."</p>

<p>About MATRAnet, Inc.</p>

<p>MATRAnet provides the means for businesses on the Internet to build a trustworthy environment as well as bringing that ever-important human touch to electronic business. As a global software leader, the company focuses its resources on developing comprehensive, sophisticated electronic business solutions that help companies give their customers personal attention and service while constantly improving business processes. MATRAnet's diverse product line includes M>webTouch, a global eCommerce ERM software solution which incorporates features such as customer profiling, collaborative browsing, live chat, instant email and call-back features to allow you to offer personalized, web-based customer interaction to improve customer service and increase customer loyalty and satisfaction. For more information, visit their web site at www.matranet.com.</p>

<p>About Chicago-Kent College of Law</p>

<p>Chicago-Kent is the law school of the Illinois Institute of Technology and the second oldest law school in Illinois. Chicago-Kent College of Law is accredited by the American Bar Association and is a member of the Association of American Law Schools.</p>

<p>35 Billion political spending market, Congressional Quarterly, Veronis Suhler & Associates, Center for Responsive Politics: Statistical Abstract</p>

```

<DIV class=Section1>
<DIV align=center>
<TABLE border=0 cellPadding=0 cellSpacing=0
style="WIDTH: 375pt; mso-cellspacing: 0pt; mso-padding-alt: 0pt 0pt 0pt 0pt"
width=500>
<TBODY>
<TR>
<TD
style="PADDING-BOTTOM: 0pt; PADDING-LEFT: 0pt; PADDING-RIGHT: 0pt; PADDING-TOP: 0pt"
vAlign=top>
<P><B><FONT color=#990000 face=Arial size=3><SPAN
style="COLOR: #990000; FONT-FAMILY: Arial; FONT-SIZE: 12pt; FONT-WEIGHT:
bold">Expectation
of Privacy</SPAN></FONT></B><BR>ElectionMall.com recognize that you expect
privacy for your personal activities and communications on the web.
ElectionMall.com understand and appreciate the need to safeguard any information
you have entrusted with us. ElectionMall.com maintain standards and these
policies designed to protect your privacy. </P>
<P><B><FONT color=#990000 face=Arial size=3><SPAN
style="COLOR: #990000; FONT-FAMILY: Arial; FONT-SIZE: 12pt; FONT-WEIGHT: bold">Our
Collection and Use of Information about You</SPAN></FONT></B><BR>We collect and
store information about your online activities on an aggregated (summary) basis.
We use your information on an aggregated basis to do such things as operate our
site, enhance our site and sell and deliver advertising and political purpose.
This information includes such demographic data as the zip codes, ages or gender
of our users. </P>
<P><FONT color=black face="Times New Roman" size=3><SPAN
style="FONT-SIZE: 12pt">Any personal information you choose to provide to
ElectionMall.com will not be disclosed to third parties without your explicit
consent. However, on particular pages where we ask for your personally
identifiable information, we may explicitly tell you that the data we are
collecting on that page will be shared with third parties, in which case those
disclosures shall override anything to the contrary in this policy. For example,
before you submit answers to questions we ask in an advertiser-sponsored
promotion, we will tell you that your answers will be shared with that
advertiser. </SPAN></FONT></P>
<P><FONT color=black face="Times New Roman" size=3><SPAN
style="FONT-SIZE: 12pt">ElectionMall.com has partnered with Moreover, a news and
group management platform, to bring you portions of this political community
website. Moreover.com provides the platform for the presentation of some of our
content, and as such, Moreover.com collects for ElectionMall.com, information
needed to provide you with the most effective user experience. Moreover.com only
accesses information about our users on an aggregated basis for site reporting
purposes. </SPAN></FONT></P>
<P><B><FONT color=black face="Times New Roman" size=3><SPAN
style="FONT-SIZE: 12pt; FONT-WEIGHT: bold">Use of Cookies
</SPAN></FONT></B><BR>A cookie is a small amount of data that is sent to your
browser from a web server and stored on your computer's hard drive. We use
cookies to deliver content specific to your interests and to save your password
so you don't have to re-enter it each time you visit our site. However, cookies
cannot be used to identify individuals, only machines. We may also use an
outside ad company to display ads on our site. These ads may contain cookies.
While we use cookies in other parts of our website, cookies received through
banner ads are collected by our advertising company, and we do not have access
to this information. Some customer data is shared with the advertising companies
and for political purpose but only in aggregate form. </P>
<P><B><FONT color=black face="Times New Roman" size=3><SPAN
style="FONT-SIZE: 12pt; FONT-WEIGHT: bold">Traffic
data</SPAN></FONT></B><BR>ElectionMall.com may track and aggregate information
about a visitor's activity into our analysis of general traffic flows at our
sites (e.g. tracking where traffic comes from, how traffic flows within the
ElectionMall.com sites, etc.). We share data only on an aggregated basis with

```

our third parties; we will not disclose your individual identity or personally identifiable data without your permission. When we do present aggregated information to outside companies, no one will be able to identify you or contact you. </P>

<P>Personally Identifiable Information
At your request, we may use your personally identifiable information to provide you with personalized information, such as newsletters for instance. In those instances where we do collect personally identifiable information, you have the option of choosing to reveal it to us. </P>

<P>Optional Registration
Our site's registration form requires users to give us contact information (like their name and email address) and demographic information (like their zip code, age, or income level). We use customer contact information from the registration form to send the user information about our company. Users may opt-out of receiving future mailings. Demographic and profile data is also collected at our site. We will never provide our third parties with individually identifiable information about our members unless the member has given us explicit permission to do so. </P>

<P>Optional Personalization
ElectionMall.com offers news and information personalized for you, including where you live and what political issues and people you care about. Users who want to personalize their news and information must provide us with a user ID, zip code, password and a working e-mail address. The e-mail address you register with ElectionMall.com will be seen by others if you post comments in the public forums of ElectionMall.com. Users also have the option of providing us more detailed information including gender, age, political affiliation, and issues they care about. We use this information to set up your account and personalize news and information. ElectionMall.com may also provide summary or aggregate--no individual--reports to our third parties who can use this information to determine the effectiveness of their media investments. We will never provide our third parties with individually identifiable information about a member unless the member has given us explicit permission. </P>

<P>Optional Newsletters and "send to a friend" feature
Users have the option of receiving a newsletter delivered on a regular basis, as well as infrequent other announcements from ElectionMall.com. We collect subscribers' e-mail addresses in order to distribute those newsletters and announcements and do not otherwise share them with other companies or partners. Users can choose to unsubscribe from ElectionMall.com newsletters at any time by following the unsubscribe instructions found in each e-mail or visiting the newsletter sign-up page. </P>

<P>ElectionMall.com also offers an "e-mail a friend about this story" feature, allowing site visitors to send e-mail to friends to inform them about an article they might be interested in reading. In order for this feature to function, we ask for e-mail addresses from the sender and for the recipient. We do not store or save these addresses and you will not receive e-mailings or other communications from ElectionMall.com or its partners as a result of having used this feature. </P>

<P>Optional Response to Promotion
From time to time, ElectionMall.com may sponsor sweepstakes, contests or other events which require the collection, processing and storage of individual contact and demographic information (e.g., your age and state of residence) to be used for the event. We use contact data from our contests to send users information about our company. ElectionMall.com may also co-sponsor these events along with other companies, in which case the user's

privacy.inc

individual contact and demographic information is likely to be shared with other participating sponsors on an aggregate basis. A registrant's personal contact and demographic information will not be released to third party or non-participating organizations without the user's consent, and ElectionMall.com will require that co-sponsors of such events uphold the privacy of the registrants' information. </P>

<P>Optional Surveys and Polls
Users may participate in surveys or polls. Users will have the option of disclosing their demographic or other personal information. Such survey or poll information may be compiled and shared in the aggregate with third parties and other third parties, but no personal details will be traceable or associated with specific individuals. </P>

<P>In Public Bulletin Boards, Chats and Other Public Areas
Some online activities available through our web site, such as including your name and email on a postcard or participation on a bulletin board, do require you to include your personally-identifiable information. Participation in these on-line activities is voluntary. Please remember that any information that is disclosed in these areas becomes public information and you should exercise caution when deciding to disclose your personal information. Be aware that because the areas are public, people may contact you as a result of your posting your contact information in the public areas. Should you receive unsolicited communications which you do not wish to receive, we advise you to contact the senders of the message directly and request not to be contacted. ElectionMall.com cannot control what users post publicly, nor the behavior of people who may collect information made public, but we will do our best to assist a user should the user receive unsolicited mail from other ElectionMall.com members. </P>

<P>Protect

Your Information
This site has security measures in place to protect the loss, misuse and alteration of the information under our control. We use industry-standard efforts to safeguard the confidentiality of your personal identifiable information, such as firewalls and Secure Socket Layers where appropriate. </P>

<P>Links to Other Sites
This site contains links to other sites. ElectionMall.com is not responsible for the privacy practices or the content of such web sites. For instance, if you choose to make a purchase through an online store or service linked from ElectionMall.com, be aware that any information given, such as a credit card number or home address, will be received by the company operating the store. Different rules may apply to their use or disclosure of the personal information you disclose to them. We encourage you to investigate and ask questions before disclosing information to third parties. </P>

<P>Limitations
ElectionMall.com will not otherwise use or disclose your personal information without your consent except (i) as described in this privacy policy, or (ii) as required by law, court order or as requested by other government or law enforcement authority. This policy does not protect information you post to any on-line bulletin board, chat room, newsgroup or other public forum within our websites. Additionally, in the event of unlawful interception or access of transmissions and private communications, there may be a risk to your privacy. In the event of a complaint, we may also receive personally identifiable information about you from other parties in our site or from other users or third parties who may communicate information to us about you in relation to that complaint. </P>

<P><SPAN

privacy.inc

style="COLOR: #990000; FONT-FAMILY: Arial; FONT-SIZE: 12pt; FONT-WEIGHT: bold">Respecting

Your Choice
Our site provides users the opportunity to opt-out of receiving communications from us and our partners when the user first provides information to us or at any subsequent time. If a user has explicitly authorized ElectionMall.com to provide personally identifiable information to a third party, a request not to receive any communication from such third party should be directed to ElectionMall.com at support@ElectionMall.com. </P>

<P>ElectionMall.com

Internet Safety Tips </P>

<OL type=a>

<LI class=MsoNormal

style="mso-margin-top-alt: auto; mso-margin-bottom-alt: auto; mso-list: 10 level1 lfol; tab-stops: list 36.0pt">Keep your passwords private. No one else needs to know. No customer representative from ElectionMall.com will ever ask you to reveal your password.

<LI class=MsoNormal

style="mso-margin-top-alt: auto; mso-margin-bottom-alt: auto; mso-list: 10 level1 lfol; tab-stops: list 36.0pt">Protect your privacy by using only your ElectionMall.com member name and/or e-mail address when chatting or sending e-mail. Take advantage of your free ElectionMall.com email for your civic activities on-line.

<LI class=MsoNormal

style="mso-margin-top-alt: auto; mso-margin-bottom-alt: auto; mso-list: 10 level1 lfol; tab-stops: list 36.0pt">Think carefully and exercise caution when planning to meet online "friends" in person. Choose a public place (café, library, etc.) or bring companions.

<LI class=MsoNormal

style="mso-margin-top-alt: auto; mso-margin-bottom-alt: auto; mso-list: 10 level1 lfol; tab-stops: list 36.0pt">Think carefully before you give out personal information such as your name, address, or phone number in any of the public areas on the site.

<LI class=MsoNormal

style="mso-margin-top-alt: auto; mso-margin-bottom-alt: auto; mso-list: 10 level1 lfol; tab-stops: list 36.0pt">Always delete unknown e-mail attachments before opening them. They may contain destructive computer viruses.

<P class=MsoNormal><SPAN

style="COLOR: #990000; FONT-FAMILY: Arial; FONT-SIZE: 12pt; FONT-WEIGHT: bold">we will Notify You of Any Changes
This policy may be revised over time as new features are added to the web site. We will post those changes prominently so that you will always know what information we gather, how we might use that information, and whether we will disclose it to anyone. Please check this site for information about revisions to our privacy policy. </P>

<P><SPAN

style="COLOR: #990000; FONT-FAMILY: Arial; FONT-SIZE: 12pt; FONT-WEIGHT: bold">Answering

Your Concerns
We hope this policy clarifies our procedures regarding your personal information. At ElectionMall.com, we encourage you to learn as much as you can about your privacy on the internet. If you have any questions about this privacy statement, the practices of this site, or your dealings with this web site, you can contact: </P>

<P class=MsoNormal style="MARGIN-LEFT: 36pt">Support Manager
ElectionMall.com
500 North Michigan Ave</P>

session_timeout.inc

```
<%  
If Session("user") = "" then  
    Session("time_out") = "true"  
    response.write "<SCRIPT language='JavaScript'>" + chr(13)  
    response.write "window.location='login.asp'" + chr(13)  
    response.write "</SCRIPT>"  
else  
    session.timeout = 120  
end if  
%>
```


top_inc.inc
<link rel="stylesheet" type="text/css" href="electionmall.css">
<script LANGUAGE="JavaScript">

<!--

if (document.images){
 cyclegraphic0 = new Image();
 cyclegraphic0.src = "rollover/blue.gif";
 cyclegraphic1 = new Image();
 cyclegraphic1.src = "rollover/blueyellow.gif";
 cyclegraphic2 = new Image();
 cyclegraphic2.src = "rollover/blueyellow.gif";
 cyclegraphic3 = new Image();
 cyclegraphic3.src = "rollover/blueyellow.gif";
 cyclegraphic4 = new Image();
 cyclegraphic4.src = "rollover/blueyellow.gif";
 cyclegraphic5 = new Image();
 cyclegraphic5.src = "rollover/blueyellow.gif";
 cyclegraphic6 = new Image();
 cyclegraphic6.src = "rollover/blueyellow.gif";
 cyclegraphic7 = new Image();
 cyclegraphic7.src = "rollover/blueyellow.gif";
 cyclegraphic8 = new Image();
 cyclegraphic8.src = "rollover/blueyellow.gif";
}

function graphic0_off(imgName) { if (document.images){
 document [imgName].src = cyclegraphic0.src
}
}

function graphic1_on(imgName) {
 if (document.images){
 document [imgName].src = cyclegraphic1.src;
 }
}

function graphic2_on(imgName) {
 if (document.images){
 document [imgName].src = cyclegraphic2.src;
 }
}

function graphic3_on(imgName) {
 if (document.images){
 document [imgName].src = cyclegraphic3.src;
 }
}

function graphic4_on(imgName) {
 if (document.images){
 document [imgName].src = cyclegraphic4.src;
 }
}

function graphic5_on(imgName) {
 if (document.images){
 document [imgName].src = cyclegraphic5.src;
 }
}

function graphic6_on(imgName) {
 if (document.images){


```

top_inc.inc
href="http://www.electionmall.com/electionshopping/" target="_blank"><area
shape="rect" coords="3,6,54,24"
href="http://www.electionmall.com/mail/publiclogin.htm" target="_blank"></map>
<nobr>
<select name="searchNID" >
<option value=615320>Media</option>
<option value=615310>MP3</option>
<option value=615316>Usenet</option>
<option value=615312>Health</option>
<option value=615319>Politics</option>
<option value=615313>Sports</option>
<option value=615314>Kids</option>
<option value=615323>Education</option>
<option value=615322>Business</option>
<option value=615321>Sciences</option>
<option value=615309 selected>The Web</option>
</select>
<font size="1" color="#FFFFFF">For
</font>
<input type="text" size="6" name="searchquery" value="" maxlength="10" >
<input type="hidden" name="site" value="eyardsign" maxlength="10" >
<input type="hidden" name="url"
value="http://mypublicservant.search.everyone.net/search/search/SearchResults">
<input type="submit" name="newSearch" value="Go"></nobr>
</td>
</form> </tr>
</table>

```

```

<table width="760" border="0" cellspacing="0" cellpadding="0">
<tr>
<td height="6"></td>
<td height="6"></td>
<td height="6"></td>
</tr>
<tr>
<td width="148" valign="top">
<table width="148" border="0" cellspacing="0" cellpadding="0">
<tr>
<td width="3"></td>
<td width="13"></td>
<td width="132"><a href="default.asp"
onMouseOut="graphic0_off('cyclegraphic1');window.status='';return true;"
onMouseOver="graphic1_on('cyclegraphic1');window.status='Home';return true;"></a></td>
</tr>
<tr>
<td width="3" height="3"></td>
<td width="13" height="3"></td>
<td width="132" height="3"></td>
</tr>
<tr>
<td width="3"></td>
<td width="13"></td>
<td width="132"><a href="aboutus.asp"
onMouseOut="graphic0_off('cyclegraphic2');window.status='';return true;"
onMouseOver="graphic2_on('cyclegraphic2');window.status='About us';return
true;"></a></td>
</tr>
<tr>
<td width="3" height="3"></td>

```

```

                                top_inc.inc
        <td width="13" height="3"></td>
        <td width="132" height="3"></td>
    </tr>
    <tr>
        <td width="3"></td>
        <td width="13"></td>
        <td width="132"><a href="volunteering.asp"
onMouseOut="graphic0_off('cyclegraphic2');window.status='';return true;"
onMouseOver="graphic2_on('cyclegraphic2');window.status='volunteering';return
true;"></a></td>
    </tr>
    <tr>
        <td width="3" height="3"></td>
        <td width="13" height="3"></td>
        <td width="132" height="3"></td>
    </tr>
    <tr>
        <td width="3"></td>
        <td width="13"></td>
        <td width="132"><a href="news.asp"
onMouseOut="graphic0_off('cyclegraphic3');window.status='';return true;"
onMouseOver="graphic3_on('cyclegraphic3');window.status='political news';return
true;"></a></td>
    </tr>
    <tr>
        <td width="3" height="3"></td>
        <td width="13" height="3"></td>
        <td width="132" height="3"></td>
    </tr>
    <tr>
        <td width="3"></td>
        <td width="13"></td>
        <td width="132"><a href="affiliate.asp"
onMouseOut="graphic0_off('cyclegraphic4');window.status='';return true;"
onMouseOver="graphic4_on('cyclegraphic4');window.status='affiliate programs';return
true;"></a></td>
    </tr>
    <tr>
        <td width="3" height="3"></td>
        <td width="13" height="3"></td>
        <td width="132" height="3"></td>
    </tr>
    <tr>
        <td width="3"></td>
        <td width="13"></td>
        <td width="132"><a href="employment.asp"
onMouseOut="graphic0_off('cyclegraphic5');window.status='';return true;"
onMouseOver="graphic5_on('cyclegraphic5');window.status='Employment';return
true;"></a></td>
    </tr>
    <tr>
        <td width="3" height="3"></td>
        <td width="13" height="3"></td>
        <td width="132" height="3"></td>
    </tr>
    <tr>
        <td width="3"></td>
        <td width="13"></td>
    <td width="132"><a
href="javascript:portwin('flas/tutflash.htm',620,435)"
onMouseOut="graphic0_off('cyclegraphic4');window.status='';return true;"
onMouseOver="graphic4_on('cyclegraphic4');window.status='How it works';return
true;"></a></td>
</tr>
<tr>
    <td width="3" height="3"></td>
    <td width="13" height="3"></td>
    <td width="132" height="3"></td>
</tr>
<tr>
    <td width="3"></td>
    <td width="13"></td>
    <td width="132"><a
href="javascript:portwin('http://64.224.121.132/eventcalendar/calendar.asp?calId=1',
350,300)" onMouseOut="graphic0_off('cyclegraphic7');window.status='';return true;"
onMouseOver="graphic7_on('cyclegraphic7');window.status='Event Calendar';return
true;"></a></td>
</tr>
<tr>
    <td width="3" height="3"></td>
    <td width="13" height="3"></td>
    <td width="132" height="3"></td>
</tr>
<tr>
    <td width="3"></td>
    <td width="13"></td>
    <td width="132"><a href="eyard_advertise.asp"
onMouseOut="graphic0_off('cyclegraphic6');window.status='';return true;"
onMouseOver="graphic6_on('cyclegraphic6');window.status='Advertise with us';return
true;"></a></td>
</tr>
<tr>
    <td width="3" height="5"></td>
    <td width="13" height="5"></td>
    <td width="132" height="5"></td>
</tr>
<tr>
    <td width="3"></td>
    <td width="13"></td>
    <td width="132"><a href="contactus.asp"
onMouseOut="graphic0_off('cyclegraphic8');window.status='';return true;"
onMouseOver="graphic8_on('cyclegraphic8');window.status='Contact us';return
true;"></a></td>
</tr>
<%if not session("user") = "" then%>
<tr>
    <td width="3" height="5"></td>
    <td width="13" height="5"></td>
    <td width="132" height="5"></td>
</tr>
<tr>
    <td width="3"></td>
    <td width="13"></td>
    <td width="132"><a href="register.asp"

```

```

top_inc.inc
onMouseOut="graphic0_off('cyclegraphic8');window.status='';return true;"
onMouseOver="graphic8_on('cyclegraphic8');window.status='My Profile';return
true;"></a></td>
</tr>
<tr>
<td width="3" height="5"></td>
<td width="13" height="5"></td>
<td width="132" height="5"></td>
</tr>
<tr>
<td width="3"></td>
<td width="13"></td>
<td width="132"><a href="logout.asp"
onMouseOut="graphic0_off('cyclegraphic8');window.status='';return true;"
onMouseOver="graphic8_on('cyclegraphic8');window.status='Log out';return true;"></a></td>
</tr>
<%end if%>
<tr>
<td width="3" height="5"></td>
<td width="13" height="5"></td>
<td width="132" height="5"></td>
</tr>
<tr>
<td width="3"></td>
<td width="13"></td>
<td width="132"><a href="javascript:alert('Coming soon.')"
onMouseOut="graphic0_off('cyclegraphic8');window.status='';return true;"
onMouseOver="graphic8_on('cyclegraphic8');window.status='Live Help';return
true;"></a></td>
</tr>
</table>
</td>

```

```

<%
sBody = "<html><head>"
sBody = "<title>eYardSign</title>"
sBody = "<body>"
if bFault then
    sTrack_Rnd = cstr(cdbl(sTrack_id)*2137)
    sUser_Rnd = cstr(cdbl(sUser)*2448)
    sBody = sBody + "If the eYardSign below does not show up correctly,
click here: "
    sBody = sBody + "<a
href=www.eyardsigns.com/preview_yardsign.asp?id=" + sTrack_Rnd + "&user=" +
sUser_Rnd + ">"
    sBody = sBody + "http://www.eyardsigns.com/preview_yardsign.asp?id="
+ sTrack_Rnd + "&user=" + sUser_Rnd + "</a>"
    sBody = sBody + "<BR>"
end if
sBody = sBody + chr(13) + "<BGSOUND "
sBody = sBody + chr(13) + "src='" + sSiteURL + sMusic + "'"
sBody = sBody + chr(13) + "AUTOSTART='TRUE'><EMBED hidden=true "
sBody = sBody + chr(13) + "src='" + sSiteURL + sMusic + "'"
sBody = sBody + chr(13) + "AUTOSTART='TRUE'>"
sBody = sBody + chr(13)
sBody = sBody + chr(13) + "<table width='550' border='0' cellspacing='0'
cellpadding='0'>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td width='1' bgcolor='#000000'><img src='" +
sSiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td colspan='2' height='1'
bgcolor='#000000'><img src='" + sSiteURL + "grfx/black.gif' width='1'
height='1'></td>"
sBody = sBody + chr(13) + "<td width='1' bgcolor='#000000'><img src='" +
sSiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td width='1' bgcolor='#000000'><img src='" +
sSiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td colspan='2' height='10'></td>"
sBody = sBody + chr(13) + "<td width='1' bgcolor='#000000'><img src='" +
sSiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td width='1' bgcolor='#000000'><img src='" +
sSiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td colspan='2' align='center'><img src='" +
sSiteURL + "grfx/mailyard1.gif' width='165' height='24'></td>"
sBody = sBody + chr(13) + "<td width='1' bgcolor='#000000'><img src='" +
sSiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td width='1' bgcolor='#000000'><img src='" +
sSiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td width='150' height='10'></td>"
sBody = sBody + chr(13) + "<td width='398' height='10'></td>"
sBody = sBody + chr(13) + "<td width='1' bgcolor='#000000'><img src='" +
sSiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td width='1' bgcolor='#000000'><img src='" +
sSiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td colspan='2' align='center'><a href='" +
sSiteURL + "'><img border=0 src='" + sSiteURL + "grfx/mailyardlogo.gif'></a></td>"
sBody = sBody + chr(13) + "<td width='1' bgcolor='#000000'><img src='" +
sSiteURL + "grfx/black.gif' width='1' height='1'></td>"

```

```

top_mail.inc
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td width='1' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td colspan='2' align='center'> "
sBody = sBody + chr(13) + "<hr width='100%' noshade size='1'>"
sBody = sBody + chr(13) + "</td>"
sBody = sBody + chr(13) + "<td width='1' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td width='1' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td height='10' align='center'
valign='middle'></td>"
sBody = sBody + chr(13) + "<td height='10'></td>"
sBody = sBody + chr(13) + "<td width='1' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td width='1' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td width='150' align='center'
valign='middle'><img src='" + ssiteURL + sLogo + "' width='50' height='40'></td>"
sBody = sBody + chr(13) + "<td width='398' valign='middle' align='center'>"
"
sBody = sBody + chr(13) + "<table width='390' border='0' cellpadding='0'
cellspacing='0'>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td>" + sMessage + "</td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "</table>"
sBody = sBody + chr(13) + "</td>"
sBody = sBody + chr(13) + "<td width='1' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "&td width='1' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "&td width='150' align='center' valign='middle'
height='10'>&nbsp;</td>"
sBody = sBody + chr(13) + "&td width='398' height='10'></td>"
sBody = sBody + chr(13) + "&td width='1' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr>"
sBody = sBody + chr(13) + "&td width='1' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "&td colspan='2' align='center'
valign='middle'>"
%>

```



```

volunteering.inc
<%if not request.form("name1") = "" then
    for i = 1 to request.form.count - 1
        sMailBody = sMailBody + request.form.key(i) + " : " +
Request.Form(i) + vbcrLf
    next

    Set JMail = Server.CreateObject("JMail.SMTPMail")
    'This is my local SMTP server
    JMail.ServerAddress = "mail.wearethesolution.com"
    'This is me....
    JMail.Sender = "Volunteer@electionmall.com"
    JMail.Subject = "Volunteer Request"

    JMail.AddRecipient "sachin@wearethesolution.com"

    JMail.Body = sMailBody
    JMail.Priority = 3
    'Send it...
    JMail.Execute%>
    <BR><BR><BR><BR><p>
    <font face="Arial" size="2">Information Transmitted...Thank
you!<BR><BR>
    <a href="default.asp">Continue...</a><BR>
    </font><BR><BR></p>

<%else%>
<BR><BR>
<p>
This is a unique link on Electionmall.com. Volunteerism is an important aspect of
political process.
To ensure that every citizen and individual will have a venue to participate we have
enclosed this
link to help recruit individuals who wish to participate in campaigns. In fact we
have a revolutionary
concept called "ePrecinctCaptain." "ePrecinctCaptain" allows you to recruit for the
candidate of your
choice and empowers you to help get that individual elected via the world wide web.
To become an ePrecinctCaptian please fill out the form given below. So join today!
To find out more
contact us today on how you can help in your local community and get involved at a
click of a button.
</p>
<form name="form1" action="volunteering.asp" method="post">
<table>
<tr><Td class="normal">Name</td><td><input name="name1"></td></tr>
<tr><Td class="normal">Email</td><td><input name="email"></td></tr>
<tr><Td class="normal">Age</td><td><input name="age"></td></tr>
<tr><Td class="normal">State</td><td><input name="state"></td></tr>
<tr><Td colspan="2" class="normal"><input name="submit" type="submit"
value="Submit"></td></tr>
</table>
</form>
<p>
Start today by asking others to visit this page and get involved. Together we can
make elections free, democratic, and free!<BR>
For More Information: <a
href="mailto:Volunteer@ElectionMall.com">Volunteer@ElectionMall.com</a></p>
<%end if%>

```

```

<%
sBody = sBody + chr(13) + "<table width='420' border='0' cellpadding='0' cellspacing='0'>"
sBody = sBody + chr(13) + "  <tr> "
    sBody = sBody + chr(13) + "    <td width='3' height='2' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
    sBody = sBody + chr(13) + "    <td width='10' height='2' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
    sBody = sBody + chr(13) + "    <td width='3' height='2' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
    sBody = sBody + chr(13) + "    <td width='388' height='2' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
    sBody = sBody + chr(13) + "    <td width='3' height='2' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
    sBody = sBody + chr(13) + "    <td width='10' height='2' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
    sBody = sBody + chr(13) + "    <td width='3' height='2' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
    sBody = sBody + chr(13) + "  </tr> "
    sBody = sBody + chr(13) + "  <tr> "
        sBody = sBody + chr(13) + "    <td width='3' height='6' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
        sBody = sBody + chr(13) + "    <td width='10' height='6'></td>"
        sBody = sBody + chr(13) + "    <td width='3' height='6'></td>"
        sBody = sBody + chr(13) + "    <td width='388' height='6'></td>"
        sBody = sBody + chr(13) + "    <td width='3' height='6'></td>"
        sBody = sBody + chr(13) + "    <td width='10' height='6'></td>"
        sBody = sBody + chr(13) + "    <td width='3' height='6' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
        sBody = sBody + chr(13) + "  </tr> "
        sBody = sBody + chr(13) + "  <tr> "
            sBody = sBody + chr(13) + "    <td width='3' bgcolor='#000000'><img src='\" +
sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
            sBody = sBody + chr(13) + "    <td width='10'></td>"
            sBody = sBody + chr(13) + "    <td colspan='3' valign='bottom'><img src='\" +
sSiteURL + \"grfx/yard1corner1.gif' width='14' height='12'><img src='\" + sSiteURL +
\"grfx/yard1spacer.gif' width='363' height='13'><img src='\" + sSiteURL +
\"grfx/yard1corner2.gif' width='14' height='12'></td>"
            sBody = sBody + chr(13) + "    <td width='10'></td>"
            sBody = sBody + chr(13) + "    <td width='3' bgcolor='#000000'><img src='\" +
sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
            sBody = sBody + chr(13) + "  </tr> "
            sBody = sBody + chr(13) + "  <tr> "
                sBody = sBody + chr(13) + "    <td width='3' bgcolor='#000000'><img src='\" +
sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
                sBody = sBody + chr(13) + "    <td width='10'></td>"
                sBody = sBody + chr(13) + "    <td width='3' bgcolor='17813B'><img src='\" + sSiteURL
+ \"grfx/yard1spacer.gif' width='1' height='1'></td>"
                sBody = sBody + chr(13) + "    <td width='388' height='49' align='center'><font
face='Arial, Helvetica, sans-serif' size='6'><b><font color='#009933'>" +
sFirst_Name + "</font></b></font></td>"
                sBody = sBody + chr(13) + "    <td width='3' bgcolor='17813B'><img src='\" + sSiteURL
+ \"grfx/yard1spacer.gif' width='1' height='1'></td>"
                sBody = sBody + chr(13) + "    <td width='10'></td>"
                sBody = sBody + chr(13) + "    <td width='3' bgcolor='#000000'><img src='\" +
sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
                sBody = sBody + chr(13) + "  </tr> "
                sBody = sBody + chr(13) + "  <tr> "
                    sBody = sBody + chr(13) + "    <td width='3' bgcolor='#000000'><img src='\" +
sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
                    sBody = sBody + chr(13) + "    <td width='10'></td>"
                    sBody = sBody + chr(13) + "    <td width='3' bgcolor='17813B'><img src='\" + sSiteURL
+ \"grfx/yard1spacer.gif' width='1' height='1'></td>"

```


yard1.inc

```
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='17813B'><img src='" + ssiteURL
+ "grfx/yard1_spacer.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td width='388' height='49' align='center'><font
face='Arial, Helvetica, sans-serif' size='5' color='#009933'><b><font size='6'>"
sBody = sBody + chr(13) + sPosition + "</font></b></font></td>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='17813B'><img src='" + ssiteURL
+ "grfx/yard1_spacer.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td colspan='3'><img src='" + ssiteURL +
"grfx/yard1_corner3.gif' width='15' height='14'><img src='" + ssiteURL +
"grfx/yard1_spacer2.gif' width='364' height='14'><img src='" + ssiteURL +
"grfx/yard1_corner4.gif' width='15' height='14'></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td colspan='3' height='6'></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000' height='2'><img
src='" + ssiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td width='10' height='2' bgcolor='#000000'><img
src='" + ssiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td colspan='3' height='2' bgcolor='#000000'><img
src='" + ssiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td width='10' height='2' bgcolor='#000000'><img
src='" + ssiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000' height='2'><img
src='" + ssiteURL + "grfx/black.gif' width='1' height='1'></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr>"
sBody = sBody + chr(13) + "<td width='3'>&nbsp;</td>"
sBody = sBody + chr(13) + "<td width='10'>&nbsp;</td>"
sBody = sBody + chr(13) + "<td width='3'>&nbsp;</td>"
sBody = sBody + chr(13) + "<td width='388'>"
sBody = sBody + chr(13) + "<table width='100%' border='0' cellpadding='0'
cellpadding='0'>"
sBody = sBody + chr(13) + "<tr>"
sBody = sBody + chr(13) + "<td width='50%'><img src='" + ssiteURL +
"grfx/leg.gif' width='64' height='156'></td>"
sBody = sBody + chr(13) + "<td width='50%' align='right'><img src='" +
ssiteURL + "grfx/leg2.gif' width='64' height='156'></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "</table>"
```

```
yard1.inc
sBody = sBody + chr(13) + "</td>"
sBody = sBody + chr(13) + "<td width='3'>&nbsp;</td>"
sBody = sBody + chr(13) + "<td width='10'>&nbsp;</td>"
sBody = sBody + chr(13) + "<td width='3'>&nbsp;</td>"
sBody = sBody + chr(13) + "</tr>"
%>
```

Page 1

```

                                yard2.inc
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td width='3'></td>"
sBody = sBody + chr(13) + "<td width='388' height='80' align='center'
valign='bottom'><font face='Arial, Helvetica, sans-serif' size='+7'
color='#000000'>" + sPosition + "</font></td>"
sBody = sBody + chr(13) + "<td width='3'></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif" width='1' height='1'></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif" width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td width='3'></td>"
sBody = sBody + chr(13) + "<td width='388' height='3'></td>"
sBody = sBody + chr(13) + "<td width='3'></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif" width='1' height='1'></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif" width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td colspan='3'>&nbsp;</td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif" width='1' height='1'></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif" width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td colspan='3' height='6'></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif" width='1' height='1'></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000' height='2'><img
src='" + ssiteURL + "grfx/black.gif" width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td width='10' height='2' bgcolor='#000000'><img
src='" + ssiteURL + "grfx/black.gif" width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td colspan='3' height='2' bgcolor='#000000'><img
src='" + ssiteURL + "grfx/black.gif" width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td width='10' height='2' bgcolor='#000000'><img
src='" + ssiteURL + "grfx/black.gif" width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000' height='2'><img
src='" + ssiteURL + "grfx/black.gif" width='1' height='1'></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td width='3'>&nbsp;</td>"
sBody = sBody + chr(13) + "<td width='10'>&nbsp;</td>"
sBody = sBody + chr(13) + "<td width='3'>&nbsp;</td>"
sBody = sBody + chr(13) + "<td width='388'> "
sBody = sBody + chr(13) + "<table width='100%' border='0' cellspacing='0'
cellpadding='0'>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td width='50%'><img src='" + ssiteURL +
"grfx/leg.gif" width='64' height='156'></td>"
sBody = sBody + chr(13) + "<td width='50%' align='right'><img src='" +
ssiteURL + "grfx/leg2.gif" width='64' height='156'></td>"

```

```
yard2.inc
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "</table>"
sBody = sBody + chr(13) + "</td>"
sBody = sBody + chr(13) + "<td width='3'>&nbsp;</td>"
sBody = sBody + chr(13) + "<td width='10'>&nbsp;</td>"
sBody = sBody + chr(13) + "<td width='3'>&nbsp;</td>"
sBody = sBody + chr(13) + "</tr>"
%>
```


<%

```
sBody = sBody + chr(13) + "<table width='420' border='0' cellspacing='0'
cellpadding='0'>"
```

```
  sBody = sBody + chr(13) + "<tr> "
    sBody = sBody + chr(13) + "<td width='3' height='2' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif\" width='1' height='1'></td>"
    sBody = sBody + chr(13) + "<td width='10' height='2' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif\" width='1' height='1'></td>"
    sBody = sBody + chr(13) + "<td width='3' height='2' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif\" width='1' height='1'></td>"
    sBody = sBody + chr(13) + "<td width='388' height='2' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif\" width='1' height='1'></td>"
    sBody = sBody + chr(13) + "<td width='3' height='2' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif\" width='1' height='1'></td>"
    sBody = sBody + chr(13) + "<td width='10' height='2' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif\" width='1' height='1'></td>"
    sBody = sBody + chr(13) + "<td width='3' height='2' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif\" width='1' height='1'></td>"
    sBody = sBody + chr(13) + "</tr>"
    sBody = sBody + chr(13) + "<tr> "
      sBody = sBody + chr(13) + "<td width='3' height='6' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif\" width='1' height='1'></td>"
      sBody = sBody + chr(13) + "<td width='10' height='6'></td>"
      sBody = sBody + chr(13) + "<td width='3' height='6'></td>"
      sBody = sBody + chr(13) + "<td width='388' height='6'></td>"
      sBody = sBody + chr(13) + "<td width='3' height='6'></td>"
      sBody = sBody + chr(13) + "<td width='10' height='6'></td>"
      sBody = sBody + chr(13) + "<td width='3' height='6' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif\" width='1' height='1'></td>"
      sBody = sBody + chr(13) + "</tr>"
      sBody = sBody + chr(13) + "<tr> "
        sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000' rowspan='2'><img
src='\" + sSiteURL + \"grfx/black.gif\" width='1' height='1'></td>"
        sBody = sBody + chr(13) + "<td width='10' rowspan='2'></td>"
        sBody = sBody + chr(13) + "<td colspan='3' valign='bottom' bgcolor='#CC0033'
height='60' align='center'><font face='Arial, Helvetica, sans-serif' size='7'
color='#FFFFFF'><b>Attend</b></font></td>"
        sBody = sBody + chr(13) + "<td width='10' rowspan='2'></td>"
        sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000' rowspan='2'><img
src='\" + sSiteURL + \"grfx/black.gif\" width='1' height='1'></td>"
        sBody = sBody + chr(13) + "</tr>"
        sBody = sBody + chr(13) + "<tr> "
          sBody = sBody + chr(13) + "<td colspan='3' valign='middle' height='130'
align='center'><font face='Arial, Helvetica, sans-serif' size='+7'
color='0B3295'><b>" + sFirst_Name + "</b></font></td>"
          sBody = sBody + chr(13) + "</tr>"
          sBody = sBody + chr(13) + "<tr> "
            sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><img src='\" +
sSiteURL + \"grfx/black.gif\" width='1' height='1'></td>"
            sBody = sBody + chr(13) + "<td width='10'></td>"
            sBody = sBody + chr(13) + "<td width='3'></td>"
            sBody = sBody + chr(13) + "<td width='388' height='60' align='center'
valign='bottom' bgcolor='0B3295'><font face='Verdana, Arial, Helvetica, sans-serif'
size='7' color='#FFFFFF'><b>" + sPosition + "</b></font></td>"
            sBody = sBody + chr(13) + "<td width='3'></td>"
            sBody = sBody + chr(13) + "<td width='10'></td>"
            sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><img src='\" +
sSiteURL + \"grfx/black.gif\" width='1' height='1'></td>"
            sBody = sBody + chr(13) + "</tr>"
            sBody = sBody + chr(13) + "<tr> "
              sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><img src='\" +
sSiteURL + \"grfx/black.gif\" width='1' height='1'></td>"
              sBody = sBody + chr(13) + "<td width='10'></td>"
```

```

                                yard3.inc
sBody = sBody + chr(13) + "<td width='3'></td>"
sBody = sBody + chr(13) + "<td width='388' height='3'></td>"
sBody = sBody + chr(13) + "<td width='3'></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif" width='1' height='1'></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif" width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td colspan='3'>&nbsp;</td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif" width='1' height='1'></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif" width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td colspan='3' height='6'></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><img src='" +
ssiteURL + "grfx/black.gif" width='1' height='1'></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000' height='2'><img
src='" + ssiteURL + "grfx/black.gif" width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td width='10' height='2' bgcolor='#000000'><img
src='" + ssiteURL + "grfx/black.gif" width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td colspan='3' height='2' bgcolor='#000000'><img
src='" + ssiteURL + "grfx/black.gif" width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td width='10' height='2' bgcolor='#000000'><img
src='" + ssiteURL + "grfx/black.gif" width='1' height='1'></td>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000' height='2'><img
src='" + ssiteURL + "grfx/black.gif" width='1' height='1'></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td width='3'>&nbsp;</td>"
sBody = sBody + chr(13) + "<td width='10'>&nbsp;</td>"
sBody = sBody + chr(13) + "<td width='3'>&nbsp;</td>"
sBody = sBody + chr(13) + "<td width='388'> "
sBody = sBody + chr(13) + "<table width='100%' border='0' cellspacing='0'
cellpadding='0'>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td width='50%'><img src='" + ssiteURL +
"grfx/leg.gif" width='64' height='156'></td>"
sBody = sBody + chr(13) + "<td width='50%' align='right'><img src='" +
ssiteURL + "grfx/leg2.gif" width='64' height='156'></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "</table>"
sBody = sBody + chr(13) + "</td>"
sBody = sBody + chr(13) + "<td width='3'>&nbsp;</td>"
sBody = sBody + chr(13) + "<td width='10'>&nbsp;</td>"
sBody = sBody + chr(13) + "<td width='3'>&nbsp;</td>"
sBody = sBody + chr(13) + "</tr>"
%>

```

```

<%
sBody = sBody + chr(13) + "<table width='420' border='0' cellspacing='0'
cellpadding='0'>"
  sBody = sBody + chr(13) + "<tr> "
    sBody = sBody + chr(13) + "<td width='3' height='2' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
    sBody = sBody + chr(13) + "<td width='10' height='2' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
    sBody = sBody + chr(13) + "<td width='3' height='2' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
    sBody = sBody + chr(13) + "<td width='388' height='2' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
    sBody = sBody + chr(13) + "<td width='3' height='2' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
    sBody = sBody + chr(13) + "<td width='10' height='2' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
    sBody = sBody + chr(13) + "<td width='3' height='2' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
    sBody = sBody + chr(13) + "</tr>"
    sBody = sBody + chr(13) + "<tr> "
      sBody = sBody + chr(13) + "<td width='3' height='6' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
      sBody = sBody + chr(13) + "<td width='10' height='6'></td>"
      sBody = sBody + chr(13) + "<td width='3' height='6'></td>"
      sBody = sBody + chr(13) + "<td width='388' height='6'></td>"
      sBody = sBody + chr(13) + "<td width='3' height='6'></td>"
      sBody = sBody + chr(13) + "<td width='10' height='6'></td>"
      sBody = sBody + chr(13) + "<td width='3' height='6' bgcolor='#000000'><img
src='\" + sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
      sBody = sBody + chr(13) + "</tr>"
      sBody = sBody + chr(13) + "<tr> "
        sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000' rowspan='2'><img
src='\" + sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
        sBody = sBody + chr(13) + "<td width='10' rowspan='2'></td>"
        sBody = sBody + chr(13) + "<td colspan='2' valign='bottom' height='60'
align='center'>"
        sBody = sBody + chr(13) + "<table width='100%' border='0' cellspacing='0'
cellpadding='0'>"
          sBody = sBody + chr(13) + "<tr>"
            sBody = sBody + chr(13) + "<td width='20%'><img src='\" + sSiteURL +
\"grfx/flag.gif' width='122' height='58'></td>"
            sBody = sBody + chr(13) + "<td width='80%' align='right'><font
face='Verdana, Arial, Helvetica, sans-serif' size='7' color='#0B3295'><b><font
size='6'>VOTE "
            sBody = sBody + chr(13) + "FOR</font></b></font></td>"
            sBody = sBody + chr(13) + "</tr>"
          sBody = sBody + chr(13) + "</table>"
          sBody = sBody + chr(13) + "<font face='Arial, Helvetica, sans-serif' size='7'
color='#FFFFFF'></font></td>"
          sBody = sBody + chr(13) + "<td valign='bottom' height='60'
align='center'>&nbsp;</td>"
          sBody = sBody + chr(13) + "<td width='10' rowspan='2'></td>"
          sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000' rowspan='2'><img
src='\" + sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"
          sBody = sBody + chr(13) + "</tr>"
          sBody = sBody + chr(13) + "<tr> "
            sBody = sBody + chr(13) + "<td colspan='3' valign='middle' height='130'
align='center'><font face='Arial, Helvetica, sans-serif' size='7'
color='0B3295'><b>" + sLast_Name + "</b></font></td>"
            sBody = sBody + chr(13) + "</tr>"
          sBody = sBody + chr(13) + "<tr> "
            sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><img src='\" +
sSiteURL + \"grfx/black.gif' width='1' height='1'></td>"

```


Page 1

yard5.inc

```
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><IMG height=1 src='"
+ sSiteURL + "grfx/black.gif" width=1></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td width='3'></td>"
sBody = sBody + chr(13) + "<td width='388' align='middle' valign='bottom'> "
sBody = sBody + chr(13) + "<table width='100%' border='0' cellpadding='0'
cellpadding='0'>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td width='80%' align='left'><font
face='Verdana, Arial, Helvetica, sans-serif' size='6' color='#0b3295'><b>" +
sPosition + "</b></font></td>"
sBody = sBody + chr(13) + "<td align='right' width='20%'><IMG height=58
src='" + sSiteURL + "grfx/flag2.gif" width=122></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "</table>"
sBody = sBody + chr(13) + "</td>"
sBody = sBody + chr(13) + "<td width='3'></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><IMG height=1 src='"
+ sSiteURL + "grfx/black.gif" width=1></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><IMG height=1 src='"
+ sSiteURL + "grfx/black.gif" width=1></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td width='3'></td>"
sBody = sBody + chr(13) + "<td width='388' height='3'></td>"
sBody = sBody + chr(13) + "<td width='3'></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><IMG height=1 src='"
+ sSiteURL + "grfx/black.gif" width=1></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><IMG height=1 src='"
+ sSiteURL + "grfx/black.gif" width=1></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td colspan='3'></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><IMG height=1 src='"
+ sSiteURL + "grfx/black.gif" width=1></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><IMG height=1 src='"
+ sSiteURL + "grfx/black.gif" width=1></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td colspan='3' height='6'></td>"
sBody = sBody + chr(13) + "<td width='10'></td>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000'><IMG height=1 src='"
+ sSiteURL + "grfx/black.gif" width=1></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr> "
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000' height='2'><IMG
height=1 src='" + sSiteURL + "grfx/black.gif" width=1></td>"
sBody = sBody + chr(13) + "<td width='10' height='2' bgcolor='#000000'><IMG
height=1 src='" + sSiteURL + "grfx/black.gif" width=1></td>"
sBody = sBody + chr(13) + "<td colspan='3' height='2' bgcolor='#000000'><IMG
height=1 src='" + sSiteURL + "grfx/black.gif" width=1></td>"
sBody = sBody + chr(13) + "<td width='10' height='2' bgcolor='#000000'><IMG
height=1 src='" + sSiteURL + "grfx/black.gif" width=1></td>"
sBody = sBody + chr(13) + "<td width='3' bgcolor='#000000' height='2'><IMG
height=1 src='" + sSiteURL + "grfx/black.gif" width=1></td>"
sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "<tr> "
```

```

                                yard5.inc
sBody = sBody + chr(13) + "<td width='3'>&nbsp;</td>"
sBody = sBody + chr(13) + "<td width='10'>&nbsp;</td>"
sBody = sBody + chr(13) + "<td width='3'>&nbsp;</td>"
sBody = sBody + chr(13) + "<td width='388'> "
sBody = sBody + chr(13) + "<table width='100%' border='0' cellspacing='0'
cellpadding='0'>"
    sBody = sBody + chr(13) + "<tr> "
        sBody = sBody + chr(13) + "<td width='50%'><IMG height=156 src='" +
sSiteURL + "grfx/leg.gif' width=64></td>"
        sBody = sBody + chr(13) + "<td width='50%' align='right'><IMG height=156
src='" + sSiteURL + "grfx/leg2.gif' width=64></td>"
    sBody = sBody + chr(13) + "</tr>"
sBody = sBody + chr(13) + "</table>"
sBody = sBody + chr(13) + "</td>"
sBody = sBody + chr(13) + "<td width='3'>&nbsp;</td>"
sBody = sBody + chr(13) + "<td width='10'>&nbsp;</td>"
sBody = sBody + chr(13) + "<td width='3'>&nbsp;</td>"
sBody = sBody + chr(13) + "</tr>"
%>

```



```

<HTML>
<HEAD>
<TITLE>REPUBLICAN NATIONAL COMMITTEE</TITLE>
<style type="text/css">
<!--
.font { font-family: Helvetica, Arial, sans-serif; font-size: 15pt; font-style:
normal; font-weight: bold; color: #660000}
-->
<!--
.font1 { font-family: Helvetica, Arial, sans-serif; font-size: 12pt; font-style:
normal; font-weight: normal; color: #660000}
-->
</style>
</HEAD>
<BOBY BGCOLOR=#FFFFFF TEXT=#000000 LEFTMARGIN=0 TOPMARGIN=0 MARGINWIDTH=0
MARGINHEIGHT=0>
<TABLE WIDTH=485 CELLPADDING=0 CELLSPACING=0 BORDER=0>
<TR>
<TD>
<TABLE WIDTH=485 CELLPADDING=0 CELLSPACING=0 BORDER=0>
<TR>
<TD><IMG SRC=images/topleft.jpg WIDTH=368 HEIGHT=64></TD>
<TD><IMG SRC=images/topright.jpg WIDTH=117 HEIGHT=64></TD>
</TR>
<TR>
<TD><IMG SRC=images/topleft1.jpg WIDTH=368 HEIGHT=30></TD>
<TD><IMG SRC=images/right1_1.jpg WIDTH=117 HEIGHT=30></TD>
</TR>
<TR>
<TD VALIGN=TOP>
<TABLE>
<TR>
<TD><IMG SRC=images/rnclogo.gif WIDTH=61 HEIGHT=48></TD>
</TR>
<TR>
<TD><BR><FONT FACE= Arial Black, Helvetica, sans-serif SIZE=4
COLOR=#990000><B>Hello, MR RAVI SINGH</B></FONT></TD>
</TR>
<TR>
<TD><FONT FACE=Arial, Helvetica, sans-serif SIZE=2><B><BR>RNC needs your
support<BR>Vote Republican Party<BR>George W. Bush for President<BR>Republican Party
is the right choice</B></FONT>
</TD>
</TR>
</TABLE>
</TD>
<TD><IMG SRC=images/right1_2.jpg WIDTH=117 HEIGHT=210></TD>
</TR>
<TR>
<TD><IMG SRC=images/bluedot.gif WIDTH=368 HEIGHT=2></TD>
<TD><IMG SRC=images/bluedot.gif WIDTH=117 HEIGHT=2></TD>
</TR>
</TABLE>
<CENTER>
<TABLE>
<TR>
<TD><FONT FACE=verdana,arial ,Helvetica, sans-serif SIZE=1><B>This eYardsign is
brought to you by</B></FONT> <IMG SRC=images/eyard.gif WIDTH=175 HEIGHT=34
ALIGN=MIDDLE></TD>
</TR>
<TABLE>
</CENTER>
</TD>

```

5.html

</TR>
<TABLE>
</BODY>
</HTML>

0909509 070304
T08020 0058680

```

<%
function InsertButtons()
    sTrack_id = cstr(cdbl(sTrack_id)*2137)
    sUser = "78336"

    sBody = sBody + "<TABLE border='0' cellspacing='0' cellpadding='0'
width='100%'><TR>"
    sBody = sBody + "<TD colspan='5' align='center'><font face='Verdana, Arial'
size='2'><B>"
    sBody = sBody + "Please show your support by clicking on following
icons<BR><BR></B></font></TD></TR><TR>"
    'Headquarters
    sBody = sBody + "<TD width='20%' align='center'>"
    sBody = sBody + "<A target='_blank' href='http://www.rnc.org'>"
    sBody = sBody + "<img src='" + sSiteURL + "grfx/hdq.gif' border='0'
alt='Headquarters'></A><BR>"
    sBody = sBody + "<font face='Verdana, Arial'
size='1'>Headquarters</font></TD>"
    'Donate
    sBody = sBody + "<TD width='20%' align='center'>"
    sBody = sBody + "<A target='_blank'
href='https://www.econtributor.net/Contribution/Contribution.cfm?CFID=36286&CFTOKEN=
76150501'>"
    sBody = sBody + "<img src='" + sSiteURL + "grfx/donate.gif' border='0'
alt='Donate'></A><BR>"
    sBody = sBody + "<font face='Verdana, Arial' size='1'>Donate</font></TD>"
    'Volunteer
    sBody = sBody + "<TD width='20%' align='center'>"
    sBody = sBody + "<A target='_blank'
href='http://www.rnc.org/RNCWeb/action.asp'>"
    sBody = sBody + "<img src='" + sSiteURL + "grfx/volunteer.gif' border='0'
alt='Volunteer'></A><BR>"
    sBody = sBody + "<font face='Verdana, Arial' size='1'>Volunteer</font></TD>"
    'Send to Friend
    sBody = sBody + "<TD width='20%' align='center'>"
    sBody = sBody + "<A target='_blank' href='" + sSiteURL +
"sendtofriend_form.asp?id=" + sTrack_id + "&user=" + sUser + "'>"
    sBody = sBody + "<img src='" + sSiteURL + "grfx/sendtoafriend.gif' border='0'
alt='Send to a Friend'></A><BR>"
    sBody = sBody + "<font face='Verdana, Arial' size='1'>Send to
Friend</font></TD>"
    'Vote
    sBody = sBody + "<TD width='20%' align='center'>"
    sBody = sBody + "<A target='_blank' href='" + sSiteURL + "vote_form.asp?id=" +
sTrack_id + "&user=" + sUser + "'>"
    sBody = sBody + "<img src='" + sSiteURL + "grfx/vote.gif' border='0'
alt='Vote'></A><BR>"
    sBody = sBody + "<font face='Verdana, Arial' size='1'>Vote</font></TD>"
    sBody = sBody + "</TR></TABLE></TD></TR></TABLE>"
end function%>

```


yard_rnc1.inc

```
sBody = sBody + "</TD><TD WIDTH=2><IMG  
src=http://www.eyardsigns.com/grfx/rnc/bluedot.gif WIDTH='2' HEIGHT='305'>  
</TD></TR></TABLE>" + chr(13)
```

'Legs

```
sBody = sBody + "      <CENTER><table width='485' border='0' cellpadding='0'  
cellpadding='0'>" + chr(13)  
sBody = sBody + "      <tr>" + chr(13)  
sBody = sBody + "          <td width='20%' align='right'><img  
src='http://www.eyardsigns.com/grfx/rnc/leg.gif' width='64' height='156'></td>" +  
chr(13)  
sBody = sBody + "          <td width='40%'>&nbsp;   </td>" + chr(13)  
sBody = sBody + "          <td width='20%'><img  
src='http://www.eyardsigns.com/grfx/rnc/leg.gif' width='64' height='156'></td>" +  
chr(13)  
sBody = sBody + "      </tr>" + chr(13)  
sBody = sBody + "      </table>" + chr(13)
```

'Buttons

```
sBody = sBody + "<TABLE border='0' cellpadding='0' cellspacing='0'  
width='100%'><TR>"  
sBody = sBody + "<TD colspan='2' align='center'><font face='verdana, Arial'  
size='2'><B>"  
sBody = sBody + "Please show your support by clicking on following  
icons<BR></font></B></TD></TR><TR>"  
sBody = sBody + "<TD width='20%' align='center'>"  
sBody = sBody + "<A target='_blank'  
href='https://www.econtributor.net/Contribution/Login.cfm?AID=QTPIGOLVZEBF'>"  
sBody = sBody + "<img src='" + sSiteURL + "grfx/donate.gif' border='0'  
alt='Donate'></A><BR>"  
sBody = sBody + "<font face='Verdana, Arial' size='1'>Donate</font></TD>"  
sBody = sBody + "<TD width='20%' align='center'>"  
sBody = sBody + "<A target='_blank' href='" + sSiteURL +  
"sendtofriend_RNC.asp'>"  
sBody = sBody + "<img src='" + sSiteURL + "grfx/sendtoaafriend.gif' border='0'  
alt='Send to a Friend'></A><BR>"  
sBody = sBody + "<font face='Verdana, Arial' size='1'>Send to  
Friend</font></TD>"  
sBody = sBody + "</TR></TABLE></TD></TR></TABLE><BR>"
```

```
sBody = sBody + "<TABLE BORDER=0 CELLPADDING=0 CELLSPACING=0 width=485><TR>" +  
chr(13)  
sBody = sBody + "<TD Colspan=2><IMG  
src=http://www.eyardsigns.com/grfx/rnc/bluedot.gif WIDTH=485 HEIGHT=2></TD></TR><TR>"  
sBody = sBody + "<TD align=left><a href='http://www.electionmall.com'  
target='_blank'><IMG border=0  
src=http://www.eyardsigns.com/grfx/rnc/electionmall02.gif></a></td>" + chr(13)  
sBody = sBody + "<TD align=right><FONT FACE='Arial, verdana,Helvetica, sans-serif'  
SIZE=1>This eYardsign is brought to you by</FONT><BR>" + chr(13)  
sBody = sBody + "<a href='http://www.eyardsigns.com' target='_blank'><IMG  
src=http://www.eyardsigns.com/grfx/rnc/eyard.gif border=0  
></a>&nbsp;&nbsp;&nbsp;&nbsp;</TD>" + chr(13)  
sBody = sBody + "</TR><TR><TD colspan=2 align=center><FONT FACE='Arial, Helvetica,  
sans-serif' SIZE=1>Paid for by the Republican National Committee | © 2000 Republican  
National Committee. <BR>All rights reserved.</font></td>" + chr(13)  
sBody = sBody + "</TR></TABLE></CENTER></TD></TR></TABLE>" + chr(13)  
sBody = sBody + "</BODY></HTML>"
```

yard_rnc1.inc

%>

09898509.070301

adredir.asp
<% Response.Redirect(Request.QueryString("url")) %>

09898509.070301

replace_apost.code

```
<%  
function replace_apost(ctrl)  
    ctrl = replace(ctrl,chr(34),chr(147))  
    replace_apost =replace(ctrl,"'",chr(146))  
end function  
  
function Wrap_Text(sStr,iLen)  
    iInc = Int(len(sStr)/iLen)  
  
    istart = 1  
    for i = 1 to iInc  
        sStr1 = sStr1 + Mid(sStr,istart,iLen) + "<BR>"  
        istart = istart + iLen  
    next  
    sStr1 = sStr1 + right(sStr,len(sStr)-istart+1)  
    Wrap_Text = sStr1  
end function  
%>
```


AddRemove.js

```
function AddRemove(i) {
    if(i==0) {
        x = 0;
        y = 1;
    }
    else {
        x = 1;
        y = 0;
    }

    with (document.frm_Addtolist) {
        iIndex = select1[x].selectedIndex;
        //Check if any list name is selected or not
        if(iIndex===-1) {
            alert("No list selected");
            return false;
        }

        iOptionNum = select1[y].options.length;
        sText = select1[x].options[iIndex].text;
        sValue = select1[x].options[iIndex].value;
        select1[y].options[iOptionNum] = new Option(sText,sValue); //add
item to list
        select1[x].options[iIndex] = null; //remove item from other list
        //Select the topmost item in current list
        if(select1[x].options.length!=0)
            select1[x].options[0].selected = true;
    }
}
```

```
function checkForm_Addtolist() {
    if (document.frm_Addtolist.stype.value == "0") {
        with (document.frm_Addtolist) {
            if(select1[1].options.length==0) {
                alert("Please add atleast ONE Email List");
                select1[0].options[0].selected=true;
                btn_add.focus();
                return false;
            }
            else {
                //select all items in list2
                for(i=0;i<select1[1].options.length;i++)
                    select1[1].options[i].selected = true;

                //nullify all items from list1
                if(select1[0].options.length!=0)
                    select1[0].options[select1[0].selectedIndex].value = "";
            }
        }
    }
    else {
        if (!isEmailValid(document.frm_Addtolist.one_email.value)) {
            alert("- Enter a valid email address in the form
xxx@xxx.xxx.")
            document.frm_Addtolist.one_email.focus();
            return false;
        }
    }
}
```

chat.js

```
function openchat()
{
    window.name="masterwindow";
    chatwin =
window.open("", "chatwindow", "toolbar=0,location=0,menubar=0,width=530,height=450,resizable=0");
    chatwin.location.href =
"http://mypublicservant.community.everyone.net/community/scripts/chatFrameset.pl?NodeID=62944";
    chatwin.focus();
}
```

spch.js
// (c) 2000 spellchecker.net, Inc. All rights reserved. www.SpellChecker.net
// PLEASE DO NOT EDIT THIS FILE. THE SYSTEM MIGHT FAIL TO WORK IF THE FILE WAS
CHANGED.

//

//var service_host = "http://service.host.name/and_path_if_requierd";

//

var service_host = "http://www.spellchecker.net/spellcheck/";

var customerid = "0957544497";

var schema = "live.demo";

var bnr = "1";

var c_lang = "";

var ci_lang = "";

var int_lang = "en";

var doc_blank = "/lf/blank.html";

var doc_blankform = "/lf/blankform.html";

var doc_process = "script/ssrv.cgi";

function doSpell(lang, ctrl, url, force_reload, intlang) {

if ((navigator.appName == 'Netscape') &&

((navigator.appVersion.indexOf('4.5') != -1) ||
(navigator.appVersion.indexOf('3.0') != -1))) {

alert('Sorry, currently we do not support Netscape Navigator 3.0,
4.5, 6.0, Internet Explorer 3.0.\nPlease upgrade your browser.');

return;

}

if ((navigator.appName == 'Netscape') &&

((navigator.appVersion.indexOf('4.5') != -1) ||
(navigator.appVersion.indexOf('3.0') != -1))) {

alert('We are currently not support Netscape Navigator 3.0, 4.5,
6.0, Internet Explorer 3.0.\nPlease upgrade your browser.');

return;

```
}

```

```
if ( c_lang != '' ) lang = c_lang;

```

```
if ( intlang == '' ) intlang = int_lang;

```

```
var isMSIE = (navigator.appName == 'Microsoft Internet Explorer');

```

```
var Ver = navigator.appVersion;

```

```
if ( (isMSIE && parseInt (navigator.appVersion) < 4) ) {

```

```
    alert("Our spellchecker feature does not support Internet Explorer  
3.0. However, it does support the following browsers: IE 4+, Netscape 4+ ( 6.0).");

```

```
    return;

```

```
}

```

```
////////////////////////////////////
```

```
var ctrlObj;

```

```
var ctrlName = '';

```

```
var formNum = -1;

```

```
var wwidth = 488;

```

```
var wHeight = 440;

```

```
if (ctrl.constructor && ctrl.constructor == String)

```

```
{

```

```
    ctrlName = ctrl;

```

```
    formNum = -1;

```

```
    ctrlObj = eval(ctrl);

```

```
    wwidth = ctrlObj.clientWidth < wwidth ? wwidth :  
ctrlObj.clientWidth;

```

```
    wHeight = (ctrlObj.clientHeight > wHeight ? ctrlObj.clientHeight :  
wHeight);

```

```
}

```

```
else

```

```
{

```

spch.js

```
var i = 0;
for (i = 0; i < document.forms.length; i++)
{
    if (document.forms[i] == ctrl.form)
        break;
}
if (i==document.forms.length)
    formNum = -1;
else
    formNum = i;
```

```
ctrlName = ctrl.name;
ctrlObj = ctrl;
```

```
}
```

```
////////////////////////////////////
```

```
if ((ctrlObj.value ? ctrlObj.value : ctrlObj.innerHTML) == '') {
    alert('Nothing to check.');
```

```
return
```

```
}
```

```
if ( lang == '' ) lang = 'en';
```

```
if ( window.name == '' ) window.name = 'sp_ch_opener_window';
```

```
wndname = window.name;
```

```
///++++++BEGIN++++++
```

```
var spellwin;
```

```
if (window.bEmbedded && window.bEmbedded == 'true')
```

```
    spellwin = window;
```

```
else
```

```
    spellwin = window.open("", "spch" +
getHostStr(document.location.host), "width=" + wwidth + ",height=" + wHeight +
",toolbar=no,resizable=yes");
```

```
///++++++END++++++
```

```
var d = spellWin.document;
var botf = 150;
if ( (intlang == 'fr') || (intlang == 'ge') ) botf=157;
if (intlang == 'it') botf=159;
botf = 159
```

```
///++++++BEGIN++++++
```

```
var s = '';
if (window.bEmbedded)
{
```

```
    s =
    '<script>' +
    '\n var cFlag = 1;' +
    '\nfunction uHandler(){ if (cFlag) open("'" + url +
    '?cmd=terminate&txt_ctrl=' + ctrl.name + '"");}}' +
    '</script>' +
```

```
    '<title>spellchecker.net</title>' +
    '<frameset onUnload="javascript:uHandler()"
rows="' + ((bnr==1)?96:30) + ',*, '+botf+',0" frameborder="No" framespacing=0 border=0>'
    }
```

```
    else
    {
```

```
        s =
        '<title>Spellchecker.net</title>' +
        '<frameset rows="' + ((bnr==1)?96:30) + ',*, '+botf+',0" frameborder="No"
framespacing=0 border=0>'
    }
```

```
    s +=
```

```
        '<frame name="top" src="' + service_host + doc_blank + '"
marginwidth="2" marginheight="0" noresize scrolling="no" frameborder="no"
framespacing=0>' +
```

```
        '<frame name="mid" src="about:blank" marginwidth="0"
marginheight="0" noresize scrolling="auto" frameborder="no" framespacing=0>' +
```

```
        '<frame name="bot" src="' + service_host + doc_blankform + '"
marginwidth=1 marginheight=1 noresize scrolling="auto" frameborder="no"
framespacing=0>' +
```

spch.js

```
'      <frame name="spellsuggestall" src="' + service_host + doc_blank
+ '" marginwidth=1 marginheight=1 noresize scrolling="no" frameborder="no"
framespacing=0>' +
```

```
'</frameset\>';
```

```
///+++++++END+++++++
```

```
d.open();
```

```
d.write(s);
```

```
d.close();
```

```
d = spellwin.frames[1].document;
```

```
if ( d ) {
```

```
var s =
```

```
'<body>' +
```

```
doc_process + '" lang=' + lang + '>' +
```

```
'<input type=hidden name=lang value="">' +
```

```
'<input type=hidden name=intlang value="">' +
```

```
'<input type=hidden name=text value="">' +
```

```
'<input type=hidden name=cmd value="">' +
```

```
'<input type=hidden name=trg_url value="">' +
```

```
'<input type=hidden name=trg_wnd value="">' +
```

```
'<input type=hidden name=txt_ctrl value="">' +
```

```
'<input type=hidden name=svc_time value="">' +
```

```
'<input type=hidden name=statinfo value="">' +
```

```
'<input type=hidden name=customerid value="">' +
```

```
'<input type=hidden name=schema value="">' +
```

```
'<input type=hidden name=bnr value="">' +
```

```
'</form>' +
```

```
'<center><h1>Loading...</h1><center></center>' +
```

```
'</body>';
```

```
d.open();
```

spch.js

```
d.writeln(s);  
d.close();
```

```
var f_dst = d.forms[0];  
f_dst.cmd.value = 'spell';  
f_dst.lang.value = lang;  
f_dst.intlang.value = intlang;  
f_dst.text.value = ctrlObj.value ? ctrlObj.value :  
ctrlObj.innerHTML;  
f_dst.trg_url.value = url;  
f_dst.trg_wnd.value = wndname;
```

```
///++++++BEGIN++++++
```

```
    if (formNum != -1)
```

```
        f_dst.txt_ctrl.value = force_reload ? 'document.forms[' + i  
+ '][\' + ctrlName + \' \'] : '';
```

```
    else
```

```
        f_dst.txt_ctrl.value = force_reload ? ctrlName : '';
```

```
///++++++END++++++
```

```
    f_dst.svc_time.value = (new Date()).getTime();  
    f_dst.customerid.value = customerid?customerid:'';  
    f_dst.schema.value = schema?schema:'';  
    f_dst.bnr.value = bnr;  
    f_dst.submit();  
    spellwin.focus();
```

```
    }
```

```
}
```

```
function getHostStr(str)
```

```
{
```

```
    var res = getSplitStr(str, ".");  
    res = getSplitStr(res, ":");  
    res = getSplitStr(res, "-");
```



```
    return res;
}

function getSplitStr(str, del)
{
    var res = "";
    var arr = str.split(del);
    for(var i = 0; i < arr.length; i++)
    {
        if (res != "")
            res = res + "_";
        res = res + arr[i];
    }
    return res;
}
```

utils.js

```
function isEmailValid(str) {  
    if (str.indexOf(' ') != -1) return false;  
    var a = str.split("@");  
    if (a.length != 2 || str.charAt(str.length-1) == '@') return false;  
    if (a[0].length == 0 || a[1].length == 0) return false;  
    var b = a[1].split(".");  
    if (b.length < 2) return false;  
    if (b[0].length == 0 || b[1].length == 0) return false;  
    return true;  
}
```

```
function trim( str ) {  
    var end = 0;  
    for (i=str.length; i>0; i--) {  
        if (str.substring(i-1,i) != " ") {  
            end = i;  
            break;  
        }  
    }  
    return (str.substr(0,end));  
}
```

index.asp

```
<%@ Language=VBScript %>
<HTML>
<HEAD>
<title>Video Mail Test</title>
</HEAD>
<BODY>

<%if Request.Form.Count <= 0 then%>
    <BR><BR><BR><BR>
    <form name=form1 action=index.asp method=post>
    Email Addres : <input name=email><BR>
    Subject : <input name=subject><br>
    <input name=s1 type=submit value=Submit>
    </form>

<%else
    b_Mail = true%>
    <!-- #include file="video1.inc" -->
    <!-- #include file="mail.inc" -->

    Done. Thank You.

<%end if%>
</BODY>
</HTML>
```

```
mail.inc
<% Set JMail = Server.CreateObject("JMail.SMTPMail")
' This is my local SMTP server
JMail.ServerAddress = "mailhub.registeredsite.com"
' This is me....
JMail.Sender = "eyardsigns@eyardsigns.com"
JMail.Subject = request.form("subject")

JMail.AddRecipient request.form("email")

JMail.ContentType = "text/html"
JMail.Body = sBody

JMail.Priority = 3
' Send it...
JMail.Execute
%>
```

nomail.asp

```
<%@ Language=VBScript %>  
<!-- #include file="video1.inc" -->  
<%Response.Write sBody%>
```

```

<%
sSiteURL = "http://www.eyardsigns.com/test/video1.images/"
sBody = sBody + "<html>"
sBody = sBody + "<body bgcolor='#FFFFFF' text='#000000'>"
if b_Mail = true then
    sBody = sBody + "<font face=arial size=2>If the eYardSign below does not
show up correctly, click here:"
    sBody = sBody + "<a
href=http://www.eyardsigns.com/test/nomail.asp>http://www.eyardsigns.com/test/nomail
.asp</a><BR>"
end if
sBody = sBody + "<table border='0' cellspacing='0' cellpadding='0'>"
sBody = sBody + "    <tr> "
sBody = sBody + "        <td bgcolor='#FFCC66' valign='top'> "
sBody = sBody + "            <table width='283%' border='0' cellspacing='0'
cellpadding='0'>"
sBody = sBody + "                <tr> "
sBody = sBody + "                    <td width='283'><img src='" + sSiteURL + "logo.gif"
width='283' height='61'></td>"
sBody = sBody + "                </tr>"
sBody = sBody + "                <tr>"
sBody = sBody + "                    <td width='283'> "
sBody = sBody + "                        <table border='0' cellspacing='0' cellpadding='0'>"
sBody = sBody + "                            <tr> "
sBody = sBody + "                                <td bgcolor='#FFCC66' valign='top'><img src='" +
sSiteURL + "3.gif' width='21' height='291'></td>"
sBody = sBody + "                                <td valign='top' bgcolor='#FFCC66'> "
sBody = sBody + "                                    <table width='201' border='0' cellspacing='0'
cellpadding='0'>"
sBody = sBody + "                                        <tr> "
sBody = sBody + "                                            <td height='75' align='center'
bgcolor='#FFFCF7'>&nbsp;</td>"
sBody = sBody + "                                        </tr>"
sBody = sBody + "                                        <tr> "
sBody = sBody + "                                            <td> "
sBody = sBody + "                                                <table width='0' border='0' cellspacing='0'
cellpadding='0' align='right'>"
sBody = sBody + "                                                    <tr> "
sBody = sBody + "                                                        <td><img src='" + sSiteURL +
"new_3_1.gif' width='12' height='12'></td>"
sBody = sBody + "                                                        <td><img src='" + sSiteURL +
"tv_3_2.gif' width='172' height='12'></td>"
sBody = sBody + "                                                        <td><img src='" + sSiteURL +
"tv_3_3.gif' width='17' height='12'></td>"
sBody = sBody + "                                                    </tr>"
sBody = sBody + "                                                    <tr> "
sBody = sBody + "                                                        <td bgcolor='#000000'><img src='" +
sSiteURL + "tv_3_4.gif' width='12' height='122'></td>"
sBody = sBody + "                                                        <td height='122' width='172'
bgcolor='#000000'><object width='170' height='120' align='absmiddle'>"
sBody = sBody + "                                                            <embed width='170' height='120'
align='absmiddle' src='" + sSiteURL + "sachin.asx' showcontrols=0>"
sBody = sBody + "                                                            </embed> "
sBody = sBody + "                                                        </object></td>"
sBody = sBody + "                                                        <td><img src='" + sSiteURL +
"tv_3_6.gif' width='17' height='122'></td>"
sBody = sBody + "                                                    </tr>"
sBody = sBody + "                                                    <tr> "
sBody = sBody + "                                                        <td><img src='" + sSiteURL +
"tv_3_7.gif' width='12' height='15'></td>"
sBody = sBody + "                                                        <td><img src='" + sSiteURL +
"tv_3_8.gif' width='172' height='15'></td>"
sBody = sBody + "                                                        <td><img src='" + sSiteURL +

```


outputFile.asp

```
<%
'on error resume next

byteCount = Request.TotalBytes

RequestBin = Request.BinaryRead(byteCount)
Dim UploadRequest
Set UploadRequest = CreateObject("Scripting.Dictionary")

BuildUploadRequest RequestBin

'if not UploadRequest.Item("file1").Item("Value") = "" then
'    'Create FileSystemObject Component
'    Set ScriptObject = Server.CreateObject("Scripting.FileSystemObject")
'
'    sKeyname = "file1"
'    contentType = UploadRequest.Item(sKeyname).Item("ContentType")
'    filepathname = UploadRequest.Item(sKeyname).Item("FileName")
'    sFileName = Right(filepathname, Len(filepathname) - InstrRev(filepathname, "\"))
'    filename = "upload\" + sFileName
'    value = UploadRequest.Item(sKeyname).Item("Value")
'
'    'Create and Write to a File
'    sScriptDir =
StrReverse(Server.mappath(Request.ServerVariables("PATH_INFO")))
'    sScriptDir = Mid(sScriptDir, Instr(1, sScriptDir, "\"))
'    sScriptDir = StrReverse(sScriptDir) + filename
'
'    sServerfilename = sScriptDir
'    Set MyFile = ScriptObject.CreateTextFile(sScriptDir)
'    MyFile.write getString(value)
'    MyFile.Close
'    sLogo = filename
'else
'    sLogo = UploadRequest.Item("s_logo").Item("Value")
'end if%>
<!--#include file="upload.asp"-->
```

<%

```

Sub BuildUploadRequest(RequestBin)
    'Get the boundary
    PosBeg = 1
    PosEnd = InstrB(PosBeg, RequestBin, getByteString(chr(13)))
    boundary = MidB(RequestBin, PosBeg, PosEnd - PosBeg)
    boundaryPos = InstrB(1, RequestBin, boundary)
    'Get all data inside the boundaries
    Do until (boundaryPos = InstrB(RequestBin, boundary & getByteString("--")))
        'Members variable of objects are put in a dictionary object
        Dim UploadControl
        Set UploadControl = CreateObject("Scripting.Dictionary")
        'Get an object name
        Pos =
InstrB(BoundaryPos, RequestBin, getByteString("Content-Disposition"))
        Pos = InstrB(Pos, RequestBin, getByteString("name="))
        PosBeg = Pos + 6
        PosEnd = InstrB(PosBeg, RequestBin, getByteString(chr(34)))
        Name = getString(MidB(RequestBin, PosBeg, PosEnd - PosBeg))
        PosFile = InstrB(BoundaryPos, RequestBin, getByteString("filename="))
        PosBound = InstrB(PosEnd, RequestBin, boundary)
        'Test if object is of file type
        If PosFile <> 0 AND (PosFile < PosBound) Then
            'Get Filename, content-type and content of file
            PosBeg = PosFile + 10
            PosEnd = InstrB(PosBeg, RequestBin, getByteString(chr(34)))
            FileName = getString(MidB(RequestBin, PosBeg, PosEnd - PosBeg))
            'Add filename to dictionary object
            UploadControl.Add "FileName", FileName
            Pos =
InstrB(PosEnd, RequestBin, getByteString("Content-Type:"))
            PosBeg = Pos + 14
            PosEnd = InstrB(PosBeg, RequestBin, getByteString(chr(13)))
            'Add content-type to dictionary object
            ContentType =
getString(MidB(RequestBin, PosBeg, PosEnd - PosBeg))
            UploadControl.Add "ContentType", ContentType
            'Get content of object
            PosBeg = PosEnd + 4
            PosEnd = InstrB(PosBeg, RequestBin, boundary) - 2
            Value = MidB(RequestBin, PosBeg, PosEnd - PosBeg)
            Else
            'Get content of object
            Pos = InstrB(Pos, RequestBin, getByteString(chr(13)))
            PosBeg = Pos + 4
            PosEnd = InstrB(PosBeg, RequestBin, boundary) - 2
            Value = getString(MidB(RequestBin, PosBeg, PosEnd - PosBeg))
        End If
        'Add content to dictionary object
        UploadControl.Add "Value", Value
        'Add dictionary object to main dictionary
        UploadRequest.Add name, UploadControl
        'Loop to next object
        BoundaryPos = InstrB(BoundaryPos + LenB(boundary), RequestBin, boundary)
    Loop

End Sub

'String to byte string conversion
Function getByteString(StringStr)
    For i = 1 to Len(StringStr)
        char = Mid(StringStr, i, 1)

```

```

                                upload.asp
    getByteString = getByteString & chrB(AscB(char))
Next
End Function

'Byte string to string conversion
Function getString(StringBin)
    getString = ""
    For intCount = 1 to LenB(StringBin)
        getString = getString & chr(AscB(MidB(StringBin,intCount,1)))
    Next
End Function
%>

```

